

Makita[®]

FAST-MOVING ACCESSORY CATALOGUE



Safety Precautions

When using electric tools, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and personal injury, including the following.

/// KEEP WORK AREA CLEAN.

Cluttered areas and benches invite injuries.

/// CONSIDER WORK AREA ENVIRONMENT.

Don't use power tools in damp or wet locations. Keep work area well lit. Don't expose power tools to rain. Don't use power tool in presence of flammable liquids or gases.

/// KEEP CHILDREN AWAY.

All visitors should be kept away from work area.
Don't let visitors touch the tool or extension cord.

/// STORE IDLE TOOLS.

When not in use, tools should be stored in a dry, high of locked up place, out of reach of children.

/// DON'T FORCE THE TOOL.

It will do the job better and safer at the rate for which it was intended.

/// USE THE RIGHT TOOL.

Don't force small tools or attachments to do the job of a heavy-duty tool. Don't use tools for purposes not intended.

/// DRESS PROPERLY.

Don't wear loose clothing or jewelry. They can be caught in moving parts. Rubber gloves and non-skid footwear are recommended when working outdoors. Wear protective hair covering to contain long hair.

/// USE SAFETY GLASSES.

Also use face or dust mask if the cutting operation is dusty.

/// DON'T ABUSE THE CORD.

Never carry the tool by the cord or yank it to disconnect it from the socket. Keep the cord away from heat, oil, and sharp edges.

/// SECURE WORK.

Use clamps or a vise to hold the work. It's safer than using your hand and it frees both hands to operate the tool.

/// DON'T OVERREACH.

Keep proper footing and balance at all times.

/// MAINTAIN TOOLS WITH CARE.

Keep cutting tools sharp and clean for better and safer performance. Follow instructions for lubrication and changing accessories. Inspect tool cord periodically and if damaged, have it repaired by an authorized service facility. Inspect extension cords periodically and replace, if damaged. Keep handles dry, clean and free from oil and grease.

/// DISCONNECT TOOLS.

When not in use, before servicing and when changing accessories such as blades, bits and cutters.

/// REMOVE ADJUSTING KEYS AND WRENCHES.

Form the habit of checking to see that keys and adjusting wrenches are removed from the tool before turning it on.

/// AVOID UNINTENTIONAL STARTING.

Don't carry a plugged-in tool with a finger on the switch. Ensure switch is OFF when plugging in.

/// USE OUTDOOR EXTENSION CORDS.

When tool is used outdoors, use only extension cords intended for outdoor use.

/// STAY ALERT.

Watch what you are doing. Use common sense. Don't operate tool when you are tired.

/// CHECK DAMAGED PARTS.

Before further use of the tool, a guard or other part that is damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment of moving parts, free running of moving parts, breakage of parts, mounting and any other conditions that may affect its operation. A guard or other part that is damaged should be properly repaired or replaced by an authorized service center unless otherwise indicated in this instruction manual. Have defective switches replaced by an authorized service facility. Don't use the tool if the switch does not turn it on and off.

/// GUARD AGAINST ELECTRIC SHOCK.

Avoid body contact with earthed or grounded surfaces (e.g. pipes, radiators, ranges, refrigerators).

/// REPLACEMENT PARTS.

When servicing a tool, use only identical replacement parts.

/// VOLTAGE WARNING:

Before connecting the tool to a power source (receptacle, outlet, etc.) Be sure the voltage supplied is the same as that specified on the nameplate of the tool. A power source with voltage greater than that specified for the tool can result in SERIOUS INJURY to the user V as well as damage to the tool. If in doubt, DO NOT PLUG IN THE TOOL. Using a power source with voltage less than the nameplate rating is harmful to the motor.

Note

- Makita reserves the right to change specifications of parts and accessories without notice.
- Items of standard equipment and specifications may vary by country or area.
- Net weight and dimensions may differ by the type of battery.
- Standard export color for motor housing is Makita industrial green (blue).
- Please state required voltage when ordering. These offers are subject to availability in each country. Actual product color may differ slightly from color reproduced here.
- The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014

Guarantee

Every Makita tool is thoroughly inspected and tested before leaving the factory. It is guaranteed against defective workmanship and materials. Should any trouble develop, return the COMPLETE tool prepaid to Makita or point of purchase. If inspection shows trouble is caused by defective workmanship of material, all repairs will be made without charge. The guarantee does not apply where repairs have been made or attempted by others; repairs are due to normal wear; the tool has been abused or in an accident; misuse is evident – caused by overloading the tool beyond its capacity, use of the tool after partial failure or use with improper accessories.

Safety



Wear eye protection



Wear ear protection



Wear a mask



Wear protective gloves



Wear protective shoes



Read the instruction manuals



Remove plug from socket

Materials

Masonry



Concrete



Brick



Limestone



Marble



Granite

Wood



Wood



Wood with nails



Chipboard

Metal



Metal



Stainless steel

Other Materials



Glass fibre reinforced plastic, epoxy




Plastic



Roof tile


5

Drilling
(Wood/ Metal)



7

Drilling
(Masonry)



12

Fastening



14

Cutting



15

Jigsaw/
Reciprosawing



17

Bonded
Abrasive



18

Coated
Abrasive



19

Diamond



20

Planing



21

Outdoor Power
Equipment



Screwing/ Drilling



Drill
Angle Drill
Driver Drill



Hammer
Driver Drill



Diamond Core
Hammer Drill

Fastening

Screw bit



P.12

Drilling (Wood/Metal)

Drill bit



P.5

Drilling (Masonry)

Masonry bit with
straight shank



P.7



Drywall
Screwdriver
Screwdriver



Impact Driver

Fastening

Screw bit



P.12

Drilling (Wood / Metal)

Drill bit with 1/4"Hex shank



P.6

Hammer drilling/ Chiselling



Combination
Hammer (3 Mode)



Rotary
Hammer
(SDS Max
Model)



Demolition
Hammer

Drilling (Wood/Metal)

Drill bit



P.5

Drilling (Masonry)

Tungsten carbide-tipped bit



P.8

Bull point



Cold chisel



Scaling chisel



Cutting



Cutter



Angle
Cutter



Portable
Cut-off

Diamond

Diamond wheel



P.19

Bonded Abrasive

Cut-off wheel



P.18

Grinding/ Sanding/ Polishing

Angle Grinder



Random Orbit Sander



Bonded Abrasive

Grinding wheel



Thin Cut-off wheel



Cut-off wheel



Abrasive disc



P.17

P.18

Sawing

Slide Compound Miter Saw

Circular Saw

Table Saw



Cutting

Saw blade



P.14

Jig saw



Reciprosaw



Jigsaw / Reciprosawing

Jig saw
blade



Reciprosaw
blade



P.15

Planing

Planer



Planing

Planer blade



Mini planer blade



P.20

Metal Drill Bit HSS-TiN



Range	Diameter mm	Length mm	Working length mm	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	34	12	1	2	D-64004	5.00
	1.5	40	18	1.5	2	D-64010	5.30
	2	49	24	2	2	D-64026	5.30
	2.5	57	30	2.5	2	D-64032	5.90
	3	61	33	3	2	D-64048	6.20
	3.5	70	39	3.5	2	D-64054	6.80
	4	75	43	4	2	D-64060	7.10
	4.5	80	47	4.5	1	D-64076	5.90
	5	86	52	5	1	D-64082	5.90
	5.5	93	57	5.5	1	D-64098	5.90
	6	93	57	6	1	D-64107	6.80
	6.5	101	63	6.5	1	D-64113	7.70
	7	109	69	7	1	D-64129	8.20
	7.5	109	69	7.5	1	D-64135	8.60
	8	117	75	8	1	D-64141	9.50
	8.5	117	75	8.5	1	D-64157	10.60
	9	125	81	9	1	D-64163	11.70
	9.5	125	81	9.5	1	D-64179	13.30
	10	133	87	10	1	D-64185	14.20
	10.5	133	87	10.5	1	D-64191	15.50
	11	142	94	11	1	D-64200	16.40
	11.5	142	94	11.5	1	D-64216	18.00
	12	151	101	12	1	D-64222	20.20
	12.5	151	101	12.5	1	D-64238	21.10
	13	151	101	13	1	D-64244	21.90
	14	160	108	13	1	D-65741	51.90
	15	169	114	13	1	D-65757	58.20
	16	178	120	13	1	D-65763	66.80

Metal Drill Bit HSS-TiN Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1.5 to 6.5	13	D-72855	46.40
	2 to 8	6	D-72833	33.70
	1 to 10	19	D-67527	109.00

Metal Drill Bit HSS-TiN with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2.5	78	30	1/4 inch Hex NZ	1	D-46539	6.20
	3	91	33		1	D-31114	6.80
	3.2	95	36		1	D-31120	7.70
	4	105	43		1	D-31142	8.00
	5	116	52		1	D-31170	9.90
	6	123	57		1	D-31186	13.10
	6.5	131	63		1	D-31192	17.10
	8	117	75		1	D-31201	28.60
	10	133	87		1	D-31217	39.10
	12	151	101		1	D-31223	62.60
	13	151	101		1	D-31239	71.00

Wood Brad Point Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	61	33	1	D-07026	3.30
	4	75	43	1	D-07032	3.30
	5	86	52	1	D-07048	3.70
	6	93	57	1	D-07054	4.20
	7	109	69	1	D-07060	5.10
	8	117	75	1	D-07076	5.10
	9	125	80	1	D-07082	6.20
	10	133	87	1	D-07098	7.10
	12	151	96	1	D-07107	9.10
	14	160	100	1	D-07113	11.30
	16	160	100	1	D-07129	15.10
	18	180	120	1	D-07135	23.30
	20	200	130	1	D-07141	25.50

Wood Brad Point Drill Bit Assortment in Plastic Case




Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 to 10	5	D-72861	26.00

Wood Brad Point Drill Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	80	33	1/4 inch Hex NZ	1	D-31245	6.00
	4	95	43		1	D-31251	6.60
	5	105	52		1	D-31267	7.10
	6	115	57		1	D-31273	7.70
	8	117	75		1	D-31289	9.10
	10	133	87		1	D-31295	10.20
	12	151	96		1	D-31304	13.30
	15	162	100		1	D-31310	17.90

TCT Drill Bit with Straight Shank



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	60	30	1	D-05228	5.00
	4	70	35	1	D-05234	5.00
	5	85	45	1	D-05240	5.00
	6	100	60	1	D-05256	5.00
	6	150	90	1	D-05262	5.30
	7	100	55	1	D-05278	5.30
	8	110	60	1	D-05290	5.30
	8	150	90	1	D-05309	5.30
	9	150	90	1	D-05315	6.20
	10	150	90	1	D-05321	6.80
	11	150	90	1	D-05337	7.30
	12	150	90	1	D-05343	8.20
	13	150	85	1	D-05359	10.80
	14	150	85	1	D-05365	10.80

TCT Drill Bit with Straight Shank Brick Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4x75, 5x85, 6x100, 8x120, 10x120	5	D-72877	30.00

TCT Drill Bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3.5	110	50	1	D-15665	6.40
	4	110	50	1	D-00016	6.40
	5	110	50	1	D-00022	6.40
	5	160	100	1	D-00038	6.40
	5.5	110	50	1	D-00044	6.40
	5.5	160	100	1	D-16106	6.40
	6	110	50	1	D-00050	6.40
	6	160	100	1	D-00066	6.40
	6	210	150	1	D-00072	7.70
	6.5	110	50	1	D-00088	6.40
	6.5	160	100	1	D-00094	6.40
	6.5	210	150	1	D-45082	7.90
	7	110	50	1	D-00103	6.40
	7	160	100	1	D-00119	6.40
	8	110	50	1	D-00125	6.40
	8	160	100	1	D-00131	6.60
	8	210	150	1	D-00147	7.90
	8	260	200	1	D-00153	9.00
	9	110	50	1	D-08040	6.60
	9	160	100	1	D-08056	7.00
	9	210	150	1	D-00169	7.90
	10	110	50	1	D-09117	7.00
	10	160	100	1	D-00175	7.00
	10	210	150	1	D-00181	8.80
	10	260	200	1	D-00197	9.70
	10	310	250	1	D-00206	11.50
	10	460	400	1	D-17538	23.30
	11	160	100	1	D-00212	7.10
	12	160	100	1	D-00228	7.90
	12	210	150	1	D-00234	9.70
	12	260	200	1	D-00240	10.60
	12	350	290	1	D-16112	12.80
	12	460	400	1	D-16271	24.20
	13	160	100	1	D-00256	8.80
	13	260	200	1	D-25622	11.00
	13	350	290	1	D-16128	14.40
	14	160	100	1	D-00262	10.60
	14	210	150	1	D-21331	12.60
	14	260	200	1	D-00278	13.90
	14	350	290	1	D-16134	16.40
	14	460	400	1	D-17544	25.50
	15	160	100	1	D-00284	12.80
	15	260	200	1	D-25638	17.50
	15	350	290	1	D-16140	21.50
	15	460	400	1	D-17550	32.40
	16	160	100	1	D-03981	12.80
	16	210	150	1	D-00290	15.70

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16	260	200	1	D-16156	17.50
	16	310	250	1	D-00309	18.80
	16	350	290	1	D-16162	21.50
	16	460	400	1	D-16287	30.60
	17	160	100	1	D-16178	16.40
	17	210	150	1	D-00315	18.00
	17	260	200	1	D-16184	21.00
	17	350	290	1	D-16190	26.40
	18	160	100	1	D-16209	17.50
	18	210	150	1	D-00321	18.80
	18	260	200	1	D-16215	21.50
	18	350	290	1	D-16221	26.40
	18	460	400	1	D-17566	35.70
	19	210	150	1	D-00343	23.00
	19	350	290	1	D-16243	32.40
	19	460	400	1	D-16293	39.30
	20	210	150	1	D-00359	23.30
	20	260	200	1	D-16259	26.40
	20	310	250	1	D-00365	30.00
	20	350	290	1	D-16265	32.40
	20	460	400	1	D-15235	39.30
	22	260	200	1	D-00371	31.30
	22	310	250	1	D-08062	34.60
	22	460	400	1	D-15241	44.00
	24	260	200	1	D-25644	38.00
	24	460	400	1	D-16302	46.60
	25	260	200	1	D-00387	39.30
	25	310	250	1	D-08517	42.40
	25	350	290	1	D-03311	45.30
	25	460	400	1	D-15257	53.30
	26	260	200	1	D-00393	44.00
	26	310	250	1	D-08078	47.90
	26	460	400	1	D-15263	61.70
	28	460	400	1	D-16318	70.20
	30	460	400	1	D-17572	91.30

TCT Drill Bit for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6x110, 6.5x110, 8x160, 10x160, 12x160	5	D-17784	33.70

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Bull Point for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	250	1	D-08713	17.30
	400	1	D-19015	20.00

Cold Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	20 x 250	1	D-08729	17.30
	20 x 400	1	D-19021	21.00

Scaling Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	40 x 250	1	D-08735	27.30
	50 x 215	1	D-25616	27.70

Chisel for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	3	D-30134	80.00

Bull Point for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	280	1	D-08682	19.10
	450	1	D-16863	31.90

Cold Chisel for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	19 x 280	1	D-08707	23.50
	19 x 450	1	D-16879	36.80

Scaling Chisel for 17mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	50 x 280	1	D-20694	26.40
	50 x 450	1	D-52548	45.90

Bull Point for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	400	1	D-15285	100.00

Scaling Chisel for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	75 x 310	1	D-23868	125.90

TCT Drill Bit & Chisel for Sds-Plus Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Drill 5 to 16, Bull point 160, Cold chisel 20 x 140	10	D-46361	72.80

Mag Boost Impact PREMIER



Range	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	E-03442	22.80

Screw Bit C-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	2	B-63616	8.00

Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	50	2	E-08763	11.30

Double Ended Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	65	10	E-15827	62.20
		PH 2	110	10	E-15833	98.60

Magnetic Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08785	15.50

Sleeve Chuck Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08791	21.00

Nutsetter E-form Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	8	50	1	E-08816	11.50

Nutsetter E-form Impact BLACK Assortment in Clear Case Series



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	6	E-18035	94.00

Socket Adapter E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	1/2 inch Drive	50	1	E-08850	14.00
		3/8 inch Drive	50	1	E-08844	11.00

Double Ended Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	65	10	D-33679	45.50
			110	10	D-34833	71.00

TCT Saw Blade for Circular Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	235	20	2.3	1.6	25	-	20	ATB	-	1	A-89947	120.40

TCT Saw Blade for Miter Saw Table Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	255	32	2.3	1.8	25.4	-	5	ATAF	-	1	A-83696	271.90
		305	60	2.3	1.8	25.4	-	5	ATB	-	1	B-03676	243.30

TCT Saw Blade



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Wood	255	40	2.6	1.8	25.4	-	-	-	-	1	P-67885	99.10
		165	60	2	1.2	20	-	-	-	-	1	P-67935	64.40
		180	60	2	1.2	20	-	-	-	-	1	P-67941	66.80
		185	60	2	1	20	-	-	-	-	1	P-67963	54.60
		230	60	2.6	1.8	25.4	-	-	-	-	1	P-67979	133.50

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Saw Blade for Metal Cutting Metal General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	136	30	1.5	1.2	20	0	MTCG	-	1	B-07319	193.10
		150	32	1.5	1.2	20	0	MTCG	-	1	B-46296	142.80
		305	60	2.1	1.7	25.4	0	TCG	-	1	A-87242	549.10

Jig Saw Blade B Shank Wood Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Basic	Milled and side set teeth	8	100	74	1.2	HCS	5	D-34877	7.30

Jig Saw Blade B Shank Wood Fast Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Fast	Ground and side set teeth	6	100	74	1.2	HCS	5	D-34883	11.90
	Wood	Fast, Scroll cutting		6	100	74	1.2	HCS	5	D-34899	11.90

Jig Saw Blade B Shank Wood Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-10	Wood, Plastics	Fast finish	Ground and taper ground teeth	9	105	76	1.25	HCS	5	A-85628	28.20

Jig Saw Blade B Shank Metal Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	21	75	51	1	HSS	5	D-34908	15.50

Recipro Saw Blade Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	-	Metal	Basic	Milled and side set teeth	14	225	205	0.9	Bi-Metal	5	B-16776	130.00

Recipro Saw Blade Metal Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	14	150	203	0.9	Bi-Metal	2	D-80298	21.50
				18	150	203	0.9	Bi-Metal	2	D-80313	21.00
				18	225	128	0.9	Bi-Metal	2	D-80329	29.70
				24	225	128	0.9	Bi-Metal	2	D-80341	28.20

Recipro Saw Blade Wood Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3020	Wood	Basic	Milled and side set teeth	10	150	129	1	HCS	5	A-02319	46.40
	No.23				9	165	144	1	HCS	2	B-00826	27.00
					5	792148-9	62.20					
	No.3023				10	250	229	1.25	HCS	5	B-00767	96.80

Recipro Saw Blade Wood Fast



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3019	Wood	Fast	Milled and side set teeth	4	150	129	1	HCS	5	A-02303	46.40
	No.23B		Fast finish	Ground and side set teeth	6	150	129	1	HCS	5	792707-9	58.00
	No.3030		Fast		6	300	279	1.25	HCS	5	B-03030	128.20

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Recipro Saw Blade Wood and Metal Rescue



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	25	B-67206	2265.30
				6-8	225	205	1.25	TC/HM	25	B-67212	3181.30

Grinding Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100 (4)	6.0 (1/4)	16.00 (5/8)	A36P	1	A-80911	4.60

Cut-Off Wheel/ Metal/ Flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Metal	100 (4)	2.5 (3/32)	16.00 (5/8)	A30S	1	D-18655	3.50

Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100 (4)	1.0 (3/64)	16.00 (5/8)	WA46R	1	D-75518	2.00

Ultra Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100 (4)	0.8 (1/32)	16.00 (5/8)	Z60V	1	E-22931	10.00

Grinding Wheel/ Stainless/ Depressed/ 2 in 1/ Ideal for Cordless Angle Grinder



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100 (4)	2.2 (5/64)	16.00 (5/8)	SA46P	1	B-51649	7.70

Cut-Off Wheel for Portable Cut-Off/ Metal



Range	Work material	Outer dia. mm (inch)	Thickness mm (inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Metal	355 (14)	3.0 (1/8)	25.40 (1)	A36T	25	E-10540-25	400.00

Abrasive Disc/ Paint



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Paint, Wood, PVC	125	A40	8	Hook & Loop	10	D-65816	18.00
		125	A60	8		10	D-65822	18.00
		125	A80	8		10	D-65838	18.00
		125	A100	8		10	D-65844	18.00
		125	A120	8		10	D-65850	18.00
		125	A150	8		10	D-65866	18.00
		125	A180	8		10	D-65872	18.00
		125	A240	8		10	D-65888	18.00
		125	A320	8		10	D-65894	18.00
		125	A400	8		10	D-65903	18.00

Diamond Wheel Concrete Segmented




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4	180	7	22.23	-	Dry	-	-	1	D-44286	58.60
★★★★☆		2 3 4 5	105	7	20	16	Dry	-	-	1	D-05197	32.80
★☆☆☆☆		2	105	10	20	16	Dry & Wet	-	EN13236	1	D-79566	16.20

Diamond Wheel Concrete Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	2 3 4	105	8	20	16	Dry	-	-	1	D-05206	34.60

Diamond Wheel Concrete Granite Segmented Wave



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3 4	105	7	20	16	Dry	1	D-42581	21.90

Diamond Wheel Concrete Marble Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Marble	2 3 4 6	110	5	20	Wet	1	D-05212	21.00

Diamond Wheel Granite Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4	105	10	20	16	Wet	1	D-44351	17.30

Diamond Wheel Marble Segmented




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Marble	1 2 3 4	105	10	20	16	Wet	1	D-44367	17.30

Diamond Wheel Granite Marble Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Granite, Marble	1 2 3 4	105	7	20	16	Dry	1	D-42553	21.90

Diamond Wheel Universal Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Concrete, Brick, Limestone, Roof tile	105	12	20	16	Dry & Wet	EN 13236	1	D-74083	35.00

Planer Blade/ HSS



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	82	2	D-16346	36.00

Mini Planer Blade/ HSS



Range	Size mm (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	306 (12)	2	793346-8	227.30

Mini Planer Blade/ TC



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	82	-	2	D-07945	54.40


Plastic Blade Set



Model No.	Plastic blade set				Replacement Plastic blade		
	Arbore size	Cutting width	Part No.	RSP (RM)	Per pkg	Part No.	RSP (RM)
UR100D	M8 x 1.25RH	230 mm	198848-3	105.10	-	-	-
DUR194	M10 x 1.25LH	230 mm	191Y45-0	105.00	12	198426-9	75.00
DUR187L, DUR187U, DUR188L, DUR190L, DUR190U, DUR191L, DUR191U, DUR188U, DUR189, DUR364L, DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR008G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP	M8 x 1.25RH M8 x 1.25LH M10 x 1.25LH	255 mm	198383-1	130.20	-	-	-

Four-Leaf Spiral Nylon Cord

Type	Model No.	Dia. (mm)	Length (m)	Part No.	RSP (RM)
	Single	1.65	15	E-01731	24.00
	Single	2.0	15	E-01769	25.90



MALAYSIA 2025.09/DIGITAL

Makita Power Tools (Malaysia) Sdn. Bhd. Co. Registration No.: 201301001778 (1031615-M)

HQ & Service Centre

Lot 824, Jalan Subang 5, Subang Industrial Area,
47500 Subang Jaya, Selangor.
Tel: 03-8023 0824 (General) | Fax: 03-8022 1448
03-8022 1443 (Service)

Johor (Johor Bahru) Service Centre

No.12 & 14, Jalan Rosmerah 2/9,
Taman Johor Jaya,
81100 Johor Bahru, Johor.
Tel: 07-364 9406 | Fax: 07-364 9407

Sarawak (Kuching) Service Centre

Lot 1227, Lorong Demak Indah 2A,
Demak Laut Industrial Area, Phase 2A,
93050 Kuching, Sarawak.
Tel: 082-496 800 | Fax: 082-496 900

Sabah (Kota Kinabalu) Service Centre

Lot 19, Jalan Buah Duku,
Kolombong Light Industrial Estate, Off Jalan Kolombong,
Kolombong Zone 1, 88450 Inanam, Kota Kinabalu, Sabah.
Tel: 088-388 278 | Fax: 088-388 279



www.makita.my
✉ makita@makita.my