

®

ACCESSORY CATALOGUE



Safety Precautions

When using electric tools, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and personal injury, including the following.

/// KEEP WORK AREA CLEAN.

Cluttered areas and benches invite injuries.

/// CONSIDER WORK AREA ENVIRONMENT.

Don't use power tools in damp or wet locations. Keep work area well lit. Don't expose power tools to rain. Don't use power tool in presence of flammable liquids or gases.

/// KEEP CHILDREN AWAY.

All visitors should be kept away from work area. Don't let visitors touch the tool or extension cord.

/// STORE IDLE TOOLS.

When not in use, tools should be stored in a dry, high or locked up place, out of reach of children.

/// DON'T FORCE THE TOOL.

It will do the job better and safer at the rate for which it was intended.

/// USE THE RIGHT TOOL.

Don't force small tools or attachments to do the job of a heavy-duty tool. Don't use tools for purposes not intended.

/// DRESS PROPERLY.

Don't wear loose clothing or jewelry. They can be caught in moving parts. Rubber gloves and non-skid footwear are recommended when working outdoors. Wear protective hair covering to contain long hair.

/// USE SAFETY GLASSES.

Also use face or dust mask if the cutting operation is dusty.

/// DON'T ABUSE THE CORD.

Never carry the tool by the cord or yank it to disconnect it from the socket. Keep the cord away from heat, oil, and sharp edges.

/// SECURE WORK.

Use clamps or a vise to hold the work. It's safer than using your hand and it frees both hands to operate the tool.

/// DON'T OVERREACH.

Keep proper footing and balance at all times.

/// MAINTAIN TOOLS WITH CARE.

Keep cutting tools sharp and clean for better and safer performance. Follow instructions for lubrication and changing accessories. Inspect tool cord periodically and if damaged, have it repaired by an authorized service facility. Inspect extension cords periodically and replace, if damaged. Keep handles dry, clean and free from oil and grease.

/// DISCONNECT TOOLS.

When not in use, before servicing and when changing accessories such as blades, bits and cutters.

/// REMOVE ADJUSTING KEYS AND WRENCHES.

Form the habit of checking to see that keys and adjusting wrenches are removed from the tool before turning it on.

/// AVOID UNINTENTIONAL STARTING.

Don't carry a plugged-in tool with a finger on the switch. Ensure switch is OFF when plugging in.

/// USE OUTDOOR EXTENSION CORDS.

When tool is used outdoors, use only extension cords intended for outdoor use.

/// STAY ALERT.

Watch what you are doing. Use common sense. Don't operate tool when you are tired.

/// CHECK DAMAGED PARTS.

Before further use of the tool, a guard or other part that is damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for alignment of moving parts, free running of moving parts, breakage of parts, mounting and any other conditions that may affect its operation. A guard or other part that is damaged should be properly repaired or replaced by an authorized service center unless otherwise indicated in this instruction manual. Have defective switches replaced by an authorized service facility. Don't use the tool if the switch does not turn it on and off.

/// GUARD AGAINST ELECTRIC SHOCK.

Avoid body contact with earthed or grounded surfaces (e.g. pipes, radiators, ranges, refrigerators).

/// REPLACEMENT PARTS.

When servicing a tool, use only identical replacement parts.

/// VOLTAGE WARNING:

Before connecting the tool to a power source (receptacle, outlet, etc.) Be sure the voltage supplied is the same as that specified on the nameplate of the tool. A power source with voltage greater than that specified for the tool can result in SERIOUS INJURY to the user V as well as damage to the tool. If in doubt, DO NOT PLUG IN THE TOOL. Using a power source with voltage less than the nameplate rating is harmful to the motor.

Note

- Makita reserves the right to change specifications of parts and accessories without notice.
- Items of standard equipment and specifications may vary by country or area.
- Net weight and dimensions may differ by the type of battery.
- Standard export color for motor housing is Makita industrial green (blue).
- Please state required voltage when ordering. These offers are subject to availability in each country. Actual product color may differ slightly from color reproduced here.
- The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014

Guarantee

Every Makita tool is thoroughly inspected and tested before leaving the factory. It is guaranteed against defective workmanship and materials. Should any trouble develop, return the COMPLETE tool prepaid to Makita or point of purchase. If inspection shows trouble is caused by defective workmanship of material, all repairs will be made without charge. The guarantee does not apply where repairs have been made or attempted by others; repairs are due to normal wear; the tool has been abused or in an accident; misuse is evident – caused by overloading the tool beyond its capacity, use of the tool after partial failure or use with improper accessories.

Safety



Wear eye protection



Wear ear protection



Wear a mask



Wear protective gloves



Wear protective shoes



Remove plug from socket



Read the instruction manuals

Materials

Masonry



Reinforced concrete



Concrete



Aerated concrete



Brick



Soft brick



Stone



Limestone



Marble



Granite

Wood



Wood



Wood with nails



Laminate board



Plywood



Chipboard



MDF

Metal



Metal



Sheet metal



Non-ferrous metals



Aluminum



Stainless steel



Cast iron

Other Materials



Glass fibre reinforced plastic, epoxy



Glass



Plastic



Ceramic tiles



Soft Tile



Fiber cement board



Plaster board



Epoxy



Cardboard



Cork



Asphalt



Rubber



Leather



Ice

Drilling (Wood/ Metal) 6



Drilling (Masonry) 19



Fastening 33



Drill and Screw Bit Sets 42



Cutting 44



Jigsaw/ Reciprosawing 56



Brushing 68



Bonded Abrasive 72



Coated Abrasive 77



Multi Tool 84



Diamond 95



Planing/ Routing 110




Outdoor Power Equipment 114




Miscellaneous 128



Screwing/ Drilling

	Fastening P.33
	Screw bit Socket bit 
	Drilling (Wood/Metal) P.6
	Drill bit 
	Step drill bit & Countersink bit 
	Hole saw 
	Brushing P.68
	Nylon brush & Wire brush 
	Drilling (Masonry) P.19
	Masonry bit with straight shank (Tungsten carbide-tipped bit) 
	Diamond P.109
	Diamond core bit (Dry type) *For Model 8406, 8406C 
	Fastening P.33
	Socket  Extension bar  Universal joint  Bit adapter assembly 
	Screw bit Socket bit 
	Fastening P.33
	Screw bit 

Hammer drilling/ Chiselling

	Drilling (Wood/Metal) P.6
	Drill bit 
	Step drill bit & Countersink bit 
	Hole saw 
	Diamond P.109
	Diamond core bit (Dry type) 
	Drilling (Masonry) P.19
	Tungsten carbide-tipped bit 
	Bull point 
	Cold chisel 
	Grooving chisel 
	Scaling chisel 
	Scraper assembly 100 (SDS-PLUS only) 
	Clay spade 
	Bushing tool 
	Rammer 
	Ground rod adapter 
	Drilling / (Metal) P.6
	Broach Cutter 
	Cutting
	Diamond P.95
	Diamond wheel 
	Bonded Abrasive P.72
	Cut-off wheel 
	Cutting P.44
	Carbide-tipped saw blade for Metal 
	Grooving TCT Saw Blade 



Portable
Band Saw

Jigsaw/ Reciprosawing P.56

Band saw blade



Multifunction

Multi Tool

P.84

Multi Tool Accessories

Multi Tool



Grinding/ Sanding/ Polishing

Angle Grinder



Bonded Abrasive

P.72

Grinding wheel



Flexible
grinding
wheel



Cut-off wheel



Thin
Cut-off
wheel



Coated Abrasive

P.77

Flap Disc



Fiber sanding
disc



Brushing

P.68

Wire brush



Diamond

P.95

Diamond
wheels



Die Grinder



Bonded Abrasive

P.72

Wheel point



Tungsten
carbide burrs



Disc
Sander



Coated Abrasive

P.77

Fiber
sanding
disc



Belt
Sander



Abrasive
belt



Finishing
Sander



Abrasive
paper



Random
Orbit
Sander



Abrasive
disc



Polisher



Brushing

P.68

Wool bonnet



Sponge pad



Wool pad



100 mm Diamond
polishing pad



Bench
Grinder
Straight
Grinder



Bonded Abrasive

P.72

Grinding wheel



Sawing

Slide Compound
Miter Saw

Circular Saw

Table Saw



Cutting
Saw blade

P.44



Jig saw



Jigsaw / Reciprosawing P.56

Jig saw
blade



Reciprosaw



Reciprosaw
blade



Band saw



Band saw
blade



Milling/ Planing

Planer



Planing/ Routing

P.110

Planer blade



Mini planer blade



Trimmer
Router



Router bit



Concrete
Planer



Diamond

P.95

Offset diamond wheel



ACCESSORIES

▣ Drilling (Wood/ Metal)



Metal,
mild steel



Stainless
steel



Aluminum



Non-ferrous
metal



Wood



Wood
with nails



MDF



Plywood



Soft Tile



Brick



Soft brick



Marble



Limestone



Plaster
board



Plastic



Fiberglass



Sheet
metal



Tungsten
carbide tip
for glass bit



Glass



Long life



Fast cut



Do not
drill with
impact



Oil



Wet



n max.
10000



Chisel
edge



M shape



Split
point



Cylindrical
shank



Three flat
shank



Hex shank



6.35 Hex
shank
C-form



6.35 Hex
shank MZ

Metal Drill Bit HSS-R



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4.8	86	52	1	D-38392	3.90
	5.2	86	52	1	D-46729	3.90
	5.3	86	52	1	D-46947	3.90
	8.8	125	81	1	D-46969	7.10
	10.3	133	87	5	D-46919	37.90
	10.5	133	87	5	D-38750	37.90
	10.8	142	94	5	D-46925	41.30
	11	142	94	5	D-38766	41.30
	11.5	142	94	5	D-38772	44.00
	12	151	101	5	D-38788	53.90
	12.5	151	101	5	D-38794	55.70
	13	151	101	5	D-38803	59.10

Metal Drill Bit HSS-TiN



Range	Diameter mm	Length mm	Working length mm	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	34	12	1	2	D-42955	7.00
	1.5	40	18	1.5	2	D-42961	7.00
	2	49	24	2	2	D-42977	9.10
	2.5	57	30	2.5	2	D-42983	8.80
	3	61	33	3	2	D-43000	10.00
	3.2	65	36	3.2	2	D-43016	12.20
	3.3	65	36	3.3	2	D-43022	10.80
	3.5	70	39	3.5	2	D-43038	12.20
	4	75	43	4	2	D-43044	14.20
	4.1	75	43	4.1	1	D-43050	8.00
	4.2	75	43	4.2	1	D-43066	8.80
	4.5	80	52	4.5	1	D-43072	8.80
	4.8	86	52	4.8	1	D-43088	8.80
	5.2	86	52	5.2	1	D-43103	10.00
	5.5	93	57	5.5	1	D-43119	11.30
	6.5	101	63	6.5	1	D-43131	12.20
	6.5	101	63	6.5	10	D-43418	TBA
	7	109	69	7	1	D-43147	13.90
	7	109	69	7	10	D-43424	128.00
	7.5	109	69	7.5	1	D-43153	15.70
	7.5	109	69	7.5	10	D-43430	139.00
	8	117	75	8	10	D-43446	165.50
	8.5	117	75	8.5	1	D-43175	18.80
	8.5	117	75	8.5	10	D-43452	184.80
	9	125	81	9	1	D-43181	23.30
	9	125	81	9	10	D-43468	224.80
	9.5	125	81	9.5	1	D-43197	27.30
	10	133	87	10	10	D-43480	289.10
	10.5	133	87	10.5	1	D-45375	35.50
	11	142	94	11	5	D-43505	176.60
	11.5	142	94	11.5	1	D-45381	39.00
	12	151	101	12	5	D-43527	218.60
	12.5	151	101	12.5	1	D-45397	47.30
★★★★★	1	34	12	1	2	D-64004	5.00
	1.5	40	18	1.5	2	D-64010	5.30
	2	49	24	2	2	D-64026	5.30
	2.5	57	30	2.5	2	D-64032	5.90
	3	61	33	3	2	D-64048	6.20
	3.5	70	39	3.5	2	D-64054	6.80
	4	75	43	4	2	D-64060	7.10
	4.5	80	47	4.5	1	D-64076	5.90
	5	86	52	5	1	D-64082	5.90
	5.5	93	57	5.5	1	D-64098	5.90
	6	93	57	6	1	D-64107	6.80
	6.5	101	63	6.5	1	D-64113	7.70


Range	Diameter mm	Length mm	Working length mm	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	7	109	69	7	1	D-64129	8.20
	7.5	109	69	7.5	1	D-64135	8.60
	8	117	75	8	1	D-64141	9.50
	8.5	117	75	8.5	1	D-64157	10.60
	9	125	81	9	1	D-64163	11.70
	9.5	125	81	9.5	1	D-64179	13.30
	10	133	87	10	1	D-64185	14.20
	10.5	133	87	10.5	1	D-64191	15.50
	11	142	94	11	1	D-64200	16.40
	11	142	94	11	5	D-64456	65.50
	11.5	142	94	11.5	1	D-64216	18.00
	12	151	101	12	1	D-64222	20.20
	12	151	101	12	5	D-64478	85.30
	12.5	151	101	12.5	1	D-64238	21.10
	13	151	101	13	1	D-64244	21.90
	19	198	135	13	1	D-65791	126.00
	20	205	140	13	1	D-65800	135.30

Metal Drill Bit HSS-TiN Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1 to 10	10	D-43561	128.60
	1 to 10	19	B-67795	144.40
★★★★★	1.5 to 6.5	13	D-72855	46.40
	2 to 8	6	D-72833	33.70
	1 to 10	19	D-67527	109.00

Metal Drill Bit HSS-TiN Coated Flute Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4, 5, 6, 8, 10	5	D-30514	61.10

Metal Drill Bit HSS-TiN with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	91	33	1/4 inch Hex NZ	1	D-31114	6.80
	3.2	95	36		1	D-31120	7.70
	3.3	95	36		1	D-31136	7.70
	4	105	43		1	D-31142	8.00
	4.1	105	43		1	D-31158	9.00
	5	116	52		1	D-31170	9.90
	5.2	102	52		1	D-46545	11.70
	6	123	57		1	D-31186	13.10
	6.5	131	63		1	D-31192	17.10
	8	117	75		1	D-31201	28.60
	10	133	87		1	D-31217	39.10
	12	151	101		1	D-31223	62.60
	13	151	101		1	D-31239	71.00

Metal Impact Drill Bit HSS-TiN with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	78	33	1/4 inch Hex NZ	1	B-51150	33.70

Metal Drill Bit HSS-TiN for SDS-PLUS Hammers



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	90	33	SDS-PLUS	1	B-57401	11.30
	3.5	100	39		1	B-57417	12.60
	4	105	43		1	B-57423	13.50
	4.5	110	47		1	B-57439	14.40
	5	116	52		1	B-57445	17.10
	5.5	123	57		1	B-57451	18.20
	6	123	57		1	B-57467	19.00
	6.5	131	63		1	B-57473	21.00

Metal Drill Bit HSS-G



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	1.5	40	18	10	D-06236	14.40
	1.75	46	22	10	D-06242	16.00


Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2	49	24	10	D-06258	16.00
	2.5	57	30	10	D-06270	21.00
	2.75	61	33	10	D-06286	24.20
	3	61	33	1	D-09684	4.00
	3	61	33	10	D-06292	24.20
	3.25	65	36	10	D-06301	30.20
	3.5	70	39	10	D-06317	31.70
	3.75	70	39	10	D-06323	39.70
	4	75	43	1	D-09709	5.90
	4	75	43	10	D-06339	39.70
	4.2	75	43	10	D-17762	45.30
	4.25	75	43	10	D-06345	45.30
	4.5	80	47	10	D-06351	46.40
	4.75	80	47	10	D-06367	56.00
	5	86	52	10	D-06373	56.00
	5.2	86	52	10	D-34986	66.40
	5.25	86	52	10	D-06389	66.40
	5.3	86	52	10	D-46654	66.40
	5.5	93	57	1	D-09737	8.40
	5.5	93	57	10	D-06395	66.40
	5.75	93	57	10	D-06404	78.00
	6	93	57	1	D-09743	8.60
	6	93	57	10	D-06410	78.00
	6.25	101	63	10	D-06426	96.20
	6.5	101	63	10	D-06432	96.20
	6.75	109	69	10	D-06448	116.00
	6.8	109	69	10	D-46779	116.00
	7	109	69	10	D-06454	116.00
	7.25	109	69	10	D-06460	126.80
	7.5	109	69	1	D-09771	14.60
	7.5	109	69	10	D-06476	126.80
	7.75	117	75	10	D-06482	152.80
	8	117	75	1	D-09787	17.00
	8	117	75	10	D-06498	152.80
	8.25	117	75	5	D-06507	85.70
	8.5	117	75	1	D-09793	17.00
	8.5	117	75	5	D-06513	85.70
	8.75	125	81	5	D-06529	103.90
	8.8	125	81	5	D-46785	103.90
	9	125	81	5	D-06535	103.90
	9.25	125	81	5	D-06541	113.50
	9.5	125	81	1	D-09818	24.00
	9.5	125	81	5	D-06557	113.50
	9.75	133	87	5	D-06563	134.80
	10	133	87	1	D-09824	28.00
	10	133	87	5	D-06579	134.80
	10.3	133	87	1	D-46850	30.60
	10.3	133	87	5	D-46791	144.80
	10.5	133	87	5	D-06591	144.80
	10.8	142	94	5	D-46800	162.60
	11	142	94	5	D-06600	162.60
	11.5	142	94	1	D-09852	36.20
	11.5	142	94	5	D-06616	178.60
	12	151	101	1	D-09868	41.90
	12	151	101	5	D-06622	203.00
	12.5	151	101	1	D-09874	43.70
	12.5	151	101	5	D-06638	218.00
	13	151	101	1	D-09880	48.40
	13	151	101	5	D-06644	239.70

Metal Drill Bit HSS-G Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	1 to 10	19	D-29941	201.70
	1 to 13	25	D-67555	424.40

Metal Drill Bit HSS-G Assortment in Metal Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1.5 to 6.5	13	D-54019	77.70
	1 to 10	19	D-54025	194.40
	1 to 13	25	D-54031	396.40

Metal Drill Bit HSS M-Force



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3.2	65	36	1	D-37633	7.10
	4.5	80	47	1	D-29664	9.10
	5	86	52	1	D-29670	10.40
	5.5	93	57	1	D-29686	12.80
	6	93	57	1	D-29692	13.30
	6.5	101	63	1	D-29701	15.30
	10	133	87	1	D-29773	40.00
	11	142	94	1	D-29795	48.20
	12	151	101	1	D-29810	59.00

Metal Drill Bit HSS M-Force Assortment in Plastic Case




Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4, 5, 6, 8, 10	5	D-30508	93.70
	1 to 10	19	D-29876	280.60
	1 to 13	25	D-29882	591.00

Metal Drill Bit HSS-Co Cobalt 5% Assortment in Plastic Case



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	1.5	40	18	5	D-16617	TBA
	2	49	24	5	D-16623	23.10
	3	61	33	5	D-16645	32.80
	3.5	70	39	5	D-16667	34.80
	4	75	43	5	D-16673	37.90
	5	86	52	5	D-16695	50.00
	5.2	86	52	5	D-34992	59.00
	5.5	93	57	5	D-16704	59.00
	6	93	57	1	D-17382	13.70
	6	93	57	5	D-16710	65.00
	6.5	101	63	5	D-16726	74.80
	7	109	69	5	D-16732	85.10
	7.5	109	69	5	D-16748	103.00
	8	117	75	5	D-16754	129.30
	8.5	117	75	5	D-16760	145.50
	9	125	81	5	D-16776	163.10
	9.5	125	81	5	D-16782	198.20
	10	133	87	5	D-16798	223.70
	10.5	133	87	5	D-16807	237.30
	11	142	94	5	D-16813	278.20
	11.5	142	94	5	D-16829	314.60
	12	151	101	5	D-16835	336.40
	12.5	151	101	5	D-16841	358.60
	13	151	101	5	D-16857	390.40

Metal Drill Bit HSS-Co Cobalt 5% Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	2 to 8	6	D-57168	TBA
	2 to 8	6	D-75758	77.30
	1 to 10	19	D-50463	274.00
	1 to 13	25	D-50479	591.90

Metal Double Ended Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2	38	7.5	10	B-26652	16.20
	2.5	43	10	10	B-33772	24.00
	3	46	10.6	10	B-26668	24.00
	3.1	49	11	10	B-26674	29.00
	3.2	49	11	10	B-26680	29.90
	3.3	49	11	10	B-26696	30.40
	3.5	52	13	10	B-26705	33.50
	3.8	55	14	10	B-26711	38.00
	4	55	14	10	B-26727	38.00
	4.1	55	14	10	B-26733	40.80
	4.2	55	14	10	B-26749	41.90
	4.3	55	14	10	B-26755	42.20
	4.5	58	16	10	B-26761	47.30
	4.8	62	17	10	B-26777	51.30
	4.9	62	17	10	B-26783	56.20
	5	62	17	10	B-26799	56.20
	5.1	62	17	10	B-26808	66.20
	5.2	62	17	10	B-26814	66.20
	5.5	66	19	10	B-26820	66.20
	6	66	19	10	B-26836	76.20
	6.5	70	21	10	B-33788	106.80
	8	79	25	10	B-26842	137.70
	10	89	25	10	B-26858	212.80

Metal Cone Drill Bit



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3 ~ 14	58	Straight	1	D-40048	86.20
	4 ~ 20	71		1	D-40054	142.80
	16 ~ 30.5	76		1	D-40060	291.30
	24 ~ 40	89		1	D-40076	449.00

Metal Step Drill Bit Straight Flute Titanium Coating



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40135	381.90

Metal Step Drill Bit with 1/4 inch Hex Shank Straight Flute




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40082	96.20
	4 ~ 20	75	Hex MZ	1	D-40098	165.50
	4 ~ 12	65	1/4 inch	1	D-46414	91.30
	4 ~ 20	75	Hex NZ	1	D-46420	157.70

Metal Step Drill Bit with 1/4 inch Hex Shank Straight Flute Titanium Coating



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40113	100.80
	4 ~ 20	75	Hex MZ	1	D-40129	173.10
	4 ~ 12	65	1/4 inch	1	D-46436	95.90
	4 ~ 20	75	Hex NZ	1	D-46442	165.00

Metal Step Drill Bit Spiral Flute



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40163	323.70

Metal Step Drill Bit Spiral Flute Titanium Coating



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 32	102	Straight	1	D-40191	336.40

Metal Step Drill Bit with 1/4 inch Hex Shank Spiral Flute



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 20	75	1/4 inch Hex NZ	1	D-46464	160.40

Metal Step Drill Bit with 1/4 inch Hex Shank Spiral Flute Titanium Coating




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 ~ 12	65	1/4 inch	1	D-40179	127.70
	4 ~ 20	75	Hex MZ	1	D-40185	175.90
	4 ~ 12	65	1/4 inch	1	D-46470	121.70
	4 ~ 20	75	Hex NZ	1	D-46486	167.30

Metal Step Drill Bit Spiral Flute Titanium Coating Assortment in Plastic Case



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 to 12, 4 to 20, 4 to 32	65-102	1/4 inch Hex MZ, Straight	3	D-41872	TBA

Metal Countersink Bit Slanting Hole




Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2 ~ 5	45	Straight	1	D-37502	48.00
	5 ~ 10	48		1	D-37518	96.40
	10 ~ 15	65		1	D-37524	149.50
	15 ~ 20	85		1	D-37530	290.40

Countersink Bit Three Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3	45	Straight	1	D-37437	23.70
	8.3	50		1	D-37443	31.00
	10.4	50		1	D-37459	37.10
	12.4	56		1	D-37465	41.70
	16.5	60		1	D-37471	57.10
	20.5	63		1	D-37487	76.20
	25	67		1	D-37493	100.80

Countersink Bit Three Cutting Edges 90° Assortment in Metal Case



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3, 8.3, 10.4, 12.4, 16.5, 20.5	45, 50, 50, 56, 60, 63	Straight	6	D-42204	297.70

Countersink Bit with 1/4 inch Hex Shank Three Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6.3	31	1/4 inch Hex C-form	1	D-37312	24.60
	8.3	31		1	D-37328	29.50
	10.4	34		1	D-37334	35.90
	12.4	35		1	D-37340	41.30
	16.5	40		1	D-37356	59.00
	20.5	41		1	D-37362	78.20

Countersink Bit Five Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	48	Straight	1	D-37378	23.50
	8	48		1	D-37384	27.10
	10	40		1	D-37390	33.10
	12	40		1	D-37409	42.80
	16	43		1	D-37415	49.50
	20	45		1	D-37421	69.10

Countersink Bit Seven Cutting Edges 90°



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	13	50	Straight	1	D-37306	20.80

Broach Cutter for Magnetic Drilling Machine



Short = 35 mm Depth			
Diameter	Part No.	RSP (RM)	
14 mm	UD00UPC14S	261.90	
15 mm	UD00UPC15S	261.90	
16 mm	UD00UPC16S	261.90	
17 mm	UD00UPC17S	261.90	
18 mm	UD00UPC18S	261.90	
19 mm	UD00UPC19S	261.90	
20 mm	UD00UPC20S	261.90	
21 mm	UD00UPC21S	261.90	
22 mm	UD00UPC22S	261.90	
23 mm	UD00UPC23S	269.00	
24 mm	UD00UPC24S	269.00	
25 mm	UD00UPC25S	269.00	
26 mm	UD00UPC26S	296.20	
27 mm	UD00UPC27S	296.20	
28 mm	UD00UPC28S	296.20	
29 mm	UD00UPC29S	296.20	
30 mm	UD00UPC30S	296.20	
31 mm	UD00UPC31S	346.20	
32 mm	UD00UPC32S	346.20	
33 mm	UD00UPC33S	346.20	
34 mm	UD00UPC34S	346.20	
35 mm	UD00UPC35S	346.20	
36 mm	UD00UPC36S	383.50	
37 mm	UD00UPC37S	383.50	
38 mm	UD00UPC38S	383.50	
39 mm	UD00UPC39S	383.50	
40 mm	UD00UPC40S	383.50	
41 mm	UD00UPC41S	460.40	
42 mm	UD00UPC42S	460.40	
43 mm	UD00UPC43S	460.40	
44 mm	UD00UPC44S	460.40	
45 mm	UD00UPC45S	460.40	

Short = 35 mm Depth		
Diameter	Part No.	RSP (RM)
46 mm	UD00UPC46S	526.20
47 mm	UD00UPC47S	526.20
48 mm	UD00UPC48S	526.20
49 mm	UD00UPC49S	526.20
50 mm	UD00UPC50S	526.20

Description	Part No.	RSP (RM)
Pilot Pin 14-17 x 35 mm	UDPILOTU1A	40.40
Pilot Pin 18-50 x 35 mm	UDPILOTU1B	50.40

Long = 55 mm Depth		
Diameter	Part No.	RSP (RM)
14 mm	UD00UPC14L	277.70
15 mm	UD00UPC15L	277.70
16 mm	UD00UPC16L	277.70
17 mm	UD00UPC17L	277.70
18 mm	UD00UPC18L	277.70
19 mm	UD00UPC19L	277.70
20 mm	UD00UPC20L	284.60
21 mm	UD00UPC21L	284.60
22 mm	UD00UPC22L	284.60
23 mm	UD00UPC23L	320.40
24 mm	UD00UPC24L	320.40
25 mm	UD00UPC25L	320.40
26 mm	UD00UPC26L	320.40
27 mm	UD00UPC27L	320.40
28 mm	UD00UPC28L	320.40
29 mm	UD00UPC29L	320.40
30 mm	UD00UPC30L	320.40
31 mm	UD00UPC31L	384.60
32 mm	UD00UPC32L	384.60
33 mm	UD00UPC33L	384.60
34 mm	UD00UPC34L	384.60
35 mm	UD00UPC35L	384.60
36 mm	UD00UPC36L	433.50
37 mm	UD00UPC37L	433.50
38 mm	UD00UPC38L	433.50
39 mm	UD00UPC39L	433.50
40 mm	UD00UPC40L	433.50
41 mm	UD00UPC41L	516.20
42 mm	UD00UPC42L	516.20
43 mm	UD00UPC43L	516.20
44 mm	UD00UPC44L	516.20
45 mm	UD00UPC45L	516.20
46 mm	UD00UPC46L	593.50
47 mm	UD00UPC47L	593.50
48 mm	UD00UPC48L	593.50
49 mm	UD00UPC49L	593.50
50 mm	UD00UPC50L	593.50

Description	Part No.	RSP (RM)
Pilot Pin 14-17 x 55 mm	UDPILOTU2A	40.40
Pilot Pin 18-50 x 55 mm	UDPILOTU2B	50.40

Wood Brad Point Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	61	33	1	D-07026	3.30
	3	61	33	10	D-71722	23.10
	4	75	43	1	D-07032	3.30
	4	75	43	10	D-71738	23.90
	5	86	52	10	D-71744	26.60
	6	93	57	1	D-07054	4.20
	6	93	57	10	D-71750	30.60
	8	117	75	1	D-07076	5.10
	8	117	75	10	D-71766	42.60
	10	133	87	5	D-71772	28.40
	12	151	96	1	D-07107	9.10
	12	315	150	1	D-07185	27.30

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16	160	100	1	D-07129	15.10
	18	180	120	1	D-07135	23.30
	18	335	150	1	D-07216	52.20
	20	200	130	1	D-07141	25.50
	20	335	150	1	D-07222	63.50

Wood Flat Bit



Wood Brad Point Drill Bit Assortment in Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4 to 10	5	D-72861	26.00

Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	10	150	1	D-07696	8.00
	12	150	1	D-07705	8.60
	13	150	1	D-67614	9.10
	14	150	1	D-07711	8.60
	16	150	1	D-07733	9.10
	18	150	1	D-07749	10.00
	20	150	1	D-07755	11.00
	22	150	1	D-07761	11.70
	24	150	1	D-07777	12.60
	25	150	1	D-07783	12.60
	28	160	1	D-07808	14.00
	30	160	1	D-07814	16.80
	32	160	1	D-07820	18.00
	35	160	1	D-07842	17.90
	36	160	1	D-07858	18.40

Wood Brad Point Drill Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	80	33	1/4 inch Hex NZ	1	D-31245	6.00
	4	95	43		1	D-31251	6.60
	5	105	52		1	D-31267	7.10
	6	115	57		1	D-31273	7.70
	8	117	75		1	D-31289	9.10
	10	133	87		1	D-31295	10.20
	12	151	96		1	D-31304	13.30
	15	162	100		1	D-31310	17.90

Wood Single Spur Auger Bit with Hex Shank



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	200	130	1	D-07238	14.00
	6	250	180	1	D-07331	15.00
	8	200	130	1	D-07244	15.30
	8	250	180	1	D-07347	16.40
	8	450	380	1	D-07559	39.50
	10	200	130	1	D-07250	18.20
	10	250	180	1	D-07353	19.50
	12	450	380	1	D-07571	47.10
	14	200	130	1	D-07272	21.90
	14	250	180	1	D-07375	25.00
	16	200	130	1	D-07288	24.00
	16	250	180	1	D-07381	26.80
	16	400	330	1	D-07478	50.80
	18	200	130	1	D-07294	26.20
	18	400	330	1	D-07484	55.50
	18	450	380	1	D-07602	67.30
	20	200	130	1	D-07303	29.10
	20	250	180	1	D-07406	33.50
	20	400	330	1	D-07490	60.80
	20	450	380	1	D-07618	75.30
	22	200	130	1	D-07319	35.00
	22	250	180	1	D-07412	39.00
	22	400	330	1	D-07509	67.10
	22	450	380	1	D-07624	84.60
	24	200	130	1	D-07325	37.70
	24	250	180	1	D-07428	44.00
	24	400	330	1	D-07515	85.50
	26	400	330	1	D-07521	92.60
	28	400	330	1	D-07537	110.80
	30	400	330	1	D-07543	124.60

Wood Brad Point Drill Bit for SDS-PLUS Hammers



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4	105	43	SDS-PLUS	1	B-57489	12.20
	5	116	52		1	B-57495	12.40
	6	123	57		1	B-57504	12.80
	8	147	75		1	B-57510	14.20
	10	163	87		1	B-57526	15.90

Wood Single Spur Auger Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	200	130	1/4 inch Hex NZ	1	D-31326	19.10
	8	200	130		1	D-31332	21.00
	10	200	130		1	D-31348	24.00
	12	200	130		1	D-31354	27.30
	14	200	130		1	D-31360	28.60
	16	200	130		1	D-31376	29.00
	18	200	130		1	D-31382	34.00
	20	200	130		1	D-31398	35.90
	21	200	130		1	D-31407	37.70

Wood Ship Auger Bit with 7/16 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	10	165	100	5/16 inch Hex	1	D-36055	53.10
	12	165	100		1	D-36061	59.50
	10	470	395		1	D-36192	81.30
	12	470	395		1	D-36201	90.80
	14	165	100		1	D-36077	64.20
	16	60	100		1	D-36083	67.90
	18	165	100		1	D-36099	72.80
	20	165	100		1	D-36108	76.40
	22	165	100		1	D-36114	86.00
	24	165	100		1	D-36120	93.90
	26	165	100	7/16 inch Hex	1	D-36136	99.10
	28	165	100		1	D-36142	109.00
	30	165	100		1	D-36158	121.50
	32	165	100		1	D-36164	130.60
	32	470	395		1	D-36304	244.20
	35	165	100		1	D-36170	161.30
	35	470	395		1	D-36310	273.90
	38	165	100		1	D-36186	184.80

Wood Self Feeding Bit with 7/16 inch Hex Shank




Range	Diameter (inch)	Length	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1-1/2)	(4-1/2)	7/16 inch Hex	1	D-29985	89.10
	(2-1/8)			1	D-30019	130.20

Wood Forstner Bit



Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50	90	1	D-42307	90.80

Wood Shiitake Drill Bit



Range	Diameter mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	12	76	45	1	B-49753	66.20
	12	80	45	1	B-49747	66.00

Masonry TCT Drill Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	80	35	1/4 inch Hex NZ	1	D-31463	9.00
	4	80	35		1	D-31479	9.10
	5	90	45		1	D-31485	10.40
	6	100	55		1	D-31491	11.00
	6.5	100	55		1	D-55061	11.30
	8	100	55		1	D-31500	13.50

Drill Bit Assortment In Plastic Case



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal 5, 6, 8, Wood 6, 8	5	D-30106	45.50
	Masonry 5, 6, 8, Metal 5, 6, 8, Wood 5, 6, 8	9	D-71962	52.80


Drill & Screw Bit Set 17 pcs Assortment

Screw Bits:
PH1, PH2, PH3, PZ2, H4, H5, SL5
& Sleeve Chuck Bit Holder



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry 5, 6, 8, Metal 5, 6, 8, Wood 5, 6, 8	17	D-77207	87.70

Drill Bit with 1/4 inch Hex Shank Assortment in Plastic Case



Range	Diameter mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal 5, 6, 8, Wood 5, 6	1/4 inch Hex NZ	5	D-31516	64.20
	Masonry 6, Metal 5, 6, Wood 5, 6		5	D-31522	55.00

Adjustable Circle Cutter



Range	Diameter mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	30 ~ 120	1	D-57093	67.30
	30 ~ 200	1	D-57102	80.40

Adjustable Circle Cutter Spare Part

Range	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2	D-57118	11.30

Glass Bit

Range: ★★★★★



Range: ★★★★★




Range	Diameter mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	51	1	D-78427	8.20
	8	58	1	D-78455	12.80
★★★★☆	3	65	1	D-25111	11.00
	4	65	1	D-25127	12.00
	5	65	1	D-25133	13.00
	6	65	1	D-25149	13.90
	8	70	1	D-25155	16.20
	10	80	1	D-25161	TBA
	12	80	1	D-25177	23.50

Glass Bit with 1/4 inch Hex Shank



Range	Diameter mm	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	4	65	1/4 inch Hex NZ	1	D-31413	14.20
	5	65		1	D-31429	14.40
	6	65		1	D-31435	15.50
	8	70		1	D-31441	16.40
	10	80		1	D-31457	TBA

Earth Auger Drill Bit with 3/4 inch SQ Shank



Range	Diameter mm	Length mm (inch)	Working length mm (inch)	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	20	600 (23-5/8)	530 (22-7/8)	3/4 inch SQ	1	B-54302	1263.30
	25				1	B-54318	1283.70
	30				1	B-54324	1426.40
	35				1	B-54330	1646.00
	40				1	B-57576	2053.70

Earth Auger Drill Bit with Adapter D Shank



Range	Diameter mm	Length mm	Working length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	100	800	550	Adapter D	1	E-07294	530.60
	150	800	550		1	E-07303	623.00
	200	800	550		1	E-07319	737.70

Earth Auger Drill Bit with Adapter D Shank Extension Bar



Range	Length mm	Shank type	Sales pkg qty	Part No.	RSP (RM)
Specialized	540	Adapter D	1	E-07325	169.90

Earth Auger Drill Bit with Adapter D Shank Spare Part



Range	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	Spare blade for Earth auger bit 100 x 800 mm	1	E-07630	78.00
	Spare blade for Earth auger bit 150 x 800 mm	1	E-07646	83.10
	Spare blade for Earth auger bit 200 x 800 mm	1	E-07652	97.70
	Spare pin	1	E-07331	17.70

Ezychange BiM Holesaw Assortment

Ezychange



Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	8.7	7	B-11972	841.30

Ezychange BiM Holesaw

Ezychange



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	25	Cutting depth 40 mm	1	B-11318	49.70
	38		1	B-11368	64.60
	40		1	B-16754	68.00
	52		1	B-31740	91.50
	68		1	B-11449	94.60
	114		1	B-31815	217.10

BiM Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	14	Cutting depth 38 mm	1	D-35368	18.20
	16		1	D-16994	19.00
	17		1	D-35374	19.10
	19		1	D-17005	20.40
	20		1	D-17251	21.30
	21		1	D-35380	22.20
	22		1	D-17011	23.10
	24		1	D-17027	23.70
	25		1	D-17033	24.00
	27		1	D-35396	26.20
	32		1	D-17049	30.40
	33		1	D-35411	30.80
	35		1	D-17055	31.30
	37		1	D-35427	33.10
	38		1	D-17061	33.70
	41		1	D-35433	35.50
	44		1	D-17077	37.70
	52		1	D-35477	43.10
	54		1	D-24876	44.00
	56		1	D-35483	45.50
	57		1	D-17099	46.20
	59		1	D-35499	46.40
	60		1	D-25688	47.10
	64		1	D-30140	49.90
	65		1	D-24882	50.80
	67		1	D-35508	53.10
	68		1	D-17108	53.70
	70		1	D-25694	55.50
	76		1	D-17114	59.50
	79		1	D-35520	61.30
	80		1	D-33869	62.20
	83		1	D-17120	63.10
	89		1	D-35542	68.60
	92		1	D-17136	71.30
	98		1	D-35564	74.60
	102		1	D-35570	78.00
	105		1	D-17142	81.00
	108		1	D-35586	85.00
	111		1	D-35592	88.00
	114		1	D-35601	90.80
	121		1	D-35617	95.30
	127		1	D-17158	101.30
	140		1	D-35623	108.20
	152		1	D-17164	118.00

Ezychange BiM Holesaw Adapter

Ezychange



Range	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	9.5	With HSS-G Pilot Drill Bit	1	B-11536	153.30
★★★★☆	-	Ezychange Transition Adapter	6	B-16271	87.70

Ezychange BiM Holesaw Pilot Drill

Ezychange



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	For Ezychange BiM Holesaw	1	B-11542	37.00

BiM Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	9.5	For 14-30 mm, with pilot drill bit	1	D-17170	23.50
		11	For 32-152 mm, with pilot drill bit	1	D-17186	41.90
	SDS-PLUS adapter	-	For 14-30 mm, with pilot drill bit	1	D-17603	29.90
		-	For 32-76 mm, with pilot drill bit	1	D-17619	53.10

BiM Holesaw Pilot Drill



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	71	1	D-17192	16.40

BiM Holesaw Assortment



Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	9.5, 11	9	D-47117	274.00
	9.5, 11	9	D-47123	253.70
	9.5, 11	9	D-47139	288.20
	9.5, 11	12	D-47282	467.30
	9.5, 11	14	D-47298	535.30
	9.5, 11	14	D-50572	532.60

BiM Holesaw for Sheet Metal



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	60	Cutting depth 20 mm	1	B-29882	63.50
	64		1	B-29898	65.50
	65		1	B-35994	66.40
	67		1	B-36005	69.00
	68		1	B-36011	69.10
	70		1	B-36027	71.70
	73		1	B-36033	74.40
	76		1	B-36049	76.40
	79		1	B-36055	78.20
	83		1	B-36061	80.40
	86		1	B-36077	83.50
	89		1	B-36083	89.50

Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	102	Cutting depth 20 mm	1	B-36099	99.50
	127		1	B-36108	131.30
	152		1	B-36114	152.80

TCT Holesaw




Range	Size mm	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	16	6	with pilot drill bit	1	B-00898	324.00
	18	6		1	B-00907	324.00
	21	6		1	B-00929	295.90
	22	6		1	B-00935	295.90
	25	10		1	B-00941	295.90
	27	10		1	B-00957	342.20
	28	10		1	B-00963	342.20
	30	10		1	B-00979	339.90
	35	10		1	B-00991	395.70
	38	10		1	B-01002	460.40
	48	10		1	B-01030	602.40
	50	10		1	B-01046	602.40
	55	10		1	B-01052	678.40
	60	13		1	B-01068	841.10
	65	13		1	B-01074	924.40
	68	13		1	B-02652	1064.20
	70	13		1	B-01080	1064.20
	75	13		1	B-01096	1149.50
	80	13		1	B-01105	1236.20
	85	13		1	B-01111	1369.30
	90	13		1	B-01127	1502.40
	95	13		1	B-01133	1565.10
	100	13		1	B-01149	1667.00
	110	13		1	B-01155	2032.40
	120	13		1	B-01161	2457.30

TCT Holesaw Pilot Drill



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	48	for 16-55 mm, for FRP, resin, etc.	1	B-01199	66.00
	48	for 60-120 mm, for FRP, resin, etc.	1	B-01208	79.90
	48	for 60-120 mm, for metal, etc.	1	B-01183	58.60
	48	for 16-55 mm, for metal, etc.	1	B-01177	55.30

Multi Purpose TCT Holesaw




Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	Cutting depth 60 mm	1	D-45331	127.00
	83		1	D-45347	154.60
	85		1	D-45353	172.60
	89		1	D-45369	190.40
	95		1	D-50304	190.40
	102		1	D-50310	196.80
	105		1	D-50326	196.80

Multi Purpose TCT Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	11	For 22-105 mm, With HSS pilot drill bit	1	D-50376	42.60
		11	For 22-105 mm, With TCT pilot drill bit	1	D-50332	42.60
	SDS PLUS adapter	-	For 22-32 mm, With HSS pilot drill bit	1	D-50382	48.60

Multi Purpose TCT Holesaw Assortment




Range	Shank dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	11	9	D-51297	748.20
	11	10	D-51281	705.30

Tungsten Carbide Grit Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	83	Cutting depth 64 mm	1	D-51247	101.90

Vacuum Brazed Diamond Holesaw



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	19	Cutting depth 40 mm	1	B-46006	118.00
	25		1	B-46012	154.00
	30		1	B-46028	184.00
	32		1	B-46034	196.20
	35		1	B-46040	214.40
	38		1	B-46056	232.60
	45		1	B-46062	274.60

Vacuum Brazed Diamond Holesaw Adapter



Range	Type	Shank dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Adapter	12.7	-	1	B-46137	45.50
		12.7	with TCT pilot drill bit	1	B-46115	69.90

Vacuum Brazed Diamond Holesaw Pilot Drill



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	59	TCT	1	B-46121	29.10

ACCESSORIES

▣ Drilling (Masonry)



Aluminum



Reinforced
concrete



Mine



Tungsten
carbide tip



Wood



Brick



2 cutter



Dustless



Tile



Stone



4 cutter



Tungsten
carbide tip



Concrete



For SDS-PLUS
hammers



Centering tip



Chuck 10-13
mm



Asphalt



For SDS-MAX
hammers



Self sharpening




Cylindrical
shank

TCT Drill Bit with Straight Shank




Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	1	D-05228	5.00
	4	70	35	1	D-05234	5.00
	5	85	45	1	D-05240	5.00
	6	100	60	1	D-05256	5.00
	6	150	90	1	D-05262	5.30
	7	100	55	1	D-05278	5.30
	8	110	60	1	D-05290	5.30
	8	150	90	1	D-05309	5.30
	9	150	90	1	D-05315	6.20
	10	150	90	1	D-05321	6.80
	10	400	315	1	D-18960	19.90
	11	150	90	1	D-05337	7.30
	12	150	90	1	D-05343	8.20
	12	400	315	1	D-17697	21.70
	12	600	505	1	D-17728	29.10
	13	150	85	1	D-05359	10.80
	14	150	85	1	D-05365	10.80
	14	400	315	1	D-18976	24.60
	16	150	85	1	D-05387	13.10
	16	400	315	1	D-17706	31.00
	16	600	505	1	D-17734	41.00
	18	400	315	1	D-18982	35.90
	20	400	315	1	D-17712	37.10
	20	600	505	1	D-17740	51.70

TCT Drill Bit with Straight Shank Brick



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	1	D-40727	3.10
	4	75	40	1	D-40749	2.60
	5	85	55	1	D-40761	2.80
	5	150	100	1	D-40777	4.00
	6	100	60	1	D-40808	3.50
	6	150	100	1	D-40814	4.40
	6	200	130	1	D-40820	6.20
	6	400	350	1	D-40836	9.90
	7	100	60	1	D-40870	4.00
	7	150	100	1	D-40886	5.00
	7	400	350	1	D-40892	13.70
	8	120	80	1	D-40901	4.40
	8	150	100	1	D-40917	5.30
	8	200	130	1	D-40923	7.30
	8	400	350	1	D-40939	14.00
	9	120	80	1	D-40945	5.00
	10	120	80	1	D-40951	6.20
	10	200	130	1	D-40973	9.90
	10	400	350	1	D-40989	15.00
	11	150	100	1	D-40995	8.00
	12	150	100	1	D-41006	9.00
	12	200	130	1	D-41012	11.70
	12	400	350	1	D-41028	19.00

TCT Drill Bit with Straight Shank Multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	30	5	D-71788	22.60
	4	70	35	5	D-71794	22.60
	5	85	45	5	D-71803	22.60
	6	100	60	5	D-71819	22.60
	6	150	90	5	D-71825	23.50
	6.5	100	55	5	D-71831	23.50
	7	100	60	5	D-16508	26.80
	8	110	60	5	D-16514	26.80
	8	110	60	5	D-71847	23.90
	8	150	90	5	D-71853	23.90
	10	150	90	5	D-71869	34.40

TCT Drill Bit with Straight Shank Brick Assortment



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x85, 6x100, 8x120	3	D-41034	11.70

TCT Drill Bit with Straight Shank Brick Assortment in Plastic Case

TCT Drill Bit with Straight Shank Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x85, 5.5x100, 6.5x100, 8x150, 10x150	5	D-36762	27.30
	5x110, 6x110, 7x110, 8x110, 10x110	5	D-20719	25.00




Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4x75, 5x85, 6x100, 8x120, 10x120	5	D-41040	30.80
	4x75, 5x85, 6x100, 8x120, 10x120	5	D-72877	30.00

TCT Drill Bit with Straight Shank Multi Material

Range:

Work material: brick, wood, tile, plastic

Omniboherer



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	28	1	D-30287	4.60
	4	70	35	1	D-30293	4.60
	5	85	43	1	D-30302	4.60
	5.5	85	43	1	D-31027	4.60
	5.5	100	58	1	D-31033	4.60
	5.5	150	108	1	D-31049	4.60
	6	100	58	1	D-30318	4.60
	6	150	108	1	D-30324	5.00
	6.5	85	43	1	D-31055	5.00
	6.5	100	58	1	D-31061	5.00
	6.5	150	108	1	D-31077	5.90
	7	100	53	1	D-30330	5.00
	7	150	103	1	D-30346	5.90
	8	110	57	1	D-30352	5.30
	8	150	97	1	D-30368	6.20
	9	150	97	1	D-30374	7.30
	10	150	97	1	D-30380	7.70
	10	400	300	1	D-30396	21.90
	11	150	93	1	D-30405	9.00
	12	150	93	1	D-30411	10.00
	12	600	500	1	D-30433	30.80
	13	150	85	1	D-30449	11.90
	14	150	85	1	D-30455	13.10

TCT Drill Bit with Straight Shank Multi Material Assortment in Plastic Case

Omniboherer



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	4x70, 5x85, 6x100, 8x150, 10x150	5	D-36712	29.90
★★★★★	5x85, 6x100, 8x110, 10x150, 12x150	5	D-30477	35.00

TCT Drill Bit with Straight Shank Multi Material Multiple

Omniboherer



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3	60	28	5	D-71875	22.60
	4	70	35	5	D-71881	22.60
	5	85	43	5	D-71897	22.60
	6	100	58	5	D-71906	22.60
	6	150	108	5	D-71912	23.50
	8	110	57	5	D-71928	24.80
	8	150	97	5	D-71934	29.90
	10	150	97	5	D-71940	38.20

TCT Drill Bit for SDS-PLUS Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	3.5	90	30	1	D-16950	6.40
	3.5	110	50	1	D-15665	6.40
	4	110	50	1	D-00016	6.40
	5	110	50	1	D-00022	6.40
	5	160	100	1	D-00038	6.40
	5.5	110	50	1	D-00044	6.40
	5.5	160	100	1	D-16106	6.40
	5.8	110	50	1	D-03268	6.40
	6	110	50	1	D-00050	6.40
	6	160	100	1	D-00066	6.40
	6	210	150	1	D-00072	7.70
	6	260	200	1	D-25666	9.50
	6.5	110	50	1	D-00088	6.40
	6.5	160	100	1	D-00094	6.40
	6.5	210	150	1	D-45082	7.90
	7	110	50	1	D-00103	6.40
	7	160	100	1	D-00119	6.40
	8	110	50	1	D-00125	6.40
	8	160	100	1	D-00131	6.60
	8	210	150	1	D-00147	7.90
★★★★★	8	260	200	1	D-00153	9.00
	8	460	400	1	D-29206	20.60
	9	110	50	1	D-08040	6.60
	9	160	100	1	D-08056	7.00
	9	210	150	1	D-00169	7.90
	9.5	210	150	1	D-03274	7.90
	10	110	50	1	D-09117	7.00
	10	160	100	1	D-00175	7.00
	10	210	150	1	D-00181	8.80
	10	260	200	1	D-00197	9.70
	10	310	250	1	D-00206	11.50
	10	460	400	1	D-17538	23.30
	11	160	100	1	D-00212	7.10
	12	160	100	1	D-00228	7.90
	12	210	150	1	D-00234	9.70
	12	260	200	1	D-00240	10.60
	12	350	290	1	D-16112	12.80
	12	460	400	1	D-16271	24.20
	12.5	160	100	1	D-14102	8.80
★★★★★	12.7	160	100	1	D-03280	8.80
	12.7	350	290	1	D-03296	14.40
	13	160	100	1	D-00256	8.80
	13	260	200	1	D-25622	11.00
	13	350	290	1	D-16128	14.40
	14	160	100	1	D-00262	10.60
	14	210	150	1	D-21331	12.60
	14	260	200	1	D-00278	13.90
	14	350	290	1	D-16134	16.40
	14	460	400	1	D-17544	25.50
	14.3	160	100	1	D-03997	10.60
	15	160	100	1	D-00284	12.80
	15	260	200	1	D-25638	17.50
	15	350	290	1	D-16140	21.50
	15	460	400	1	D-17550	32.40
	16	160	100	1	D-03981	12.80
	16	210	150	1	D-00290	15.70
	16	260	200	1	D-16156	17.50
	16	310	250	1	D-00309	18.80
★★★★★	16	350	290	1	D-16162	21.50
	16	460	400	1	D-16287	30.60
	17	160	100	1	D-16178	16.40
	17	210	150	1	D-00315	18.00
	17	260	200	1	D-16184	21.00
	17	350	290	1	D-16190	26.40
	17.5	160	100	1	D-03305	17.90
	18	160	100	1	D-16209	17.50
	18	210	150	1	D-00321	18.80
	18	260	200	1	D-16215	21.50
	18	300	240	1	D-00337	24.20
	18	350	290	1	D-16221	26.40
	18	460	400	1	D-17566	35.70
	19	210	150	1	D-00343	23.00
	19	350	290	1	D-16243	32.40
	19	460	400	1	D-16293	39.30
	20	210	150	1	D-00359	23.30
	20	260	200	1	D-16259	26.40

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	20	310	250	1	D-00365	30.00
	20	350	290	1	D-16265	32.40
	20	460	400	1	D-15235	39.30
	22	260	200	1	D-00371	31.30
	22	310	250	1	D-08062	34.60
	22	460	400	1	D-15241	44.00
	24	260	200	1	D-25644	38.00
	24	460	400	1	D-16302	46.60
	25	260	200	1	D-00387	39.30
	25	310	250	1	D-08517	42.40
	25	350	290	1	D-03311	45.30
	25	460	400	1	D-15257	53.30
	26	260	200	1	D-00393	44.00
	26	310	250	1	D-08078	47.90
	26	460	400	1	D-15263	61.70
	28	460	400	1	D-16318	70.20
	30	460	400	1	D-17572	91.30

TCT Drill Bit for SDS-PLUS Hammers Multiple



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	6	110	50	25	D-61612	126.60
	6	110	50	50	D-61628	247.90
	8	110	50	25	D-61634	128.40
	8	110	50	50	D-61640	248.40
	10	110	50	25	D-61656	132.40
	10	110	50	50	D-61662	256.20

TCT Drill Bit for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x110, 6x110, 6x160, 8x110, 8x160	5	D-00795	36.20
	5x160, 6x160, 7x160, 8x160, 10x160	5	D-20703	40.00
	5x160, 6x160, 6x160, 8x160, 8x160	5	D-58914	34.00
	5.5x110, 6x160, 7x110, 7x160, 8x160	5	D-03888	35.00
	6x110, 6.5x110, 8x160, 10x160, 12x160	5	D-17784	33.70
	6x110, 6x160, 8x110, 8x160, 10x160	5	D-61678	34.40
	5x110, 6x110, 6x160, 7x110, 7x160	25	D-33853	170.80

TCT Drill Bit for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5x110, 6x110, 6x160, 7x110, 7x160, 8x110, 8x160, 10x160, 10x210, 12x160, 12x210, 14x160, 14x210, 16x210	14	D-42422	231.30

TCT Drill Bit for SDS-PLUS Hammers Centering Tip



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	5	110	50	1	B-54128	9.70
	5	160	100	1	B-54134	10.00
	5.5	110	50	1	B-55865	10.60
	5.5	160	100	1	B-55871	10.80
	6	110	50	1	B-54140	10.00
	6	160	100	1	B-54156	10.20
	6	210	150	1	B-54162	11.30
	6.5	110	50	1	B-55887	11.30
	6.5	160	100	1	B-55893	11.30
	8	110	50	1	B-54178	11.00
	8	160	100	1	B-54184	11.00
	8	210	150	1	B-55952	14.40
	8	260	200	1	B-55968	16.20
	9	210	150	1	B-67860	14.60
	10	110	50	1	B-55980	12.60
	10	160	100	1	B-54190	13.10
	10	210	150	1	B-54209	14.60
	10	260	200	1	B-55996	19.10
	10	450	400	1	B-56013	35.10
	11	210	150	1	B-67898	18.00
	12	160	100	1	B-54215	16.20
	12	210	150	1	B-54221	18.00
	12	260	200	1	B-56029	22.40
	12	310	250	1	B-67913	24.60
	12	450	400	1	B-56041	39.10
	13	260	200	1	B-67935	27.70
	14	160	100	1	B-56063	26.40
	14	210	150	1	B-56079	29.00
	14	260	200	1	B-56085	32.00
	14	310	250	1	B-67941	33.70
	14	450	400	1	B-56100	43.50
	15	160	100	1	B-67957	29.10
	15	260	200	1	B-67963	34.40
	16	160	100	1	B-56116	28.80
	16	210	150	1	B-56122	32.80
	16	260	200	1	B-67979	34.40
	16	310	250	1	B-56138	39.70
	16	450	400	1	B-56150	50.20
	18	210	150	1	B-62125	43.70
	18	350	290	1	B-62131	53.30
	20	210	150	1	B-62169	56.00
	20	310	250	1	B-67991	65.50
	20	350	290	1	B-62175	65.90
	20	460	400	1	B-68074	77.50
	22	210	150	1	B-62181	74.20
	22	350	290	1	B-62197	83.50
	24	210	150	1	B-62206	94.40
	24	260	200	1	B-68018	96.00
	24	350	290	1	B-62212	101.50
	24	460	400	1	B-68096	110.80
	25	210	150	1	B-62228	95.10
	25	260	200	1	B-68024	96.20
	25	350	290	1	B-62234	102.80
	25	460	400	1	B-68105	112.00
	26	260	200	1	B-68030	98.00
	26	460	400	1	B-68111	125.50
	28	210	150	1	B-62240	121.10
	28	350	290	1	B-62256	129.10
	30	210	150	1	B-62262	152.40
	30	350	290	1	B-62278	160.40
	32	350	290	1	B-62284	195.70

TCT Drill Bit for SDS-PLUS Hammers Centering Tip Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6x110, 8x160, 8x160, 10x160, 10x160	5	B-54704	50.60

TCT Drill Bit for SDS-PLUS Hammers 4 cutter



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	110	50	1	B-62496	14.00
	6	160	100	1	B-62505	14.00
	6	210	150	1	B-62511	15.50
	6	260	200	1	B-62527	18.20
	6.5	110	50	1	B-62533	15.30
	6.5	160	100	1	B-62549	15.30
	7	110	50	1	B-62577	16.40
	7	160	100	1	B-62583	16.80
	8	110	50	1	B-62608	16.80
	8	160	100	1	B-62614	16.80
	8	210	150	1	B-62620	20.00
	8	260	200	1	B-62636	22.20
	10	110	50	1	B-62664	21.70
	10	160	100	1	B-62670	21.90
	10	210	150	1	B-62686	24.40
	10	260	200	1	B-62692	29.00
	10	310	250	1	B-62701	30.40
	10	460	400	1	B-62723	48.00
	12	160	100	1	B-62739	30.40
	12	210	150	1	B-62745	32.60
	12	260	200	1	B-62751	36.20
	12	310	250	1	B-62767	37.30
	12	460	400	1	B-62789	55.90
	14	160	100	1	B-62795	44.40
	14	210	150	1	B-62804	47.70
	14	260	200	1	B-62810	51.00
	14	350	290	1	B-62832	53.50
	14	460	400	1	B-62848	65.00
	16	160	100	1	B-62854	59.90
	16	210	150	1	B-62860	64.00
	16	260	200	1	B-62876	65.90
	16	350	290	1	B-62898	71.90
	16	460	400	1	B-62907	84.40
	18	260	200	1	B-68177	101.90
	20	260	200	1	B-68183	127.30
	20	460	400	1	B-68242	151.70
	22	460	400	1	B-68258	196.80
	25	260	200	1	B-68208	199.00

TCT Drill Bit for SDS-PLUS Hammers Nemesis I



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	7	160	1	B-11760	26.00

TCT Drill Bit for SDS-PLUS Hammers Nemesis II



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	5	115	50	1	B-57897	28.40
	5	165	100	1	B-57906	30.40
	5	215	150	1	B-57912	44.00
	5	265	200	1	B-57928	45.10
	5	315	250	1	B-57934	76.40
	5.5	115	50	1	B-57940	28.80
	5.5	165	100	1	B-57956	30.40
	6	115	50	1	B-57962	29.00
	6	165	100	1	B-57978	30.80
	6	215	150	1	B-57984	39.70
	6	265	200	1	B-57990	49.00
	6	315	250	1	B-58001	67.30
	6.5	165	100	1	B-58023	40.00
	6.5	215	150	1	B-58039	53.50
	7	115	50	1	B-58067	38.20
	7	165	100	1	B-58073	40.20
	8	115	50	1	B-58095	33.30
	8	165	100	1	B-58104	35.10
	8	215	150	1	B-58110	39.70
	9	165	100	1	B-58176	37.70
	9	265	200	1	B-58182	47.70
	10	115	50	1	B-58198	35.70
	10	165	100	1	B-58207	38.80
	10	215	150	1	B-58213	44.00
	10	265	200	1	B-58229	51.50
	10	315	250	1	B-58235	63.10
	10	455	390	1	B-58257	110.60
	10	600	540	1	B-58263	148.40
	10	1000	940	1	B-58279	341.90
	11	160	110	1	B-58285	45.50
	11	210	160	1	B-58291	54.60
	11	260	210	1	B-58300	64.60
	11	310	260	1	B-58316	85.50
	12	160	110	1	B-58322	43.50
	12	165	100	1	E-14532	45.00
	12	210	160	1	B-58338	53.00
	12	215	150	1	E-14548	56.60
	12	260	210	1	B-58344	60.00
	12	265	200	1	E-14554	64.20
	12	310	260	1	B-58350	81.90
	12	450	400	1	B-58366	122.00
	13	160	110	1	B-58394	57.00
	13	165	100	1	E-14598	62.00
	13	210	160	1	B-58403	94.60
	13	260	210	1	B-58419	106.60
	14	160	110	1	B-58431	61.10
	14	165	100	1	E-14635	66.80
	14	210	160	1	B-58447	81.30
	14	215	150	1	E-14641	88.40
	14	260	210	1	B-58453	93.30
	14	310	260	1	B-58469	100.80
	14	315	250	1	E-14663	109.10
	14	455	390	1	E-14679	126.40
	14	450	400	1	B-58475	125.90
	15	160	110	1	B-58506	93.10
	15	210	160	1	B-58512	104.60
	15	260	210	1	B-58528	115.10
	15	450	400	1	B-58534	154.00

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	16	160	110	1	B-58540	96.60
	16	165	100	1	E-14738	99.30
	16	210	160	1	B-58556	108.00
	16	215	150	1	E-14744	118.40
	16	260	210	1	B-58562	120.40
	16	265	200	1	E-14750	123.00
	16	310	260	1	B-58578	128.60
	16	450	400	1	B-58584	158.20
	18	250	200	1	B-58615	156.20
	18	450	400	1	B-58621	177.70
	20	250	200	1	B-58637	169.50
	20	450	400	1	B-58659	203.90
	22	250	200	1	B-58665	191.50
	22	450	400	1	B-58687	250.00
	24	250	200	1	B-58693	240.20
	24	450	400	1	B-58702	273.70
	25	250	200	1	B-58718	245.00
	25	450	400	1	B-58724	314.80
	28	250	200	1	B-58746	288.80
	28	450	400	1	B-58752	370.40
	30	250	200	1	B-58768	324.80
	30	450	400	1	B-58774	388.00
	32	450	400	1	B-58780	428.40

TCT Drill Bit for SDS-PLUS Hammers Dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	12	330	200	1	B-64381	361.00
	14	360	240	1	B-64397	379.50
	16	360	240	1	B-64406	399.50
	18	360	240	1	B-64412	476.00

TCT Drill Bit for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	10	305	-	1	A-17382	146.60
	10.5	305	-	1	A-17398	162.00
	11	305	-	1	A-17407	186.00
	12	305	-	1	A-17413	185.50
	12.7	305	-	1	A-17435	197.00
	14.3	305	-	1	A-17457	205.50
	16	305	-	1	A-17479	221.50
	20	540	-	1	A-19439	500.20
	21.5	305	-	1	A-17538	241.10
	25	320	-	1	A-17550	388.20
	28	370	-	1	A-17566	403.10
	28	540	-	1	A-19495	512.80
	30	540	-	1	A-19504	801.10
	32	370	-	1	A-17572	486.20
	32	540	-	1	A-19510	101.60
	35	370	-	1	A-17588	562.60
	38	370	-	1	A-17594	574.20
★★★☆☆	12	340	200	1	D-33875	51.30
	12	540	400	1	D-33881	74.80
	14	340	200	1	D-33897	57.50
	14	540	400	1	D-33906	79.10
	15	340	200	1	D-33912	63.70
	15	540	400	1	D-33928	84.80
	16	340	200	1	D-33934	63.70
	16	540	400	1	D-33940	84.80

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	18	340	200	1	D-33956	69.70
	18	540	400	1	D-33962	90.40
	20	340	200	1	D-33978	77.10
	20	540	400	1	D-33984	105.90
	22	340	200	1	D-33990	84.80
	22	540	400	1	D-34001	115.00
	24	340	200	1	D-34017	90.20
	24	540	400	1	D-34023	120.20
	25	340	200	1	D-34039	90.20
	25	540	400	1	D-34045	120.20
	28	370	250	1	D-34051	105.50
	28	570	450	1	D-34067	162.60
	30	370	250	1	D-34073	124.00
	30	570	450	1	D-34089	200.80
	32	370	250	1	D-34095	173.70
	32	570	450	1	D-34104	222.00
	35	370	250	1	D-34110	210.40
	35	570	450	1	D-34126	245.30
	38	370	250	1	D-34132	258.00
	38	570	450	1	D-34148	311.10
	40	370	250	1	D-34154	288.40
	40	570	450	1	D-34160	337.90

TCT Drill Bit for SDS-MAX Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	16x340, 18x340, 20x340	3	D-40587	228.20

TCT Drill Bit for SDS-MAX Hammers Nemesis



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	12	340	200	1	B-19897	173.70
	12	540	400	1	B-19906	199.30
	12	740	600	1	B-19912	271.50
	14	340	200	1	B-19928	179.10
	14	540	400	1	B-19934	226.00
	15	340	200	1	B-19940	194.80
	15	540	400	1	B-19956	234.80
	16	340	200	1	B-19962	207.50
	16	540	400	1	B-19978	252.40
	16	940	800	1	B-19984	356.40
	18	340	200	1	B-19990	217.70
	18	540	400	1	B-20002	265.00
	18	940	800	1	B-20018	392.80
	20	320	200	1	B-20024	224.80
	20	520	400	1	B-20030	272.20
	20	920	800	1	B-20046	447.50
	22	320	200	1	B-20052	246.80
	22	520	400	1	B-20068	284.20
	22	920	800	1	B-20074	435.70
	24	320	200	1	B-20080	283.30
	24	520	400	1	B-20096	326.00
	25	320	200	1	B-20105	277.70
	25	520	400	1	B-20111	322.20
	25	920	800	1	B-20127	495.00
	26	520	400	1	B-20133	359.00
	28	370	250	1	B-20149	332.60
	28	570	450	1	B-20155	392.80


Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	28	670	550	1	B-20161	502.40
	28	920	800	1	B-20177	611.90
	30	370	250	1	B-20183	380.80
	30	570	450	1	B-20199	453.00
	32	370	250	1	B-20208	429.30
	32	570	450	1	B-20214	507.90
	32	920	800	1	B-20220	614.60
	35	370	250	1	B-20236	505.00
	35	570	450	1	B-20242	564.60
	35	670	550	1	B-20258	650.00
	35	920	800	1	B-20264	832.80
	38	370	250	1	B-20270	575.50
	38	570	450	1	B-20286	666.60
	40	370	250	1	B-20292	705.00
	40	570	450	1	B-20301	776.20
	40	920	800	1	B-20317	1022.60

TCT Drill Bit for SDS-MAX Hammers MAK4



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	16	540	400	1	P-77746	237.30
	20	520	400	1	P-77827	260.60
	22	520	400	1	P-77861	285.70
	24	520	400	1	P-77908	326.60
	30	570	450	1	P-78025	389.70

TCT Drill Bit for SDS-MAX Hammers Mining



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	28	670	550	1	B-15039	538.40
	32	570	450	1	B-14613	608.20
	32	920	800	1	B-15045	970.80

TCT Drill Bit for SDS-MAX Hammers Mining 2



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	28	670	550	1	B-39431	637.10
	30	720	600	1	B-39447	753.50
	32	570	450	1	B-39453	559.50
	32	920	800	1	B-39469	818.80

TCT Drill Bit for SDS-MAX Hammers Dustless



Range	Bit dia. mm	Length mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	16	600	400	1	B-64428	974.60
	18			1	B-64434	1018.00
	20			1	B-64440	1035.90

TCT Drill Bit for 17 mm Hex Shank Hammers



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	16	280	1	D-20127	39.90
	16	505	1	D-20133	58.00
	18	280	1	D-20149	44.00
	19	505	1	D-20177	77.10
	20	280	1	D-20183	49.90
	22	505	1	D-20214	85.00
	25.5	280	1	D-20220	61.30
	25.5	505	1	D-20236	88.00
	32	280	1	D-20264	112.20
	32	505	1	D-20270	155.50
	35	280	1	D-20286	138.60
	35	505	1	D-20292	170.00

Concrete Core Cutter for SDS-MAX Hammers



Range	Bit dia. mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	40	550	1	B-57629	1015.30
	45	550	1	B-57635	1029.10
	45	990	1	B-57641	1220.60
	55	550	1	B-57657	1167.30
	55	990	1	B-57663	1375.10
	65	550	1	B-57679	1278.00
	65	990	1	B-57685	1495.00
	80	550	1	B-57691	1420.20
	80	990	1	B-57700	1884.80

Bull Point for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	140	1	D-19152	9.10
	160	1	D-08034	7.10

Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	230	1	D-71249	15.30
	250	1	D-08713	17.30
	250	1	D-62424	18.20
	400	1	D-19015	20.00

Cold Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	20 x 140	1	D-19168	10.00
	20 x 160	1	D-71255	8.20
	20 x 230	1	D-71261	16.20
	20 x 250	1	D-08729	17.30
	20 x 250	1	D-62430	23.50
	20 x 400	1	D-19021	21.00

Scaling Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	38 x 200	1	A-30483	113.50
	40 x 230	1	D-71277	21.90
	40 x 250	1	D-08735	27.30
	50 x 215	1	D-25616	27.70

Grooving Chisel for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	8 x 170	1	A-30075	91.30

Scraper Assembly for SDS-PLUS Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	100 x 160	1	A-68161	588.00

Chisel for SDS-PLUS Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	3	D-30134	80.00
	Bull point 230, Cold chisel 20 x 230, Scaling chisel 40 x 230	3	D-71314	51.90

Chisel for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	3	D-42357	158.60
	Bull point 250, Cold chisel 20 x 250	4	D-42363	165.00
	Bull point 250, Cold chisel 20 x 250, Scaling chisel 40 x 250	5	D-42379	191.70

Bull Point for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	280	1	A-80787	90.20
	400	1	A-80793	118.20
	600	1	A-87476	191.90
★★★☆☆	300	1	D-34176	28.20
	400	1	D-34182	32.80

Bull Point for SDS-MAX Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10366	66.00
	400	1	B-10621	91.00

Bull Point for SDS-MAX Hammers Self Sharpening (Twisted Tip)

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	E-13172	136.00

Cold Chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	25 x 280	1	A-80802	95.10
	25 x 400	1	A-80818	130.00
	24 x 600	1	A-87482	165.70
★★★☆☆	25 x 300	1	D-34207	32.60
	25 x 400	1	D-34213	37.70

Cold Chisel for SDS-MAX Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	25 x 400	1	B-64783	97.10

Scaling Chisel for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 400	1	A-80824	152.40
★★★☆☆	50 x 400	1	D-34235	46.40
	80 x 300	1	D-34241	63.70

Scaling Chisel for SDS-MAX Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 350	1	B-14015	134.00

Scaling Chisel for SDS-MAX Hammers Tile




Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 300	1	A-80830	177.70
	50 x 300	1	B-14021	125.90

SDS-MAX to SDS-PLUS Adaptor



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	220	1	P-17027	484.00

Clay Spade for SDS-MAX Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	105 x 400	1	A-17653	529.50

Chisel for SDS-MAX Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 300, 400, Cold chisel 25 x 400, 25 x 300	4	D-42466	267.70
	Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400	3	D-42450	249.10
	Bull point 400, Cold chisel 25 x 400	5	D-42472	315.30
	Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400, 80 x 300	6	D-42488	412.60

Rammer for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	Without adapter. Use with adapter (A-19897)	1	A-19875	532.20

Bull Point for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	210	1	D-16374	17.70
	255	1	D-71283	19.70
	280	1	D-08682	19.10
	280	1	D-26303	20.00
	350	1	D-29860	25.50
	450	1	D-16863	31.90

Bushing Tool for SDS-MAX Hammers




Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	60 x 60	Without adapter. Use with adapter (A-19897)	1	A-19881	381.70

Cold Chisel for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	19 x 210	1	D-26587	17.70
	19 x 280	1	D-08707	23.50
	19 x 450	1	D-16879	36.80
	22 x 255	1	D-71299	19.70

Shank Adapter for SDS-MAX Hammers



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	250	Shank for A-19881, A-19875	1	A-19897	239.10

Scaling Chisel for 17mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 x 280	1	A-80606	89.00
	40 x 255	1	D-71308	27.70
★★★☆☆	50 x 280	1	D-20694	26.40
	50 x 450	1	D-52548	45.90

Grooving Chisel for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	22 x 280	1	A-48555	145.50
	26 x 280	1	A-48561	145.50

Rammer for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	1	A-21428	412.40

Bushing Tool for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	60 x 60	1	A-21484	425.90

Ground Rod Adapter for 17 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	180	1	A-47276	88.20

Chisel for 17 mm Hex Shank Hammers Assortment in Plastic Case



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bull point 255 Cold chisel 22 x 255 Scaling chisel 40 x 255	3	D-71320	62.60

Bull Point for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	320	1	D-16499	29.10
	450	1	D-23824	45.50

Cold Chisel for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	26 x 450	1	A-80581	175.50
★★★☆☆	26 x 320	1	D-17588	32.60
	26 x 450	1	D-17594	47.70

Scaling Chisel for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	70 x 320	1	D-20672	61.30

Clay Spade for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	130 x 460	1	A-47391	445.50

Scaling Chisel for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	75 x 410	1	D-29228	132.20
	75 x 410	1	D-61553	130.80
	75 x 520	1	D-20725	145.90

Rammer for 21 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	140	1	A-21434	423.00

Rammer for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	200	1	798385-3	1139.50

Bull Point for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	350	1	D-65034	91.00
	410	1	D-17631	112.80
	410	1	D-61531	111.30
	520	1	D-17675	125.90

Bull Point for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	D-15285	100.00

Bull Point for 28.6 mm Hex Shank Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10372	249.50

Bull Point for 30 mm Hex Shank Hammers Self-Sharpening

Self sharpening



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	400	1	B-10388	254.60

Cold Chisel for 28.6 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	28 x 410	1	D-17647	112.80
	28 x 410	1	D-61547	111.30
	28 x 520	1	D-17681	125.90

Cold Chisel for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	30 x 400	1	D-15300	112.80

Scaling Chisel for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	75 x 310	1	D-23868	125.90
	100 x 310	1	A-25183	377.10

Clay Spade for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	120 x 500	1	B-10300	482.40

Rammer for 30 mm Hex Shank Hammers



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
Specialized	200	1	A-31485	586.40

Bull Point for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	220	1	B-06921	58.60

Scaling Chisel for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	20 x 220	1	B-07004	81.90
	30 x 150	1	B-07331	76.00
	50 x 150	1	B-07347	80.40
	50 x 220	1	B-07010	89.00

Grooving Chisel for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	8 x 170	1	A-21543	72.40
	12 x 170	1	A-21559	72.40

Floor Scraper Blade and Assembly Chisel for Makita Small Shank



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	100	1	A-43022	267.00

TCT Drill Bit & Chisel for Sds-Plus Hammers Assortment in Plastic Case




Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Drill 5 to 16, Bull point 160, Cold chisel 20 x 140	10	D-46361	72.80

TCT Drill Bit & Chisel for SDS-PLUS Hammers Assortment in Aluminum Case with Makita Blue



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 5.5 to 16, Bull point 250, Cold chisel 20 x 250	10	D-70904	196.00
	Drill 5.5 to 20, Bull point 250, Cold chisel 20 x 250	10	D-42391	249.90
	Drill 6 to 20, Bull point 250, Cold chisel 20 x 250	10	D-42385	265.50
	Drill 5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-42400	211.70
	Drill 5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-42416	246.20
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20 x 250, 20 x 140, Scaling chisel 40 x 250	17	D-42438	271.90
	Drill 5 to 14, Bull point 140, 250, Cold chisel 20 x 250, 20 x 140, Scaling chisel 40 x 250	17	D-42444	278.60

TCT Drill Bit & Chisel for SDS-PLUS Hammers Assortment in Roll Up Pouch



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 5.5 to 16, Bull point 250, Cold chisel 20 x 250	13	D-70895	219.10


TCT Drill Bit & Chisel for SDS-MAX Hammers Assortment in Aluminum Case (Makita Blue)



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Drill 18 to 25, Bull point 400, Cold chisel 25 x 400, Scaling chisel 50 x 400	7	D-42494	638.60

ACCESSORIES

Fastening



Double end



6.35 Hex shank MZ



6.35 Hex shank NZ



6.35 hex shank
C form



Hex shank



1/4inch SQ



3/8inch SQ



1/2inch SQ



Pin ring



Magnet



Flexible



For SDS-PLUS
hammers

Torsion Screw Bit C-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	C-form	PH 2	25	2	E-03137	17.00

Torsion Screw Bit E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	PH 1	50	2	E-03268	29.70
		PH 2	50	2	E-03274	29.70
		PH 3	50	2	E-03280	23.50
		T 10	50	2	E-03327	23.90
		T 15	50	2	E-03333	23.90
		T 20	50	2	E-03349	23.90
		T 25	50	2	E-03355	23.90
		T 30	50	2	E-03361	23.90

Double Ended Torsion Screw Bit E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	PH 2	65	2	E-06286	34.40
		PZ 2	65	2	E-06292	34.40

Ultra Mag Torsion Bit Holder E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	79	1	E-03414	47.30

Torsion Nutsetter E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	8	65	1	E-03464	28.20
		10	65	1	E-03470	29.00

Tilt Socket Adapter E-form Impact PREMIER



Impact
PREMIER



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	1/2 inch Drive	50	1	E-03436	44.60
		3/8 inch Drive	50	1	E-03420	33.50

Mag Boost Impact PREMIER



Impact
PREMIER



Range	Sales pkg qty	Part No.	RSP (RM)
★★★★★	1	E-03442	22.80

Ultra Mag Attacher & Mag Torsion Set

8x
Life

Impact GOLD



Range	Shank type	Bit Type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH2	65	1	B-30483	43.10

Torsion Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 1	65	3	A-57451	42.60
		PH 1	100	3	A-57467	49.30
		PH 2	65	3	A-57473	42.60
		PH 2	65	6	A-57510	77.10
		PH 2	85	6	A-57526	81.90
		PH 2	100	3	A-57495	49.30
		PH 2	120	3	A-57504	56.60
		PH 2	120	6	A-57445	98.00

Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	PH 2	110	3	B-21864	68.00
		PH 1	65	3	A-52881	49.70
		PH 1	110	3	A-52897	62.20
		PH 2	65	3	A-49563	49.70
		PH 2	65	3	A-50924	50.20
	E-form (NZ)	PH 2	65	6	A-49579	97.10
		PH 2	85	3	A-49585	52.80
		PH 2	85	3	A-50952	53.50
		PH 2	110	3	A-49600	62.20
		PH 2	110	3	A-50980	62.40
		PH 2	110	10	B-52037	194.40
		PH 2	150	3	A-50120	87.10
		PH 3	65	3	A-52906	49.70
		PH 3	110	3	A-52912	62.20

Screw Bit C-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	C-form	PH 2	25	2	B-63616	8.00
		PH 3	25	2	B-63622	8.00
		PZ 2	25	2	B-63644	8.00

Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	PH 2	50	2	E-08763	11.30
		PH 2	50	10	E-14211	52.80

Double Ended Torsion Screw Bit E-form Twist



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH 2	90	3	A-59570	57.30
		PH 2	90	3	A-59601	58.20
		PH 2	120	3	A-59586	66.00
		PH 2	150	3	A-59592	81.00

Double Ended Twist Torsion Screw Bit



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH 2	65	3	A-67505	47.30
		PH 2	90	3	A-67511	48.00
	C-form (NZ)	PH2	90	10 x 6	B-54097-6	1243.00

Double Ended Torsion Screw Bit E-form Twist



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	PH2 (Slim)	65	10	B-63127	171.90

Double Ended Torsion Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	PH 2	65	3	B-20703	49.70
		PH 2	85	3	B-12326	52.80

Double Ended Screw Bit E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	PH 2	65	10	E-15827	62.20
		PH 2	110	10	E-15833	98.60

Magnetic Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08785	15.50

Sleeve Chuck Bit Holder E-form Impact BLACK



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	60	1	E-08791	21.00

Nutsetter E-form Impact BLACK



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	8	50	1	E-08816	11.50

Nutsetter E-form Impact BLACK Assortment in Clear Case Series




Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	6	E-18035	94.00

Impact Bit Socket Impact BLACK Assortment




Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	T30, T40, T45, T50, T55, T60, T70	78	7	E-23628	323.00

Socket Adapter E-form Impact BLACK



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	1/2 inch Drive	50	1	E-08850	14.00
		3/8 inch Drive	50	1	E-08844	11.00

Screw Bit C-form Impact BLACK with Bit Holder Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form (NZ)	8	E-14227	38.80
		10	E-15849	60.00

Screw Bit C & E-form Impact BLACK Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form (NZ)	33	E-06622	181.90
		35	E-06638	172.80

Screw Bit C-form in Blister



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	C-form	PH 2	25	3	B-23466	7.90

Screw Bit C-form in Plastic Case



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	100	B-24876	144.00
		PZ 2	25	100	B-24882	144.00
		SQ 2	25	25	B-24670	43.00
		SQ 2	25	100	B-24898	144.00
		T 15	25	25	B-24636	43.00
		T 20	25	25	B-24642	43.00
		T 25	25	25	B-24658	43.00
		T 30	25	25	B-24664	43.00

Screw Bit C-form in Plastic Bag



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	100	B-24957	130.20
		PZ 2	25	100	B-24963	130.20
		SQ 2	25	100	B-24979	130.20

Screw Bit for Screwdriver C-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form	PH 2	25	3	798398-4	13.00
		PH 3	25	3	798314-6	32.00

Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	110	1	784234-0	21.50
		SL 0.6 x 5.0	45	3	798301-5	56.40
		SL 0.8 x 6.0	70	3	798298-8	54.00
		SL 1.0 x 6.35	45	3	798299-6	52.20
		SL 1.2 x 10.0	52	3	798303-1	68.80
		SL 1.2 x 8.0	45	3	798300-7	65.00
		SL 1.2 x 8.0	70	3	798302-3	64.20
		SL 1.4 x 10	52	1	784018-6	14.40

Screw Bit E-form in Plastic Case



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	50	10	B-25127	35.30

Screw Bit for Screwdriver E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	117	5	A-12697	137.90
		PH 2	122	5	A-45858	70.40
		PH 2	132	5	A-16536	72.20
		PH 2	162	5	B-10481	70.00
		PH 2	182	5	B-10475	81.50

Torsion Screw Bit E-form 10 pcs Set/ Flip Top Case with Hanger Display

10x
Life

Impact GOLD
Advanced Torque Technology



Size	Shank type	Length mm	Per pkg.	Part No.	RSP (RM)
SQ 2	MZ	50	10	B-39562-10	1078.00

26 pcs Torsion Screw Bit Set/ Clamshell

Impact GOLD
Advanced Torque Technology

- ⊕ PH1,2 x PH2, PH3 x 25mm, PH2 x 50 mm
- ⊕ PZ1,2 x PZ2, PZ3 x 25 mm, PZ2 x 50 mm
- ⊕ SQ1,2 x SQ2, SQ3 x 25 mm, SQ2 x 50 mm
- ⊕ T10, T15, 2 x T20, 2 x T25, 2 x T30 x 25 mm, T25 x 50mm

Shank Type	Part No.	RSP (RM)
MZ	B-49915	208.20



Double Ended Screw Bit E-form



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (NZ)	PH 2	45	1	784229-3	9.50
			45	3	798308-1	18.00
			45	10	D-34827	45.50
			65	1	784203-1	3.00
			65	1	784230-8	10.60
			65	3	798309-9	20.40
			65	10	D-33679	45.50
			110	3	798337-4	69.00
			110	10	D-34833	71.00
			150	3	798338-2	81.30
			250	1	784221-9	46.00
		PH 2-SL 0.8	45	1	784614-0	10.40
		PH 3	45	3	798310-4	44.60
			65	3	798311-2	42.60
			110	3	798339-0	92.80

Double Ended Screw Bit with 1/4 inch Hex Shank



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/4 Inch Hex	PH 2-SL 5	65	10	D-65545	32.20
		PH 2-SL 5	65	100	D-65539	326.20
		PH 2-SL 5	110	10	D-65551	76.80

Bit Holder for Screwdriver E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	60	1	784811-8	21.00
		75	1	784812-6	42.20
		76	1	784801-1	18.00

Sleeve Chuck Bit Holder for SDS-PLUS Hammers



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	SDS-PLUS	80	1	B-57548	27.10

Screw Guide Bit Holder E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	80	1	B-48751	18.20
		120	1	B-48767	23.90

Flexible Bit Holder with 1/4 inch Hex Shank



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/4 Inch Hex	200	1	B-29072	36.20
★★★★☆	1/4 Inch Hex	300	1	B-29094	37.50

Flexible Bit Holder E-form



Range	Shank type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	300	1	B-51851	188.60

Nutsetter E-form



Range	Shank type	Socket size mm(inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	(3/8)	65	1	784802-9	113.90
		7	55	1	784402-5	42.20
	E-form (NZ)	8	55	1	784403-3	43.00
		10	55	1	784405-9	44.00
		13	55	1	784408-3	44.00
		14	55	1	784409-1	44.00
		8	50	50	B-68345	327.90

Socket Adapter E-form



Range	Shank type	Bit type	Length mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	E-form (MZ)	1/2 inch Drive	152(6)	1	B-57744	52.80
		3/8 inch Drive	152(6)	1	B-57738	39.70

Socket Adapter



Range	Model Type	Square Drive	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Impact Driver	1/2 inch Drive	1	A-32415	70.80

Socket Adapter with 7/16 inch Hex Shank



Range	Shank type	Bit type	Length (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	7/16 Inch Hex	1/2 inch Drive	(3)	1	B-59841	27.00
		3/8 inch Drive	(3)	1	B-59835	57.10

Socket Bit E-form Long Type



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	8	90	1	A-58914	49.90
		10	90	1	A-58920	53.10
		12	90	1	A-58936	55.90
		13	90	1	A-58942	55.90
		14	90	1	A-58958	55.90
		17	90	1	A-58964	59.50
		19	90	1	A-58970	59.50
		21	90	1	A-58986	59.50
		24	90	1	A-58992	86.20

Socket Bit E-form Long Type



Range	Shank type	Socket size mm (inch)	Length mm (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (MZ)	10	75	1	B-52526	119.10
		10	150	1	B-52532	131.70
		10	300	1	B-52548	144.00
		10	500	1	B-52554	242.00
		10	700	1	B-52560	282.40
		13	75	1	B-52576	119.10
		13	150	1	B-52582	132.00
		13	300	1	B-52598	144.00
		13	500	1	B-52607	243.10
		13	700	1	B-52613	284.20
		17	75	1	B-52629	123.00
		17	150	1	B-52635	139.70
		17	300	1	B-52641	156.00
		17	500	1	B-52657	252.20
		17	700	1	B-52663	294.20
		(9/16)	(3)	1	B-43290	139.00
		(9/16)	(6)	1	B-43309	151.70
		(9/16)	(12)	1	B-43315	165.10
		(9/16)	(18)	1	B-43321	256.60
		(9/16)	(24)	1	B-43337	302.60

Thumb Screw Socket Bit E-form



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (NZ)	13	100	1	A-66139	113.90

Threaded Rod Socket Bit E-form



Range	Shank type	Socket size mm (inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	E-form (MZ)	M6, M8, M10	66	3	B-42999	261.10
		M6	66	1	B-42961	116.20
		M8	66	1	B-42977	117.70
		M10	66	1	B-42983	119.90
		(3/8)	66	1	B-51611	122.40

Threaded Rod Socket Display Set

Pop with Threaded Rod (8 mm)



Range	Shank type	Socket size mm (inch)	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★★	MZ-B	M6 (B-42961)	66	3	B-43022	912.80
		M8 (B-42977)	66	3		
		M10 (B-42983)	66	2		
		M6, M8, M10 (B-42999)	66	1		

Bit Catcher



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (MZ)	1	B-63096	59.00
	E-form (NZ)	1	B-63105	59.50

Key Adapter



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	E-form (NZ)	1	B-63111	18.20

Screw Bit C-form with Bit Holder Assortment in Battery Type Case



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	C-form & E-form (NZ)	31	B-69901	108.00

Battery Type Case



Part No.	RSP (RM)
B-69917	37.10

Impact Socket



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	1 Inch Drive	35	80	1	134864-1	136.80
		36	80	1	134865-9	136.80
		41	80	1	134872-2	122.20
		17	50	1	A-85494	55.00
	3/4 Inch Drive	19	50	1	A-85519	55.00
		21	52	1	A-85531	55.00
		22	52	1	A-85553	55.00
		24	52	1	A-85575	55.00
		26	52	1	134853-6	59.00
		27	52	1	134855-2	49.10
		30	52	1	134857-8	59.00
		32	52	1	134871-4	52.60
		35	56	1	134860-9	72.60
		36	56	1	134862-5	76.80
	1/2 Inch Drive	8	38	1	B-40054	16.40
		9	38	1	B-40060	16.40
		10	38	1	B-10497	21.00
		10	38	1	B-40076	16.40
		11	38	1	B-40082	17.10
		12	38	1	A-89931	22.20
		12	38	1	B-40098	17.10
		13	38	1	134825-1	23.70
		13	38	1	B-40107	17.10
		13	52	1	134827-7	33.10
		14	38	1	134826-9	19.90
		14	38	1	B-40113	17.10
		14	52	1	134828-5	33.10
		15	38	1	B-40129	17.10
		16	38	1	B-10506	18.60
		16	38	1	B-40135	19.10
		17	38	1	134829-3	25.00
		17	38	1	B-40141	19.10
		17	52	1	134830-8	33.10
		18	38	1	B-40157	20.00
		19	38	1	134831-6	21.90
		19	38	1	B-40163	20.00
		19	52	1	134832-4	27.70
		20	38	1	B-40179	21.00

Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	1/2 Inch Drive	21	38	1	134838-2	30.00
		21	38	1	B-40185	21.00
		21	52	1	134833-2	28.80
		22	38	1	134851-0	31.00
		22	38	1	B-40191	23.90
		22	52	1	134834-0	37.30
		23	38	1	134840-5	31.00
		23	38	1	B-40200	30.60
		23	52	1	134835-8	37.30
		24	38	1	B-40216	31.50
		24	52	1	134836-6	39.50
		26	50	1	134842-1	45.00
		27	42	1	B-40222	33.10
		27	50	1	134844-7	37.90
		30	44	1	B-40238	37.50
		30	50	1	134846-3	40.00
		32	44	1	B-40244	54.40
		32	50	1	134848-9	41.50
	3/8 Inch Drive	6	28	1	B-39883	13.90
		7	28	1	B-39899	13.90
		8	28	1	B-39908	13.90
		9	28	1	B-39914	14.00
		10	28	1	B-39920	13.90
		11	28	1	B-39936	13.90
		12	28	1	B-39942	14.40
		13	28	1	B-39958	16.40
		14	28	1	B-39964	16.40
		15	28	1	B-39970	17.30
		16	28	1	B-39986	17.30
		17	30	1	B-39992	18.20
		18	30	1	B-40004	19.70
		19	30	1	B-40010	19.70
		20	30	1	B-40026	21.00
		21	30	1	B-40032	21.00
		22	30	1	B-40048	23.00

Impact Socket Assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	1/2 Inch Drive	8 to 21	38	8	E-02989	186.80

Impact Deep Socket



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	3/4 Inch Drive	17	95	1	A-85503	113.50
		19	95	1	A-85525	113.50
		21	95	1	A-85547	113.70
		22	95	1	A-85569	113.70
		24	95	1	A-85581	113.70
		26	95	1	134854-4	121.70
		27	95	1	134856-0	121.70
		30	95	1	134858-6	121.70
		32	95	1	134859-4	121.70
		35	95	1	134861-7	131.30
		36	95	1	134863-3	139.10

Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	12	75	1	134867-5	175.10
		19	78	1	134837-4	46.40
		26	78	1	134843-9	59.00
		27	78	1	134845-5	62.20
		30	78	1	134847-1	65.00
		32	78	1	134849-7	68.60
	3/8 Inch Drive	7	63	1	B-55398	20.20
		8	63	1	B-55407	20.20
		9	63	1	B-55413	20.20
		10	63	1	B-55429	20.20
		11	63	1	B-55435	20.00
		12	63	1	B-55441	20.20
		13	63	1	B-55457	20.20
		14	63	1	B-55463	20.20
		15	63	1	B-55479	25.30
		16	63	1	B-55485	25.30
		17	63	1	B-55491	27.30
		18	63	1	B-55500	30.60
		19	63	1	B-55516	30.60
		20	63	1	B-55522	31.70
		21	63	1	B-55538	35.30
		22	63	1	B-55544	38.40

Bit Adapter



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	E-form (NZ)	57	1	B-68476	83.70
	3/8 Inch Drive	E-form (NZ)	57	1	B-68482	84.00


Bit Adapter Assembly

with Pin and O Ring



Range	Model Type	Size mm	Part No.	RSP (RM)
★★★★☆	6904VH	1-2"	134873-0	208.80

Impact Deep Socket Assortment



Range	Shank type	Socket size mm	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3/8 Inch Drive	8 to 22	63	14	B-55550	399.90

Bit Adapter Assembly

with Pin and O Ring



Range	Model Type	Size	Length mm	Part No.	RSP (RM)
★★★★☆	Impact Wrench	1/2"	84	134877-2	410.00
		3/4"	105	134998-0	596.20

Roll Up Pouch

* No Socket

Part No.	RSP (RM)
E-02995	67.00




Impact Socket Extension Bar



Range	Shank type	Bit type	Length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	1/2 inch Drive	75	1	B-55728	26.40
			150	1	B-55712	40.00
			250	1	B-55706	49.90
	1/2 Inch Drive	1/2 inch Drive	100	1	134874-8	142.60
	3/4 Inch Drive	3/4 Inch Drive	150	1	134997-2	314.40
	1 Inch Drive	1 Inch Drive	200	1	134870-6	509.10

Screw Bit & Socket with Ratchet Handle Assortment



Range	Shank type	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	C-form & E-form	21	B-54081	190.80

Impact Socket Spare Part



Range	Shank type	Socket size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1/2 Inch Drive	8 to 16	O ring set	3	B-54542	5.00
		8 to 16	Pin set	3	B-54586	5.00
		18 to 19	O ring set	3	B-54564	5.70
★★★★☆	1/2 Inch Drive	18 to 19	Pin set	3	B-54601	5.70
		20 to 32	O ring set	3	B-54570	5.70
		20 to 32	Pin set	3	B-54617	5.70

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Drill and Screw Bit Sets



MAKPAC Case Series

MAKPAC



Range	pcs.	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	50 to 69	(Set contents, 5 x HSS-G drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 5 x Brad point drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 3 x Flat bit:16 mm, 20 mm, 25 mm, 46 x Screw bit 25 mm:PH0, PH1, 7 x PH2, PH3, PZ0, PZ1, 7 x PZ2, PZ3, SL4, SL4.5, SL5.5, SL6.5, T10, 2 x T15, 2 x T20, 2 x T25, T27, 2 x T30, T40, T10H, T15H, T20H, T25H, T27H, T30H, T40H, H3, H4, H5, H6, 1 x Magnetic bit holder 60 mm, 1 x Sleeve chuck bitholder, 5 x Magnetic nutsetter:6 mm, 8 mm, 10 mm, 12 mm, 13 mm,)	66	B-43072	716.40

Circle Case Series

Circle series



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	70 to 99	(Set contents, 11 x HSS-R drill bit:1.5 mm, 2 mm, 2.5 mm, 3 mm, 3.5 mm, 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm, 6.5 mm, 5 x Brad point drill bit:4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 3 x Flat bit 1/4" hex:16 mm, 22 mm, 32 mm, 6 x Masonry drill bit:4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 1 x Countersink bit, 1 x Diameter guage, 24 x Screw bit 25 mm:PH0, 2 x PH1, 2 x PH2, PH3, PZ0, 2 x PZ1, 2 x PZ2, PZ3, SL4, SL6, SL7, T10, T15, T20, T25, T40, H3, H4, H5, H6, 10 x Screw bit 50 mm:PH1, PH2, PH3, PZ1, PZ2, PZ3, SL4, SL6, T20, T25, 1 x Magnetic bit holder 60 mm, 7 x 1/4" drive socket:4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 1 x Socket adapter 1/4" hex to 1/4" drive, 1 x Tape measure 3 m,)	71	D-53001	337.10
	100 to 199	(Set contents, 18 x HSS-R drill bit:1 mm, 1.5 mm, 2 x 2 mm, 2.5 mm, 2 x 3 mm, 3.5 mm, 2 x 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm, 6.5 mm, 7 mm, 8 mm, 10 mm, 7 x Brad point drill bit:3 mm, 4 mm, 5 mm, 6 mm, 7 mm, 8 mm, 10 mm, 3 x Flat bit 1/4" hex:16 mm, 22 mm, 32 mm, 7 x Masonry drill bit:3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 1 x Countersink bit, 1 x Diameter guage, 4 x Depth gauge:3 mm, 5 mm, 8 mm, 10 mm, 4 x Hole saw:32 mm, 38 mm, 45 mm, 54 mm, 1 x Hole saw adapter, 40 x Screw bit 25 mm: 2 x PH0, 2 x PH1, 3 x PH2, 3 x PH3, 2 x PZ0, 2 x PZ1, 3 x PZ2, 3 x PZ3, 2 x SL4, 2 x SL6, 2 x SL7, 2 x T10, 2 x T15, 2 x T20, 2 x T25, T30, T40, H3, H4, H5, H6, 1 x Magnetic bit holder 60 mm, 8 x 1/4" drive socket:5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 13 mm, 1 x Socket adapter 1/4" hex to 1/4" drive, 1 x Tape measure 3 m, 1 x Hammer, 1 x Combination plier, 1 x Long nose plier, 1 x Adjustable wrench, 1 x Hex key wrench, 1 x Level,)	103	D-53017	568.60

Square Case Series

Square series



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1 to 29	(Set contents, 4 x HSS-R drill bit:3 mm, 4 mm, 5 mm, 6 mm, 4 x Masonry drill bit:4 mm, 5 mm, 6 mm, 8 mm, 8 x Screw bit 25 mm: PH2, PH3, PZ2, PZ3, SL5, SL6, T20, T25, 1 x Magnetic bit holder 60 mm,)	17	D-53693	70.40

Clear Case Series

Clear case



Range	Pcs	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1 to 29	(Set contents, 5 x Masonry drill bit SDS-PLUS shank:5 mm, 2 x 6mm, 8 mm, 10 mm, 8 x Screw bit 50 mm: PH1, 2xPH2, PZ1, PZ2, PZ3, SL5.5, SL6.5, 1 x Sleeve chuck bitholder SDS-PLUS shank, 4 x Nutsetter: 6 mm, 8 mm, 10 mm, 12 mm,)	18	E-07082	159.00

ACCESSORIES

■ Cutting



Metal,
mild steel



Wood



Wood with
nails



Plastic



Aluminum



MDF



Sandwich material



Fiber cement board



Cross cut



Rip cut



Low noise

TCT Saw Blade for Circular Saw EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	165	25	1.4	1	20	23	ATAFR	-	1	B-63018	134.60
		185	24	1.45	1	20	23	ATAFR	-	1	B-62022	88.60
		185	45	1.45	1	20	23	ATAFR	-	1	B-68616	214.40
		190	24	1.45	1	20	23	ATAFR	-	1	B-64200	134.00
		190	45	1.45	1	20	23	ATAFR	EAC mark only	1	B-68644	216.20
		235	24	2.2	1.5	25	20	ATBR	-	1	E-01959	238.20
		260	24	2.15	1.5	25	23	ATAFR	-	1	E-07733	258.80
	Wood/MDF	165	56	1.45	1	20	23	ATAFR	-	1	B-57364	217.70

TCT Saw Blade for Miter Saw Table Saw EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	190	25	1.85	1.35	20	10	ATBR	1	E-11265	158.40
		190	45	1.85	1.35	20		ATBR	1	E-11271	239.00
		190	60	1.85	1.35	20		ATBR	1	E-11287	269.00
		216	45	2	1.5	25.4		ATBR	1	E-07010	311.10
		216	60	2	1.5	25.4		ATBR	1	E-08969	361.70
		216	80	2	1.5	25.4		ATBR	1	E-08975	TBA
		260	45	2.15	1.65	25.4		ATAFR	1	B-64668	254.60
		260	60	2.15	1.65	25.4		ATAFR	1	B-67430	362.20
		260	80	2.15	1.65	25.4		ATAFR	1	B-67446	429.10
		305	60	2.15	1.65	25.4		ATAFR	1	B-67452	432.40
		305	80	2.15	1.65	25.4		ATAFR	1	B-67468	512.40

TCT Saw Blade for Metal Cutting EFFICUT General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood	150	25	1.4	1	20	23	ATAFR	1	E-06937	169.90

TCT Saw Blade for Metal Cutting EFFICUT Metal General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal	136	30	1.1	1.0	20	0	SMTCCG	1	B-69428	285.30
	Metal/SUS	136	45	1.1	1.0	20	0	SMTCCG	1	B-69434	346.00
	Metal	185	45	1.4	1.2	20	0	SMTCCG	1	E-12918	384.40
	Metal/SUS	185	60	1.4	1.2	20	0	SMTCCG	1	E-12924	479.70

TCT Saw Blade for Circular Saw Wood Bluemak Oceania

BlueTrak



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	185	40	1.8	1.2	20	15.88 (5/8)	18	ATB	1	B-15154	161.00
		235		2.3	1.6	25	-(-)	15		1	B-15207	232.40

TCT Saw Blade for Circular Saw Wood M-FORCE General

M-FORCE



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	165	16	2	1.2	20	15	M-FORCE	1	A-89698	71.90
		185	16						1	A-89713	71.90
		185	24						1	A-89729	95.00

TCT Saw Blade for Circular Saw Wood Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	110	30	1.6	1	20	-	10	ATAF	-	1	B-16950	47.30
		160	24	1.8	1.2	20	-	25	ATAF	-	1	B-16966	47.30
		160	30	1.8	1.2	20	-	20	ATB	-	1	B-16972	50.20
		160	36	1.8	1.2	20	-	20	ATAF	-	1	B-16988	51.00
		160	40	1.8	1.2	20	-	20	ATAF	-	1	B-16994	51.30
		160	48	1.8	1.2	20	-	20	ATAF	-	1	B-17005	59.70
		160	60	1.8	1.2	20	-	15	ATAF	-	1	B-17011	67.10
		165	40	1.6	1	20	-	18	ATAF	Price competitive	1	B-17027	51.50
		180	24	1.8	1.2	20	-	25	ATAF		1	B-17033	49.70
		180	30	1.8	1.2	20	-	20	ATB		1	B-17049	52.60
		180	36	1.8	1.2	20	-	20	ATAF		1	B-17055	55.00
		180	40	1.8	1.2	20	-	20	ATAF		1	B-17061	56.20
		180	48	1.8	1.2	20	-	20	ATAF		1	B-17077	61.30
		185	40	1.6	1	20	-	18	ATAF		1	B-17083	55.50
		235	24	2.4	1.6	25.4	25	25	ATAF		1	B-17164	78.60
		235	30	2.4	1.6	25.4	25	25	ATB		1	B-17170	81.30
		235	36	2.4	1.6	25.4	25	25	ATB		1	B-17186	84.00
		235	40	2.4	1.6	25.4	25	25	ATB		1	B-17192	85.90
		235	48	2.4	1.6	25.4	25	20	ATB		1	B-17201	97.30
		235	60	2.4	1.6	25.4	25	20	ATAF		1	B-17217	107.10
		235	80	2.4	1.6	25.4	25	15	ATAF		1	B-17223	128.20

TCT Saw Blade for Circular Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Wood/MDF	165	44	1.45	1	20	-	23	ATAFR	Tooth shape: Double cut, Fluorine coating, Laser slit	1	B-53279	184.40
★★★★☆		165	55	1.6	1.1	20	-	20	ATAFR	Fluorine coating, Laser slit	1	B-57059	166.20
★★★★☆	Wood	85	20	1	0.7	15	-	10	ATB	-	1	B-14607	40.40
		110	24	1.8	1.2	20	-	10	ATAF	-	1	A-88864	74.60
		110	30	1.8	1.2	20	-	10	ATB	-	1	A-81365	86.40
		136	16	1.5	1	20	-	20	ATAF	-	1	B-09949	88.20
		160	24	2.2	1.4	20	-	25	ATAF	-	1	A-81371	91.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	160	30	2.2	1.4	20	-	20	ATAF	-	1	A-81876	104.00
	Wood	160	32	2.2	1.4	20	-	20	ATAF	-	1	A-81387	104.00
	Wood	160	36	2.2	1.4	20	-	20	ATAF	-	1	A-81882	110.60
	Wood	160	40	1.6	1	20	-	18	ATB	-	1	A-80612	123.70
	Wood	160	40	2.2	1.4	20	-	20	ATAF	-	1	A-81898	110.00
	Wood	160	48	2.2	1.4	20	-	20	ATAF	-	1	A-81907	117.00
	Wood	160	60	2	1.4	20	-	15	ATAF	-	1	A-82688	134.60
	Wood	160	60	2.2	1.4	20	-	15	ATB	-	1	A-81393	134.60
	Wood	165	10	2	1.4	20	-	20	FTG	-	1	B-02917	98.20
	Wood	165	24	1.5	1	20	-	20	ATAF	-	1	A-85101	120.00
	Wood	165	40	1.6	1	20	-	18	ATAF	-	1	A-82454	131.00
	Wood	165	40	1.6	1	20	-	18	ATAF	-	1	A-85226	129.10
	Wood	165	52	1.6	1	20	-	20	ATAF	-	1	A-85189	148.60
	Wood	165	60	1.6	1	20	-	18	ATAF	-	1	A-82460	147.30
	Wood	180	24	2.2	1.4	20	-	25	ATAF	-	1	A-81402	94.20
	Wood	180	30	2.2	1.4	20	-	20	ATAF	-	1	A-81913	107.00
	Wood	180	36	2.2	1.4	20	-	20	ATAF	-	1	A-81929	125.90
	Wood	180	40	2.2	1.4	20	-	20	ATAF	-	1	A-81418	124.80
	Wood	180	48	2.2	1.4	20	-	20	ATAF	-	1	A-81935	127.90
	Wood	180	60	2.2	1.4	20	-	15	ATAF	-	1	A-81424	135.00
	Wood	185	40	1.6	1	20	-	18	ATAF	-	1	A-82476	105.90
	Wood	185	40	1.6	1	20	-	18	-	-	1	A-80628	122.80
	Wood	185	40	2	1.4	20	-	18	ATAF	-	1	A-85999	137.00
	Wood	185	60	1.6	1	20	-	18	ATAF	-	1	A-82482	151.00
	Wood	190	24	2	1.4	20	-	20	ATAF	-	1	A-87507	121.10
	Wood	235	20	2.3	1.6	25	-	20	ATB	-	1	A-89947	120.40
	Wood	235	20	2.3	1.6	30	25	25	ATAF	-	1	A-80678	159.70
	Wood	235	24	2.6	1.8	25.4	-	25	ATB	-	1	A-81985	158.20
	Wood	235	30	2.6	1.8	25.4	25(1)	25	ATB	-	1	A-81991	174.20
	Wood	235	36	2.6	1.8	25.4	25(1)	25	ATB	-	1	A-82002	195.00
	Wood	235	40	2.6	1.8	25.4	25(1)	25	ATAF	-	1	A-81468	201.90
	Wood	235	48	2.6	1.8	25.4	25(1)	20	ATAF	-	1	A-82018	231.90
	Wood	235	60	2.6	1.8	25.4	25(1)	20	ATAF	-	1	A-81474	263.50
	Wood	235	80	2.6	1.6	25.4	25(1)	15	ATB	-	1	A-81480	289.70
	Wood	260	24	2.3	1.6	25.4	-	20	ATB	-	1	B-10584	166.60
	Wood	270	18	2.6	1.8	25.4	-	20	ATB	-	1	B-12843	192.80
	Wood	335	60	3	2.2	25	-	20	ATB	-	1	B-12603	321.70
	Wood	415	60	2.6	1.8	25	-	20	ATAF	-	1	792118-8	1193.10
★★★☆☆	Wood	110	12	1.7	1.1	20	-	15	ATB	-	1	D-15562	28.00
	Wood	110	24	1.7	1.1	20	-	10	ATB	-	1	D-15578	33.70
	Wood	160	16	2	1.3	20	16	20	ATB	-	1	D-16433	50.80
	Wood	160	24	2	1.3	20	16	20	ATB	-	1	D-34257	55.00
	Wood	160	40	2	1.3	20	16	18	ATB	-	1	D-34263	72.20
	Wood	165	16	2	1.3	20	-	20	ATB	-	1	D-09628	51.90
	Wood	165	24	2	1.3	20	-	20	ATB	-	1	D-03333	59.10
	Wood	165	40	2	1.3	20	-	18	ATB	-	1	D-03349	69.10
	Wood	185	16	2	1.3	30	16, 20	20	ATB	-	1	D-03903	57.30
	Wood	185	20	2	1.3	30	16, 20	20	ATB	-	1	D-09634	67.70
	Wood	185	24	1.8	1.2	20	-	20	ATB	-	1	D-19037	62.20
	Wood	185	24	2	1.3	20	-	20	ATB	-	1	D-03355	68.60
	Wood	185	40	2	1.3	20	-	18	ATB	-	1	D-03361	72.80
	Wood	185	40	2	1.3	30	16, 20	18	ATB	-	1	D-03919	78.20
	Wood	185	40	2.2	1.4	20	-	15	ATB	-	1	P-83901	88.20
	Wood	195	80	2	1.3	25.4	16, 20	10	ATB	-	1	D-16396	124.00
	Wood	210	24	2	1.3	25	-	20	ATB	-	1	D-29066	105.90
	Wood	210	24	2	1.3	30	-	20	ATB	-	1	D-29050	105.90
	Wood	210	40	2	1.3	25	-	18	ATB	-	1	D-34300	99.50
	Wood	235	20	2.4	1.6	25	-	20	ATB	-	1	D-15811	115.30
	Wood	235	20	2.4	1.6	30	25, 25.4	20	ATB	-	1	D-03925	110.80
	Wood	235	40	2.4	1.6	25	-	18	ATB	-	1	D-16570	142.60
	Wood	235	40	2.4	1.6	25.4	25	18	ATB	-	1	D-03377	142.60
	Wood	235	48	2.4	1.6	30	25	18	ATB	-	1	D-03931	150.80
	Wood	235	60	2.4	1.6	25	-	15	ATB	-	1	D-34322	153.50
	Wood	235	60	2.4	1.6	30	25	15	ATB	-	1	D-09640	154.00
	Wood	235	80	2.8	1.8	30	25	12	TCG	-	1	D-17918	273.10
	Wood/MDF	185	60	2.2	1.5	20	-	-5	TCG	-	1	D-59427	100.00
	Wood/MDF	185	60	2.4	1.5	20	15.88	12	TCG	-	1	D-21381	156.40
	Wood/MDF	185	60	2.4	1.5	30	15.88, 20	12	ATB	-	1	D-38934	97.30
	Wood/MDF	185	60	2.4	1.5	30	16, 20	12	TCG	-	1	D-17902	171.70
★☆☆☆☆	Wood	165	16	2	1.2	20	-	12	ATB	-	1	D-50485	34.00
	Wood	165	24	2	1.2	20	-	12	ATB	-	1	D-50491	39.90
	Wood	165	40	2	1.2	20	-	12	ATB	-	1	D-50500	49.00
	Wood	185	16	2.2	1.4	25.4	20	18	ATB	-	1	D-50516	46.20
	Wood	185	24	2.2	1.4	25.4	20	15	ATB	-	1	D-50522	50.40
	Wood	185	40	2.2	1.4	25.4	20	14	ATB	-	1	D-50538	54.60
	Wood	210	24	2.5	1.6	25	-	15	ATB	-	1	D-72344	73.70
	Wood	210	40	2.5	1.6	25	-	15	ATB	-	1	D-72350	81.70
	Wood	235	20	2.5	1.6	25.4	25	14	ATB	-	1	D-50544	82.20
	Wood	235	40	2.5	1.6	25.4	25	12	ATB	-	1	D-50550	91.00
	Wood	235	60	2.5	1.6	25.4	25	12	ATB	-	1	D-50566	105.90
	Wood/MDF	185	60	2.2	1.4	20	15.88	-5	TCG	-	1	D-61466	84.40

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Saw Blade for Circular Saw Wood with Nails Tip Embedded General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/NAIL	165	16	2	1.25	20	23	ATB	1	A-86022	131.30
		165	24	2			23		1	A-86038	149.50
		165	40	2			18		1	A-86044	190.60
		185	20	1.85			25		1	A-83814	114.40

TCT Saw Blade for Plunge Cut Saw Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/MDF	165	60	2	1.4	20	5	Hi-ATB	Fluorine coating, Laser slit	1	B-56661	258.60
★★★★☆		165	60	2	1.4	20	5	TCG	Fluorine coating, Laser slit	1	B-56677	258.60
★★★★☆	Wood	165	28	2	1.4	20	15	ATB	-	1	B-56649	189.00
		165	28	2.2	1.6	20	15	ATB	-	1	B-07434	188.20
		165	48	1.85	1.25	20	8	ATB	-	1	B-56166	286.00
		165	48	2.2	1.6	20	8	ATB	-	1	B-07353	219.90

TCT Saw Blade for Miter Saw Table Saw Wood Specialized for Cordless Saws Europe



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood/MDF	190	60	1.7	1.3	20	20	ATB	1	B-53291	236.00

TCT Saw Blade for Miter Saw Table Saw Wood Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	203	24	2	1.4	25.4	25	25	ATAF	Price competitive	1	B-17099	77.00
		203	30	2	1.4	25.4	25	25	ATB		1	B-17108	79.90
		203	36	2	1.4	25.4	25	20	ATB		1	B-17114	83.00
		203	40	2	1.4	25.4	25	20	ATAF		1	B-17120	85.10
		203	48	2	1.4	25.4	25	20	ATAF		1	B-17136	95.70
		203	60	2	1.4	25.4	25	15	ATAF		1	B-17142	105.90
		203	80	2	1.4	25.4	25	15	ATAF		1	B-17158	126.00
		255	24	2.8	2	25.4	25	25	ATAF		1	B-17239	102.80
		255	30	2.8	2	25.4	25	25	ATB		1	B-17245	109.00
		255	36	2.8	2	25.4	25	25	ATB		1	B-17251	115.00
		255	48	2.8	2	25.4	25	20	ATB		1	B-17273	127.90
		255	60	2.4	1.8	25.4	25	20	ATAF		1	B-17289	141.10
		255	80	2.4	1.8	25.4	25	15	ATAF		1	B-17295	163.00
		305	30	3	2.2	25.4	25	25	ATB		1	B-17332	153.10
		305	36	3	2.2	25.4	25	25	ATB		1	B-17348	167.30
		305	40	3	2.2	25.4	25	25	ATB		1	B-17354	176.80
		305	48	3	2.2	25.4	25	20	ATB		1	B-17360	186.00
		305	60	2.8	2	25.4	25	20	ATAF		1	B-17376	200.40
		305	80	2.6	2	25.4	25	15	ATAF		1	B-17382	221.90
		355	30	3.2	2.4	25.4	25	25	ATB		1	B-17413	212.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	355	36	3.2	2.4	25.4	25	25	ATB	Price competitive	1	B-17429	226.00
		355	40	3.2	2.4	25.4	25	25	ATB		1	B-17435	233.50
		355	48	3	2.2	25.4	25	25	ATB		1	B-17441	245.10
		355	60	3	2.2	25.4	25	20	ATB		1	B-17457	259.10
		355	80	3	2.2	25.4	25	20	ATAF		1	B-17463	282.40
		405	30	3.2	2.4	25.4	25	25	ATAF		1	B-17479	294.40
		405	36	3.2	2.4	25.4	25	25	ATB		1	B-17485	306.60
		405	40	3.2	2.4	25.4	25	25	ATB		1	B-17491	314.60
		405	48	3.2	2.4	25.4	25	25	ATB		1	B-17500	330.80
		405	60	3	2.2	25.4	25	20	ATB		1	B-17516	355.00
		405	80	3	2.2	25.4	25	20	ATAF		1	B-17522	395.50

TCT Saw Blade for Miter Saw Table Saw Wood General



Cutting

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	165	64	1.9	1.4	20	-	10	ATAF	-	1	B-56487	252.80
		190	24	2	1.4	20	-	-5	ATB	-	1	B-03866	117.90
			24	2.2	1.6	20	-	5	ATB	-	1	B-03850	113.30
			24	2.2	1.6	20	-	5	ATB	-	1	B-04298	176.20
			40	1.9	1.4	20	-	10	ATB	-	1	A-86147	186.60
			40	2	1.4	20	-	10	ATAF	-	1	A-86751	177.90
			60	2	1.4	20	-	-5	ATB	-	1	B-03981	201.50
			60	2	1.4	20	-	5	ATB	-	1	B-04008	201.50
		203	24	2.4	1.6	25.4	-	25	ATB	-	1	A-81941	134.60
			30	2.4	1.6	25.4	25(1)	25	ATB	-	1	A-81957	147.10
			36	2.4	1.6	25.4	-	20	ATAF	-	1	A-81963	158.20
			40	2	1.4	25.4	25(1)	20	ATAF	-	1	A-82498	166.00
			40	2.4	1.6	25.4	25(1)	20	ATAF	-	1	A-81430	169.10
			48	2.4	1.6	25.4	25(1)	20	ATAF	-	1	A-81979	194.40
			60	2	1.4	25.4	25(1)	15	ATAF	-	1	A-82507	214.20
			60	2.2	1.6	25.4	25(1)	15	ATAF	-	1	A-82703	220.00
			60	2.4	1.6	25.4	25(1)	15	ATAF	-	1	A-81446	220.00
			80	2.4	1.6	25.4	25(1)	15	ATB	-	1	A-81452	268.40
		210	80	2	1.4	25	-	8	FTG	-	1	792438-0	551.30
		216	48	2.4	1.6	25.4	-	5	ATAF	-	1	B-39497	181.70
		255	24	2.3	1.6	25.4	-	20	ATB	-	1	B-05000	156.00
			24	2.4	1.8	25.4	25(1)	25	ATAF	-	1	A-82513	172.20
			24	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82024	207.00
			30	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82030	226.40
			32	2.3	1.8	25.4	-	5	ATAF	-	1	A-83696	271.90
			36	3.2	2.2	25.4	-	25	ATB	-	1	A-82046	246.60
			40	2.2	1.7	25.4	-	10	ATAF	-	1	B-10322	TBA
			40	2.3	1.6	25.4	-	20	ATB	-	1	B-05088	189.90
			40	2.3	1.8	25.4	-	5	ATB	-	1	B-03626	132.60
			40	2.4	1.8	25.4	25(1)	20	ATAF	-	1	A-82529	219.30
			40	2.8	2	25.4	25(1)	25	ATB	-	1	A-81496	238.20
			40	3.2	2.2	25.4	25(1)	25	ATB	-	1	A-82725	260.40
			48	3.2	2.2	25.4	25(1)	20	ATAF	-	1	A-82052	288.40
			60	2.3	1.8	25.4	-	5	ATB	-	1	B-03632	191.50
			60	2.8	2	25.4	25(1)	20	ATAF	-	1	A-81505	310.00
			80	2.3	1.8	25.4	-	5	ATB	-	1	B-03648	284.20
			80	2.8	2	25.4	25(1)	15	ATAF	-	1	A-82286	325.90
			80	2.8	2	25.4	25(1)	15	ATB	-	1	A-81511	356.40
			100	2.3	1.8	25.4	-	5	ATB	-	1	B-03654	247.00
			100	2.6	2	25.4	25(1)	15	ATAF	-	1	A-82292	356.40
			120	2.6	2	25.4	25(1)	15	ATAF	-	1	A-82301	434.20
		305	30	3.4	2.4	25.4	25(1)	25	ATAF	-	1	A-82068	275.70
			36	3.4	2.4	25.4	25(1)	25	ATB	-	1	A-82074	299.70
			40	2.3	1.8	25.4	-	5	ATB	-	1	B-03660	173.10
			40	3.4	2.4	25.4	25(1)	25	ATB	-	1	A-82080	313.50
			48	3.4	2.4	25.4	25(1)	20	ATB	-	1	A-82096	325.50
			60	2.3	1.8	25.4	-	5	ATAF	-	1	B-02808	844.00
			60	2.3	1.8	25.4	-	5	ATB	-	1	B-03676	243.30
			60	2.6	2	25.4	-	10	ATAF	-	1	A-85472	379.70
			60	3	2	25.4	25(1)	20	ATAF	-	1	A-82105	371.70
			70	2.5	1.9	25.4	-	0	ATAF	-	1	B-04802	407.70
			80	2.3	1.8	25.4	-	5	ATB	-	1	B-03682	256.00
			80	3.2	2.2	25.4	25(1)	15	ATAF	-	1	A-82317	430.00
			96	2.3	1.8	25.4	-	5	ATAF	-	1	B-02814	579.70
			100	2.3	1.8	25.4	-	5	ATB	-	1	B-03698	304.00
			100	3	2.2	25.4	25(1)	15	ATAF	-	1	A-82323	476.20
			120	3	2.2	25.4	25(1)	15	ATAF	-	1	A-82339	542.40
		355	30	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82111	364.20
			36	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82127	387.30
			40	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82133	407.70
			48	3.4	2.4	25.4	25(1)	25	ATAF	-	1	A-81527	403.30
			48	3.6	2.6	25.4	25(1)	25	ATB	-	1	A-82731	432.60
			60	3	2.2	25	-	20	ATB	-	1	A-02618	862.60
			60	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-82149	465.30
			80	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82345	476.80
			80	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-81533	506.80
			100	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82351	619.90
			100	3.4	2.4	25.4	-	15	ATB	-	1	A-81549	619.90
			120	3.4	2.4	25.4	25(1)	15	ATAF	-	1	A-82367	635.10
		405	30	3.8	2.6	25.4	25(1)	25	ATAF	-	1	A-82155	505.50
			36	3.6	2.6	25.4	-	25	ATAF	-	1	A-82161	529.00
			40	3.6	2.6	25.4	25(1)	25	ATAF	-	1	A-82177	528.80
			48	3.6	2.6	25.4	-	25	ATB	-	1	A-81555	556.40
			60	3.4	2.4	25.4	25(1)	20	ATAF	-	1	A-82183	613.70
			80	3.6	2.6	25.4	25(1)	20	ATAF	-	1	A-81561	744.40
			100	3.6	2.6	25.4	25(1)	15	ATAF	-	1	A-82395	852.40

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	405	120	3.6	2.6	25.4	25(1)	15	ATAF	-	1	A-81577	889.50
★★★★☆		255	80	2.6	1.8	30	25.4	12	ATB	-	1	D-34388	279.10
		260	60	2.4	1.8	30	-	15	ATB	-	1	D-46408	223.10
		260	100	2.6	2	25.4	15.88	12	ATB	-	1	D-34394	331.70
		305	100	3.2	2.4	25.4	-	15	ATB	-	1	D-34403	410.80
	Wood/MDF	255	84	2.6	1.8	25.4	-	-5	TCG	-	1	D-62452	208.60
★☆☆☆☆	305	96	3.2	2.2	25.4	-	-5	TCG	-	1	D-62468	377.30	
	Wood	255	40	2.6	1.8	25.4	-	15	ATB	-	1	D-74055	93.70
		260	40	2.6	1.8	25.4	-	15	ATB	EAC mark only	1	D-65414	94.60
		260	60	2.6	1.8	25.4	-	15	ATB	-	1	D-65420	112.80
		260	80	2.6	1.8	25.4	-	12	ATB	-	1	D-65436	132.20
		260	100	2.6	1.8	25.4	-	12	ATB	-	1	D-65442	150.00
		305	60	2.8	2	25.4	-	15	ATB	-	1	D-72366	195.00
		305	80	2.8	2	25.4	-	15	ATB	-	1	D-72372	220.40
		305	100	2.8	2	25.4	-	15	ATB	-	1	D-72388	245.90
	Wood/MDF	255	84	2.8	1.8	25.4	-	10	TCG	-	1	D-62480	181.90
	255	100	2.8	1.8	25.4	15.88	10	TCG	-	1	D-72279	217.10	
	305	96	3	2	25.4	-	10	TCG	-	1	D-62496	235.90	

TCT Saw Blade



Cutting

Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Wood	255	40	2.6	1.8	25.4	-	-	-	-	1	P-67885	99.10
		152	40	2	1.2	20	-	-	-	-	1	P-67907	62.60
		152	60	2	1.2	20	-	-	-	-	1	P-67913	63.50
		165	40	2	1.2	20	-	-	-	-	1	P-67929	63.50
		165	60	2	1.2	20	-	-	-	-	1	P-67935	64.40
		180	60	2	1.2	20	-	-	-	-	1	P-67941	66.80
		185	40	2	1.2	20	-	-	-	-	1	P-67957	55.50
		185	60	2	1	20	-	-	-	-	1	P-67963	54.60
		230	60	2.6	1.8	25.4	-	-	-	-	1	P-67979	133.50
		255	60	2.6	1.8	25.4	-	-	-	-	1	P-67991	101.90
		230	40	2.6	1.8	25.4	-	-	-	-	1	P-71071	108.20
		235	100	2.6	1.8	25.4	-	-	-	-	1	P-73081	183.70
		255	100	2.3	1.6	25.4	-	-	-	-	1	P-73069	191.00
		255	120	2.3	1.6	25.4	-	-	-	-	1	P-73097	201.90
		190	190	2	1.2	25.4	-	-	-	-	1	P-75035	65.00
		230	80	2.6	1.8	25.4	-	-	-	-	1	P-75057	155.00
		255	100	3	2.1	25.4	-	-	-	-	1	P-75063	191.00

TCT Saw Blade for Miter Saw Table Saw Wood North America



Range	Work material	Outer dia. mm(inch)	No. teeth	Kerf (inch)	Plate (inch)	Hole dia. (inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	305 (12)	70	(0.098)	(0.075)	(1)	0	ATAF	Premium ultra-coated	1	A-94443	500.40

TCT Saw Blade for Plate Joiner Wood General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	100	6	4	3	22	20	ATAF	1	B-20644	122.60

TCT Saw Blade for Metal Cutting Metal Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	305	60	2.4	2	25.4	0	TCG	1	D-71364	368.20

TCT Saw Blade for Metal Cutting Metal General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	136	30	1.5	1.2	20	0	MTCG	-	1	B-07319	193.10
		136	50	1.4	1.1	20	-15	ATB	-	1	B-07325	221.70
		150	32	1.5	1.2	20	0	MTCG	-	1	B-46296	142.80
		150	52	1.4	1.1	20	-15	ATB	-	1	B-47008	232.60
		185	36	1.9	1.5	20	0	ATB	-	1	B-04628	293.10
		185	38	1	1.2	20	0	TCG	Laser slit	1	E-14320	323.50
		185	38	2	1.6	20	0	MTCG	-	1	A-85438	253.30
		185	48	1.85	1.5	20	0	SMTTCG	-	1	B-23357	361.90
		185	70	1.7	1.3	20	-10	FTG	-	1	A-86446	302.40
		305	60	2.1	1.7	25.4	0	TCG	-	1	A-87242	549.10
		305	60	2.4	2	25.4	0	TCG	Laser slit	1	A-86723	1091.30
		305	60	2.5	2.2	25.4	0	TCG	-	1	A-81860	597.70
		305	76	2.10	1.70	25.4	0	-	-	1	A-87579	1160.60
		305	78	2.3	2	25.4	0	MTCG	Laser slit	1	A-87127	789.90
		305	100	1.95	1.65	25.4	-3	SMTTCG	-	1	B-23151	1117.30
	Metal/SUS	136	56	1.1	0.95	20	0	FTG	Laser slit	1	B-23117	239.00
		150	60	1.1	1	20	0	SMTTCG	Laser slit	1	B-47014	258.60
		185	64	1.6	1.3	20	0	FTG	-	1	B-31697	401.00

TCT Saw Blade for Plunge Cut Saw Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	165	56	2	1.4	20	-3	TCG	1	B-56655	308.00
★★★★☆				2.4	1.7				1	B-07440	309.50

TCT Saw Blade for Metal Cutting Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	136	50	1.6	1	20	-	0	ATB	1	B-40331	218.60
★★★★☆		150	52	1.6	1		-	0	ATB	1	B-47020	232.20
★★★★☆		185	40	2.2	1.4		15.88	5	TCG	1	D-62119	61.90

TCT Saw Blade for Miter Saw Table Saw Aluminum Asia



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aluminum	255	100	2.4	1.8	25.4	25	0	ATB	1	B-17304	213.10
		305	100	2.6	2				ATB	1	B-17310	272.60
		305	120	2.6	2				ATB	1	B-17326	303.00
		355	100	2.8	2.2				ATAF	1	B-17398	339.10
		355	120	2.8	2.2				ATB	1	B-17407	369.10

TCT Saw Blade for Miter Saw Table Saw Aluminum General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm(inch)	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)		
★★★★☆	Aluminum	165	60	1.8	1.2	20	-(-)	5	TCG	Laser slit	1	B-56530	208.00		
		190	60	2.0	1	20.0	-(-)	-5	TCG	-	1	A-86767	274.20		
		255	80	2.6	2	25.4	25(1)	0	ATB	-	1	A-82535	388.20		
		255	100	2.3	1.8	25.4	25(1)	-5	TCG	-	1	B-04204	325.00		
		255	100	2.6	2	25.4	25(1)	0	ATB	-	1	A-81614	434.20		
		255	120	2.6	2	25.4	25(1)	0	ATB	-	1	A-81620	491.30		
		305	80	2.3	1.8	25.4	25(1)	-5	TCG	-	1	B-04210	317.90		
		305	80	2.8	2.2	25.4	25(1)	0	ATB	-	1	A-82541	477.30		
		305	100	2.4	1.8	25.4	-(-)	5	FTG	-	1	B-02820	838.60		
		305	100	2.8	2.2	25.4	25(1)	0	ATB	-	1	A-82557	529.00		
		305	120	2.8	2.2	25.4	-(-)	0	ATB	-	1	A-82563	596.80		
		355	80	3	2.4	25.4	25(1)	0	ATB	-	1	A-82579	562.80		
		355	100	3	2.4	25.4	25(1)	0	ATB	-	1	A-81636	619.90		
		380	100	3	2.4	25.4	-(-)	0	ATB	-	1	A-82585	878.80		
		405	100	3.4	2.6	25.4	25(1)	0	ATB	-	1	A-82600	937.50		
		405	120	3.4	2.6	25.4	25(1)	0	ATB	-	1	A-82616	988.80		
		★★★☆☆		260	70	3	2	25.4	-(-)	5	TCG	-	1	D-03408	259.90
				260	100	3	2	25.4	-(-)	5	TCG	-	1	D-03414	305.50
305	100			3	2	25.4	15.88(-)	5	TCG	-	1	D-34419	355.90		
★☆☆☆☆		255	100	3	2.1	25.4	-	-	-	-	1	P-68002	154.60		
		255	120	3	2.1	25.4	-	0	TCG	-	1	P-68018	156.40		
		260	100	2.6	1.8	25.4	-(-)	5	TCG	-	1	D-59162	174.60		
		260	120	2.6	1.8	25.4	-(-)	5	TCG	-	1	D-61058	187.10		

TCT Saw Blade for Circular Saw Multi-Purpose General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Multi-purpose	165	60	2.2	1.4	30	15.88, 16, 19, 20	5	TCG	1	D-63616	98.60
		185		2.2	1.4		15.88, 16, 20			1	D-63622	104.00
		235		2.4	1.6		16, 20, 25, 25.4			1	D-63557	123.50

TCT Saw Blade for Miter Saw Table Saw Multi-Purpose General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Multi-purpose	260	80	2.6	1.8	30	16, 20, 25, 25.4	5	TCG	1	D-63563	176.20
		305		2.8	2					1	D-63579	237.70

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

TCT Saw Blade for Plunge Cut Saw Solid Surface Material General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Corian	165	48	2	1.4	20	5	TCG	1	B-56683	393.90
				2.4	1.7				1	B-10344	303.70

TCT Saw Blade for Plunge Cut Saw Sandwich Panel General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Sandwichpanel	165	42	1.75	1.4	20	0	SMTCG	1	B-63161	261.70

TCT Saw Blade for Aluminum Groove Cutter General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Rake	Tooth shape	Note	Sales pkg qty	Part No.	RSP (RM)
Specialized	Aluminum composite panel	118	6	14	6	20	5	TCG	Grooving 90 degrees	1	B-48832	839.10
				18					Grooving 135 degrees		B-48860	910.60

PCD Saw Blade for Circular Saw Fiber Cement General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	165	4	1.8	1.4	20	15.88	12	FTG	1	D-72104	187.70
		185	4	1.8	1.4			12	FTG	1	D-72110	198.60
		185	28	2.0	1.5			10	ATAF	1	A-86088	266.20

PCD Saw Blade for Circular Saw Fiber Cement North America



Range	Work material	Outer dia. mm(inch)	No. teeth	Kerf (inch)	Plate (inch)	Hole dia. (inch)	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	185(7-1/4)	4	(0.091)	(0.063)	(5/8)	12	FTG	1	A-95124	288.60

PCD Saw Blade for Miter Saw Table Saw Fiber Cement General



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Ring mm	Rake	Tooth shape	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Fiber Cement Board	260	6	2.2	1.6	25.4	15.88	12	FTG	1	D-72126	343.70
		305	8	2.4	1.8	25.4	-			1	D-72132	468.00

Saw blade for Circular Saw Cross Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	110	60	1.30	0.90	20	1	792012-4	103.10
		415	100	2.15	1.45	25	1	792115-4	424.20

Saw Blade for Miter Saw Table Saw Cross Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	255	50	2.00	1.40	15.88	1	792640-5	209.90
		355	70	2.10	1.50	25	1	792699-2	321.00

Saw Blade for Circular Saw Combination Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	85	50	0.80	0.50	15	1	792259-0	50.60
		110	50	1.30	0.90	20	1	792010-8	57.90
		140	60	1.40	1.00	15.88	1	792017-4	75.10
		180	80	1.80	1.20	20	1	792031-0	90.60
		260	52	1.85	1.25	25	1	792083-1	176.40


Saw Blade for Circular Saw Chisel Tooth Combination Cut



Range	Work material	Outer dia. mm	No. teeth	Kerf mm	Plate mm	Hole dia. mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	260	36	2.20	1.40	25	1	792087-3	190.80
		415	50	2.65	1.65		1	792116-2	438.00

ACCESSORIES

▣ Jigsaw / Reciprosawing



Metal, mild steel



Stainless steel



Aluminum



Wood



Non-ferrous metal



Wood with nails



Chipboard



Laminate board



Fiber cement board



Aerated concrete



Cast iron



Plaster board



Plastic



Fiberglass



Raker



Wave



Wave cut knife



Japanese teeth



Sharp edge



Makita Shank jig Saw Blade



Bayonet Shank jig Saw Blade

Jig Saw Blade B Shank Wood Super Express

SUPEREXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-50	Wood, Plastics	Fast finish	Ground and taper ground teeth	8-11	100	73	1.25	HCS	5	B-06460	43.70

Jig Saw Blade B Shank Metal Super Express

SUPEREXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-51	Metal, Stainless	Fast	Milled and wavy set teeth	10-18	100	73	0.8	HSS	5	B-06476	56.20

Jig Saw Blade B Shank Universal Super Express

SUPEREXPRESS



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-52	Universal	Fast	Milled and wavy set teeth	6-10	100	73	1.0	HSS	5	B-06482	59.00

Jig Saw Blade B Shank Wood Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-13	Wood, Plastics	Basic	Milled and side set teeth	8	105	75	1.25	HCS	2	B-01286	10.80
										5	A-85656	18.20
										100	B-07705	310.60
	B-14		Basic		18	76	51	1.05	HCS	5	A-85662	17.70
	B-15		Basic		12	76	50	1.05	HCS	5	A-85678	17.70
	B-18		Basic, Scroll cutting		14	77	44	1.05	HCS	5	A-85709	18.00
										100	B-07727	316.20

Jig Saw Blade B Shank Wood Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Basic	Milled and side set teeth	8	100	74	1.2	HCS	5	D-34877	7.30

Jig Saw Blade B Shank Wood Fast



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-16	Wood, Plastics	Fast	Ground and side set teeth	6	105	75	1.25	HCS	2	B-01292	13.10
										5	A-85684	23.10
			100							B-07711	418.60	
	B-16L		Fast		6	180	151	1.25	HCS	5	792726-5	56.20
	B-17		Fast, Scroll cutting		6	105	71	1.25	HCS	2	B-01301	16.40
										5	A-85690	24.20
	B-8		Fast		8	105	75	1.25	HCS	5	A-85232	26.20
	L-2		Fast		6	132	101	1.25	HCS	5	A-86309	37.10
	No.58		Fast		8	105	75	1.25	HCS	5	A-86577	22.40
										100	B-07842	398.80

Jig Saw Blade B Shank Wood Fast Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Fast	Ground and side set teeth	6	100	74	1.2	HCS	5	D-34883	11.90
	Wood	Fast, Scroll cutting		6	100	74	1.2	HCS	5	D-34899	11.90

Jig Saw Blade B Shank Wood Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-10	Wood, Plastics	Fast finish	Ground and taper ground teeth	9	105	76	1.25	HCS	5	A-85628	28.20
										100	B-07674	516.20
	B-11				9	100	73	1.25	HCS	2	B-01270	16.40
										5	A-85634	27.30
	B-12				6	105	74	1.25	HCS	100	B-07680	477.90
										5	A-85640	27.30
	B-29		Finish, Scroll cutting		16	77	44	1.05	HCS	100	B-07696	501.00
										5	A-80400	42.80
	No.59		Fast finish		8	105	75	1.25	HCS	100	B-07761	521.00
										5	A-86583	27.30
	L-1		Fast finish		8	105	75	1.25	HCS	100	B-07858	418.60
										5	A-86290	45.50
	B-10S	Finish	12	90	65	1.25	HCS	5	792691-8	41.00		
								5	A-85793	20.40		
	BR-13	Wood	Finish	Milled and side set teeth	9	105	70	1.25	HCS	100	B-07777	352.60

Jig Saw Blade B Shank Wood Finish Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Finish	Ground and taper ground teeth	9	100	74	1.2	HCS	5	D-72718	24.00

Jig Saw Blade B Shank Hardwood And Hard Plastics Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-25	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	100	74	1.05	HSS	2	B-01345	17.30
										5	A-85765	28.20
										100	B-07755	464.00
	B-26		Basic, Scroll cutting		9	100	71	1.05	HSS	2	B-01351	17.50
										5	A-85771	33.10

Jig Saw Blade B Shank Decorative Veneers Finish



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-19	Wood, Plastics	Finish	Ground and taper ground teeth	12	90	63	1.25	HCS	5	A-85715	25.90
	B-19S		Finish		12	70	43	1.25	HSS	5	B-04933	25.90
	B-28		Finish		16	90	63	1.25	HSS	5	A-80391	50.40

Jig Saw Blade B Shank Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-22	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	76	52	0.9	HSS	2	B-01323	15.00
										5	A-85737	22.40
										100	B-07733	414.40
	B-22S		Basic		24	76	32	0.9	HSS	5	B-04949	21.30
	B-24				32	76	52	0.9	HSS	5	A-85759	22.40
	B-24S				32	57	32	0.9	HSS	5	B-04955	21.30
	B-27		Basic, Scroll cutting		24	76	52	0.9	HSS	2	B-01367	17.10
										5	A-85787	26.20
	B-30		Basic		24	76	50	0.9	HSS	5	B-04961	26.20
	B-34		Basic		18	76	52	0.9	HSS	5	B-10453	22.40
	No.51		Basic		24	90	66	0.9	HSS	5	A-86561	24.20
										100	B-07836	447.30
	B-32	Metal, Plastics, Aluminum	Basic		18	132	107	1.25	HSS	5	B-10431	37.10
	B-33		Basic		14	132	107	1.25	HSS	5	B-10447	37.10
	B-23	Wood, Plastics, Aluminum, Metal	Basic		14	76	51	0.9	HSS	2	B-01339	15.00
										5	A-85743	22.40
	B-35	Wood with nails, Plastic, Aluminum	Basic		14	180	154	0.9	Bi-Metal	3	B-10469	65.30

Jig Saw Blade B Shank Metal Basic Price Competitive




Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	21	75	51	1	HSS	5	D-34908	15.50

Jig Saw Blade B Shank Plastic



Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-21	Plastics, Aluminum	12	100	73	1.25	HSS	2	B-01317	23.50
								5	A-85721	42.60

Jig Saw Blade B Shank Fiber Cement



Range	Makita No.	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-60	Fiber cement, Plaster board,	6	100	75	1.25	TC/HM	3	B-06890	180.00
	B-61	FRP, Plastics	6	132	105	1.25	TC/HM	3	B-06909	218.20

Jig Saw Blade B Shank Rubber




Range	Makita No.	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-K	Rubber, Paper, Cork, Leather	100	75	1.25	HCS	5	A-80416	86.20

Jig Saw Blade B Shank Assortment




Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	B-10S, B-13, B-16, B-22, B-23	5	A-86898	22.40
	B-50, B-51, B-52	3	B-06292	37.30

Jig Saw Blade M Shank Wood Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.16	Wood, Plastics	Basic, Scroll cutting	Milled and side set teeth	9	82	61	1.25	HCS	2	792212-6	11.90
										5	A-85830	18.20
										2	A-86533	8.20
	No.3		Basic		9	80	59	1	HCS	5	A-85868	17.30
										100	B-07808	301.10

Jig Saw Blade M Shank Wood Fast




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.8	Wood, Plastics	Fast	Ground and side set teeth	8	82	60	1	HCS	2	792267-1	13.70
										5	A-85911	22.20
										100	B-07814	379.90

Jig Saw Blade M Shank Wood Finish




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.9	Wood, Plastics	Fast finish	Ground and taper ground teeth	8	82	60	1.25	HCS	2	792325-3	18.00
	5									A-85927	27.70	
	No.10				2	792326-1	18.00					
						5	A-85818	25.50				
	100	B-07820	453.90									
	No.10S	Wood	Finish	Milled and side set teeth	13	82	62	1.25	HCS	2	A-86555	13.50
	5									A-85824	26.20	
	BR-3				5	A-85933	20.00					

Jig Saw Blade M Shank Hardwood and Hard Plastics Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.4	Wood, Plastics, Aluminum, Metal	Basic	Milled and side set teeth	9	80	59	0.9	HSS	2	A-86549	11.90
										5	A-85874	27.10

Jig Saw Blade M Shank Decorative Veneers Basic




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.17	Wood, Plastics, Aluminum, Metal	Basic, Scroll cutting	Milled and side set teeth	14	82	63	0.9	HSS	2	792215-0	16.40
									5	A-85846	27.10	
	No.2		Basic		14	80	60	0.9	HSS	2	A-86527	11.90
										5	A-85852	27.10

Jig Saw Blade M Shank Decorative Veneers Finish




Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.41	Wood, Plastics	Finish	Ground and taper ground teeth	12	82	61	1.25	HSS	5	A-85880	25.90
	No.42		Finish		16	82	61	1.25	HSS	5	A-85896	43.70

Jig Saw Blade M Shank Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)	
★★★★☆	No.1	Metal, Stainless, Plastics, Aluminum	Basic	Milled and wavy set teeth	24	80	61	0.9	HSS	2	A-86511	11.90	
										5	A-85802	26.20	
										100	B-07783	469.10	
	No.5	Metal, Plastics, Aluminum	Basic		24	60	40	0.9	HSS	2	792131-6	15.50	
										5	A-85905	24.00	

Jig Saw Blade M Shank Assortment



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.1, No.2, No.3, No.8, No.10S	5	A-86882	24.40

Recipro Saw Blade Metal Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Plastics	Fast	Milled and side set teeth	7-18	152	130	0.9	Bi-Metal	5	B-05038	121.70

Recipro Saw Blade Wood Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	Fast	Milled and side set teeth	6-10	203	180	1.0	HCS	5	B-05153	127.30

Recipro Saw Blade Universal Super Express



SUPEREXPRESS



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Universal	Fast	Milled and side set teeth	6-11	152	130	0.9	Bi-Metal	5	B-05044	119.90

Recipro Saw Blade Metal Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	-	Metal	Basic	Milled and side set teeth	14	152	130	0.9	Bi-Metal	5	B-16841	86.20
	-				25					B-16841-25	388.00	
	-				14	225	205	0.9	Bi-Metal	5	B-16776	130.00
	-				18	152	130	0.9	Bi-Metal	5	B-05169	86.20
	-				25					B-05169-25	388.00	
	No.22				18	165	144	0.9	HSS	2	B-00810	57.30
	-				5					792147-1	137.70	
	-				18	225	205	0.9	Bi-Metal	5	B-16782	130.00
	-				24	152	130	0.9	Bi-Metal	5	B-16835	86.20
	-				24	225	205	0.9	Bi-Metal	5	B-43169	130.00
	-				18	100	80	0.9	Bi-Metal	5	B-20404	83.50
	-			24	100	80	0.9	Bi-Metal	5	B-20395	83.50	
	No.21			24	125	104	0.9	HSS	2	B-00804	44.00	
	-			5					792146-3	105.50		
	No.24			24	165	144	0.9	HSS	2	B-00832	57.30	
	-			5					792149-7	137.70		
	-	Metal, Aluminum, Plastics	Milled and side set teeth	10-14	305	280	0.9	Bi-Metal	5	B-16857	159.10	

Recipro Saw Blade Metal Basic Price Competitive



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Basic	Milled and wavy set teeth	14	150	128	0.9	Bi-Metal	2	D-51627	24.40
				14	150	128	0.9	Bi-Metal	25	D-51627-25	278.60
				18	150	128	0.9	Bi-Metal	2	D-51633	18.80
				18	225	204	0.9	Bi-Metal	25	D-51633-25	278.60
				24	150	128	0.9	Bi-Metal	2	D-51661	33.50
				24	150	128	0.9	Bi-Metal	2	D-51649	24.40
				24	225	204	0.9	Bi-Metal	25	D-51649-25	278.60
				24	225	204	0.9	Bi-Metal	2	D-51677	33.50

Recipro Saw Blade Metal Curved Shape



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	14+18	152	130	1.1	Bi-Metal	5	B-55815	161.00
		14+18	228	205	1.1	Bi-Metal	5	B-55821	204.00
		14+18	305	280	1.1	Bi-Metal	5	B-55837	238.00

Recipro Saw Blade Metal Heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	Heavy	Milled and side set teeth	14-18	225	205	1.1	Bi-Metal	5	B-31865	182.80
				14+18	152	130	1.1	Bi-Metal	5	B-43131	121.00
				14+18	225	205	1.1	Bi-Metal	5	B-43175	151.90
				14+18	305	280	1.1	Bi-Metal	5	B-43206	177.10
		Heavy fast		8+10	152	130	1.1	Bi-Metal	5	B-43147	121.00
				8+10	225	205	1.1	Bi-Metal	5	B-43181	151.90
				8+10	305	280	1.1	Bi-Metal	5	B-43212	177.10
				10-14	152	130	1.25	Bi-Metal	5	B-43153	93.10
		Heavy finish		10-14	225	205	1.25	Bi-Metal	5	B-43197	151.90
				10-14	305	280	1.25	Bi-Metal	5	B-43228	177.10

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Recipro Saw Blade Wood Basic



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3020	Wood	Basic	Milled and side set teeth	10	150	129	1	HCS	5	A-02319	46.40
	No.23				9	165	144	1	HCS	2	B-00826	27.00
	No.3023				10	250	229	1.25	HCS	5	792148-9	62.20
											B-00767	96.80

Recipro Saw Blade Wood Fast



Range	Makita No.	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	No.3019	Wood	Fast	Milled and side set teeth	4	150	129	1	HCS	5	A-02303	46.40
	No.23B		Fast finish	Ground and side set teeth	6	150	129	1	HCS	5	792707-9	58.00
	No.3030		Fast		6	300	279	1.25	HCS	5	B-03030	128.20

Recipro Saw Blade Wood Japanese Teeth



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Bamboo, Wood, Plastic	-	Japanese teeth	15	225	200	0.9	Bi-Metal	Bamboo: <140mm, Wood: <140mm, PVC: <140mm	1	B-57392	69.00
		-		15	190	165	0.6	HCS	Only use : DJR185, 183,145, 143, JR105D, 103D, 102D, 100D, Bamboo: <100mm, Wood: <100mm, PVC: <100mm	1	B-56596	41.90
	Green tree, Wood	Only use		8.5	190	165	0.6	HCS		1	B-56580	41.90
		-		8.5	225	200	0.9	Bi-Metal	Wood: <140mm, Green tree: <140mm	1	B-57386	69.00
		-		8.5	250	225	1	HCS	Wood: <160mm, Green tree: <160mm	1	B-62016	76.40
		-										

Recipro Saw Blade Wood and Metal Basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood with nails	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	5	B-20432	94.60
	6			152	130	1.25	Bi-Metal	5	B-05175	101.90	
	Wood, Chipboard, Wood with nails, Metal, Aerated concrete, Plastics, FRP			5-8	305	280	1.25	Bi-Metal	3	B-10637	115.50
	Wood, Metal			10	100	80	0.9	Bi-Metal	5	B-20426	83.50
				14+18	100	80	0.9	Bi-Metal	5	B-20454	94.60
	Wood, Plastics, Aluminum, Metal			10-14	152	130	0.9	Bi-Metal	5	B-43240	86.20
				10-14	225	205	0.9	Bi-Metal	5	B-43262	130.00
	Wood, Wood with nails, Metal			10	152	130	0.9	Bi-Metal	5	B-31843	86.20
				10	225	205	0.9	Bi-Metal	5	B-31859	131.70

Recipro Saw Blade Wood and Metal Heavy



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	1	B-49834	113.50
				6-8	228	205	1.25	TC/HM	1	B-49840	154.40
				6-8	305	280	1.25	TC/HM	1	B-49856	194.00

Recipro Saw Blade Wood and Metal Rescue



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Wood, Chipboard, Wood with nails, Metal, Plastics, FRP	Heavy	Milled and wavy set teeth	6-8	152	130	1.25	TC/HM	25	B-67206	2265.30
				6-8	225	205	1.25	TC/HM	25	B-67212	3181.30

Recipro Saw Blade Cast Iron Pipes



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Cast iron, Stainless	8	100	80	1.25	TC/HM	1	B-55566	88.00
		8	150	130	1.25	TC/HM	1	B-55572	115.90
		8	228	205	1.25	TC/HM	1	B-55588	157.10
		8	305	280	1.25	TC/HM	1	B-55594	195.50

Recipro Saw Blade Stainless Steel



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless	18	152	128	1	TC/HM	2	B-07250	243.10
		18	203	180	1	TC/HM	2	B-51312	392.60

Recipro Saw Blade Fiber Insulation



Range	Work material	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Fiber Insulation	228	205	1.5	HCS	2	B-52118	186.40
		305	280	1.5	HCS	2	B-52124	248.20
		400	320	1.5	HCS	1	B-52130	232.20

Recipro Saw Blade Plasterboard Basic



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Plasterboards	Basic	Milled and side set teeth	6	100	80	0.9	Bi-Metal	5	B-20448	94.60

Recipro Saw Blade Ice



Range	Work material	Type of cut	Tooth type	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
Specialized	Ice	Basic	Milled and side set teeth	10	228	207	1.2	Stainless steel	1	B-30570	103.70
				10	305	279	1.2	Stainless steel	1	B-23254	112.20
		Rough		3	305	280	1.25	Stainless steel	1	B-10609	66.40
				6	152	131	1.2	Stainless steel	1	B-52043	97.10
				6	228	207	1.2	Stainless steel	1	B-30564	103.70
				6	305	279	1.2	Stainless steel	1	B-23248	112.20

Recipro Saw Blade Aerated Concrete



Range	Work material	TPI	Overall length mm	Working length mm	Thickness mm	Item material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Aerated concrete, Soft brick	2	305	267	1.5	TC/HM	1	B-10394	283.50
	Aerated concrete, Soft brick	2	455	420	1.5	TC/HM	1	B-10403	395.50

Recipro Saw Blade for JR102D/ JR105D

Product Image	Application	Length	Working Length	Description	Sales pkg qty	Part No.	RSP (RM)
	Metal	153	90	Sanding adapter 153x90	60	A-40967	78.60
	Metal	153	60	File round type	3	A-40945	129.70
	Metal	153	60	File Flat type	3	A-40951	129.70

Board Cutter Blade

For Model: DSD180, SD100D



Range	Blade Length (mm)	Blade width (mm)	Blade thickness (mm)	Application	Tooth Material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	55	18	0.55	Wood (<30mm)	HCS	2	B-49719	141.50

Scroll Saw Blade

For Model: SJ401



Range	Application	No of teeth per inch	Pc per pkg.	Part No.	RSP (RM)
★★★★☆	Straight line and large curve on wood	60	5	A-31099	61.10
	Optimal switching curve and small area on wood	70	5	A-31108	33.50

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Band Saw Blade for 835 mm Metal Wave Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	835	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness: More than 5mm	5	B-40543	277.70
	835	13	Wave set		BiM	18	Material thickness: 4-5mm	5	B-40559	277.70
	835	13	Wave set		BiM	24	Material thickness: Less than 4mm	5	B-40565	277.70

Band Saw Blade for 1140 mm Metal Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Raker set	Plastics, Non-ferrous metal, Mild steel	HCS	14	Material thickness: More than 5mm	3	792560-3	198.20
	1140	13	Raker set		HCS	18	Material thickness: 4-5mm	3	792559-8	192.20
	1140	13	Raker set		HCS	24	Material thickness: Less than 4mm	3	792558-0	198.20
	1140	13	Raker set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	10	Material thickness: More than 5.5mm	1	B-30128	112.80
	1140	13	Raker set		BiM	14	Material thickness: More than 5mm	1	792557-2	118.20
	1140	13	Raker set		BiM	18	Material thickness: 4-5mm	1	792556-4	118.20

Band Saw Blade for 1140 mm Metal Wave Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Wave set	Plastics, Non-ferrous metal, Mild steel, Cast steel and cast iron, Hard steel and stainless steel	BiM	14	Material thickness: More than 5mm	1	194691-8	118.20
	1140	13	Wave set		BiM	24	Material thickness: Less than 4mm	1	194692-6	118.20

Band Saw Blade for 1140 mm Wood Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	1140	13	Raker set	Wood	HCS	6	3	792567-9	198.20

Band Saw Blade for 2240 mm Metal Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2240	16	Raker set	Non-ferrous metal	HCS	14	Material thickness: More than 5mm	3	B-16695	366.00

Band Saw Blade for 2240 mm Wood Raker Type



Range	Length mm	Width mm	Tooth type	Work material	Item material	TPI	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	2240	6	Raker set	Wood for curve cut	HCS	6	3	B-16689	277.70
	2240	13	Raker set	Wood for universal cut	HCS	4	3	B-16673	277.70
	2240	16	Raker set	Wood for cross cut	HCS	4	3	B-16667	333.00

ACCESSORIES

▣ Brushing



Metal, mild steel



Wood



Plastic



Removing paint



Removing paint
from metal or
polishing



Hook and loop type



Do not drill
with impact



6mm cylindrical
shank



8mm cylindrical
shank



Twist wire 0.5mm



Crimped wire
0.3mm



Coarse



Grit C



5/8inch 11UNC

Brushes for Grinder

Shape Type			
		Cup Type	Effective for flat or rugged surface
		Wheel Type	Effective for working at spot
		Bevel Type	Effective for working at corner

Wire Cup Brush, Crimped Wire

0.3 mm crimped steel wire
Ideal for light rust removal
from flat surfaces and edges



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	60	M10x1.5	Steel wire 0.3 mm	100 mm Angle grinder	1	D-24066	18.20
	75				1	D-24088	22.20
	60	M14x2.0	Steel wire 0.3 mm	115, 125, 150 mm Angle grinder	1	D-24072	18.20
	75				1	D-24094	22.20
	100			180, 230 mm Angle grinder	1	D-29284	31.90
	90			180, 230 mm Angle grinder	1	D-39780	25.50
	100			180, 230 mm Angle grinder	1	D-39805	34.00

Wire Cup Brush, Crimped Wire, Brass-coated

0.3mm brass coated steel wire
Ideal for light rust removal.
prevented from wire corrosion



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)	
★★★★★	60	M10 x 1.5	Steel wire 0.5 mm	100 mm Angle grinder	1	D-24103	29.10	
	75				1	D-24125	31.90	
	60	M14 x 2.0		115, 125, 150 mm Angle grinder	1	D-24119	29.10	
	75				1	D-24131	31.90	

Wire Cup Brush, Knotted Wire

0.5 mm knotted steel wire
Ideal for heavy work
for fast cleaning of large surface



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	60	M10 x 1.5	Steel wire 0.5 mm	100 mm Angle grinder	1	D-24147	33.70
	60	M14 x 2.0		115, 125, 150 mm Angle grinder	1	D-24153	33.70
	100			180, 230 mm Angle grinder	1	D-29290	53.50

Wire Brush for Angle Grinder/ Wheel/ Knotted

0.5 mm knotted steel wire
Effective for heavy duty cleaning at spot



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	100	M14 x 2.0	Steel wire 0.5 mm	180, 230 mm Angle grinder	1	D-29555	29.00
	115				1	D-29561	34.40
	125				1	D-29577	41.00
	150				1	D-45761	49.50
	175				1	D-45777	63.50

Wire Brush for Angle Grinder/ Bevel/ Crimped

Effective for working at corner



Range	Outer dia. mm	Thread mm	Brush type	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★★	100	M14x2.0	Steel wire 0.3 mm	115, 125, 150 mm Angle grinder	1	D-39827	22.80

Wire Brush for Drill/ Cup/ Crimped

Effective for flat or rugged surface



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★★★★	50	6	Steel wire 0.3 mm	1	D-39914	9.90
	63	6		1	D-39920	10.40

Wire Brush for Drill/ Wheel/ Crimped

Wire(brass coated) wheel brush for wood, crimped wire



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	80	8	Brass coated steel wire 0.25 mm	1	D-67608	39.00

Wire Brush for Drill/ End/ Crimped

Effective for tight or narrow place




Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	19	6	Steel wire 0.3mm	1	D-40010	9.00

Wire Brush for Drill Assortment



Range	Note	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Cup-Crimped: 50 mm, End-Crimped: 25 mm, Wheel-Crimped: 50 mm	6	Steel wire 0.3 mm	3	D-66070	28.20
	Cup-Crimped: 63, 75 mm, Wheel-Crimped: 75, 100 mm	6		4	D-65729	44.20

Nylon Brush for Drill/ Cup



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	63	6	Coarse	1	D-45515	29.10

Nylon Brush for Drill/ Wheel



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	63	6	Coarse	1	D-45587	21.70

Nylon Brush for Drill/ End



Range	Outer dia. mm	Shaft mm	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	12	6	Coarse	1	D-45668	11.90
	12	6	Fine	1	D-45705	11.90
	17	6	Coarse	1	D-45674	15.50
	17	6	Fine	1	D-45711	15.50
	24	6	Coarse	1	D-45680	17.70
	24	6	Fine	1	D-45727	17.70
	30	6	Coarse	1	D-45696	26.20
	30	6	Fine	1	D-45733	26.20

Slit Paper Wheel 120-40

For rust and paint removal



Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	9741	1	794380-1	TBA

Cotton Buff Wheel 120

For Polishing



Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	9741	1	794381-9	TBA

Wire Brush Wheel 120

For rust removal



Range	Model	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	9741	1	794382-7	TBA

Nylon Brush Wheel



Range	Model	Application	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	9741	120-80 Coarse	1	794384-3	TBA
		120-100 Medium	1	794379-6	TBA
		120-240 Fine	1	794383-5	TBA

Sponge Pad/ High Repulsion



Range	Outer dia. mm	Note	Type	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	125	Hook & Loop type	Flat	Coarse	1	D-62511	31.70
	125			Medium	1	D-62549	31.70
	125			Fine	1	D-62577	31.70
	125		Wave	Coarse	1	D-62608	31.70
	125			Medium	1	D-62636	31.70
	125			Fine	1	D-62664	31.70
	150		Flat	Coarse	1	D-62527	37.30
	150			Medium	1	D-62555	37.30
	150			Fine	1	D-62583	37.30
	150		Wave	Coarse	1	D-62614	37.30
	150			Medium	1	D-62642	37.30
	150			Fine	1	D-62670	37.30

Wool Pad



Range	Outer dia. mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	125	Hook & Loop type	1	D-70867	49.30
	150		1	D-65735	53.50

Wool Pad/ Double Side



Range	Outer dia. mm	Note	Brush type	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	230	Use with M14/ M16 adapter	Fine	1	D-57146	135.00
	230	Use with M14/ M16 adapter	Coarse	1	D-70873	106.20

■ Bonded Abrasive



**STAINLESS
INOX
NIROSTA**



METAL STUD



Plaster mortar

Grinding Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆☆	Metal	100(4)	6.0(1/4)	16.00(5/8)	A36P	1	A-80911	4.60
		115(4-1/2)	6.0(1/4)	22.23(7/8)	A36P	1	A-80927	8.60
		125(5)	6.0(1/4)	22.23(7/8)	A36P	1	A-80933	8.20
		150(6)	6.0(1/4)	22.23(7/8)	A36P	1	A-84981	13.50
		180(7)	6.0(1/4)	22.23(7/8)	A24R	1	A-88886	11.90
230(9)		6.0(1/4)	22.23(7/8)	A36P	1	A-80955	27.10	
★★★☆☆☆☆		100(4)	6.0(1/4)	16.00(5/8)	A24R	1	D-20775	3.70
		100(4)	6.0(1/4)	16.00(5/8)	A24P	1	D-65090	4.20
		180(7)	7.0(9/32)	22.23(7/8)	A24P	1	D-72263	TBA
		230(9)	6.0(1/4)	22.23(7/8)	A24R	1	D-18487	20.80
★☆☆☆☆☆☆		100(4)	6.0(1/4)	16.00(5/8)	A24P	1	D-72241	4.20

Grinding Wheel/ Metal/ Depressed with X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	6.0(1/4)	X-LOCK	A36P	1	E-00480	8.60
		125(5)	6.0(1/4)	X-LOCK	A36P	1	E-00393	12.60

Grinding Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	6.0(1/4)	16.00(5/8)	WA36N	1	A-80852	6.40
		125(5)	6.0(1/4)	22.23(7/8)	WA36N	1	A-80656	13.70

Grinding Wheel/ Stainless/ Depressed/ for Heavy Industries



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	125(5)	7.2(9/32)	22.23(7/8)	A24S	1	B-56384	17.70

Grinding Wheel/ Stainless/ Depressed with X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	6.0(1/4)	X-LOCK	WA36N	1	E-00496	11.30
		125(5)	6.0(1/4)	X-LOCK	WA36N	1	E-00402	18.20

Grinding Wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	6.0(1/4)	16.00(5/8)	C24R	1	D-18493	5.30
		115(4-1/2)	6.0(1/4)	22.23(7/8)	C24R	1	D-18502	5.30
		125(5)	6.0(1/4)	22.23(7/8)	C24R	1	D-18518	8.20
		150(6)	6.0(1/4)	22.23(7/8)	C24R	1	D-18524	10.80
		180(7)	6.0(1/4)	22.23(7/8)	C24R	1	D-18530	14.00
		230(9)	6.0(1/4)	22.23(7/8)	C24R	1	D-18546	22.80

Flexible Grinding Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	2.0(5/64)	16.00(5/8)	AC46P	1	B-18203	6.40
		100(4)	2.0(5/64)	16.00(5/8)	AC80P	1	B-18219	6.40
		100(4)	2.0(5/64)	16.00(5/8)	AC120P	1	B-18225	6.40
		100(4)	3.0(1/8)	16.00(5/8)	AC36P	1	B-18231	7.70
		100(4)	3.0(1/8)	16.00(5/8)	AC46P	1	B-18247	7.70
		100(4)	3.0(1/8)	16.00(5/8)	AC60P	1	B-18253	7.70
		100(4)	3.0(1/8)	16.00(5/8)	AC80P	1	B-18269	7.70
		180(7)	3.0(1/8)	22.23(7/8)	AC36P	1	B-18356	15.90
		180(7)	3.0(1/8)	22.23(7/8)	AC60P	1	A-88490	15.90

Flexible Grinding Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	2.0(5/64)	16.00(5/8)	WA46P	1	B-18421	7.10
		100(4)	2.0(5/64)	16.00(5/8)	WA60P	1	B-18437	7.10
		100(4)	2.0(5/64)	16.00(5/8)	WA80P	1	B-18443	7.10
		100(4)	2.0(5/64)	16.00(5/8)	WA120P	1	B-18459	7.10
		100(4)	3.0(1/8)	16.00(5/8)	WA36P	1	B-18465	9.00
		100(4)	3.0(1/8)	16.00(5/8)	WA46P	1	B-18471	9.00
		100(4)	3.0(1/8)	16.00(5/8)	WA60P	1	B-18487	9.00
★★★☆☆	Stainless, Metal	100(4)	3.0(1/8)	16.00(5/8)	WA80P	1	B-18493	9.00
		180(7)	3.0(1/8)	22.23(7/8)	WA36P	1	B-18580	19.00
		180(7)	3.0(1/8)	22.23(7/8)	WA60P	1	B-18605	19.00

Flexible Grinding Wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	GC60P	1	B-51356	7.70
		100(4)	3.0(1/8)	16.00(5/8)	GC80P	1	B-51362	7.70
		100(4)	3.0(1/8)	16.00(5/8)	GC120P	1	B-51378	7.30
		100(4)	3.0(1/8)	16.00(5/8)	GC120P	1	B-51378	7.30

Cut-Off Wheel/ Masonry/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	C30S	1	D-18708	3.50
		115(4-1/2)	3.0(1/8)	22.23(7/8)	C30S	1	D-18714	4.40
		125(5)	3.0(1/8)	22.23(7/8)	C30S	1	D-18720	4.60
		180(7)	3.0(1/8)	22.23(7/8)	C30S	1	D-18736	8.60
		230(9)	3.0(1/8)	22.23(7/8)	C30S	1	D-18742	11.90

Back Up pad for Flexible Grinding Wheel



Range	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Back Up Pad for 100mm	1	B-20476	6.20
	Back Up Pad for 180mm	1	B-20498	9.10

Cut-Off wheel/ Masonry/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100(4)	3.0(1/8)	16.00(5/8)	C30S	1	D-18605	3.70
		115(4-1/2)	3.0(1/8)	22.23(7/8)	C30S	1	D-18611	4.60
		125(5)	3.0(1/8)	22.23(7/8)	C30S	1	D-18627	5.00
		180(7)	3.0(1/8)	22.23(7/8)	C30S	1	D-18633	8.60
		230(9)	3.0(1/8)	22.23(7/8)	C30S	1	D-18649	11.70

Cut-Off Wheel/ Metal/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	2.5(3/32)	16.00(5/8)	A30R	1	A-85298	4.00
		100(4)	2.5(3/32)	16.00(5/8)	A30S	1	D-18655	3.50
		115(4-1/2)	2.5(3/32)	22.23(7/8)	A30S	1	D-18661	4.00
		125(5)	2.5(3/32)	22.23(7/8)	A30S	1	D-18677	4.40
		150(6)	2.5(3/32)	22.23(7/8)	A30S	1	D-29402	6.20
		180(7)	2.5(3/32)	22.23(7/8)	A30S	1	D-18683	7.70
		230(9)	2.5(3/32)	22.23(7/8)	A30S	1	D-18699	10.80

Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.0(3/64)	16.00(5/8)	WA46R	1	D-65947	2.20
		100(4)	1.0(3/64)	16.00(5/8)	WA46R	10	D-65947-10	24.00
		115(4-1/2)	1.0(3/64)	22.23(7/8)	WA46R	1	D-65953	3.30
		115(4-1/2)	1.2(3/64)	22.23(7/8)	WA60T	1	D-18764	3.50
		125(5)	1.0(3/64)	22.23(7/8)	WA46R	1	D-65969	4.00
		125(5)	1.0(3/64)	22.23(7/8)	WA46R	10	D-65969-10	38.20
		180(7)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18786	8.60
		180(7)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18786	8.60

Cut-Off Wheel/ Metal/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	100(4)	3.0(1/8)	16.00(5/8)	A30T	1	A-83587	5.90
		150(6)	3.0(1/8)	22.23(7/8)	A30T	1	B-05050	10.80
		100(4)	3.0(1/8)	16.00(5/8)	A30S	1	D-18552	3.70
		115(4-1/2)	3.0(1/8)	22.23(7/8)	A30S	1	D-18568	4.40
★★★★☆	Metal	125(5)	3.0(1/8)	22.23(7/8)	A30S	1	D-18574	5.00
		150(6)	3.0(1/8)	22.23(7/8)	A30S	1	D-29418	7.10
		180(7)	3.0(1/8)	22.23(7/8)	A30S	1	D-18580	8.60
		230(9)	3.0(1/8)	22.23(7/8)	A30S	1	D-18596	11.30
		230(9)	3.0(1/8)	22.23(7/8)	A30S	1	D-18596	11.30

Thin Cut-Off Wheel/ Stainless/ Flat with X-LOCK



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Thread	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.2(3/64)	X-LOCK	A60T	1	E-00505	11.00
		125(5)	1.2(3/64)	X-LOCK	A60T	1	E-00418	14.60

Thin Cut-Off Wheel/ Stainless/ Flat/ Ideal for Cordless Power Cutter



Range	Work material	Outer dia. mm(inch)	Thickness mm	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	230(9)	2.0	22.23(7/8)	WA36R	1	E-03006	13.70

Grinding Wheel/ Stainless/ Depressed/ 2 in 1/ Ideal for Cordless Angle Grinder



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	2.2(5/64)	16.00(5/8)	SA46P	1	B-51649	7.70
		125(5)	2.2(5/64)	22.23(7/8)	SA46P	1	B-51655	12.80

Thin Cut-Off Wheel/ Stainless/ Depressed



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	1.2(3/64)	16.00(5/8)	WA60T	1	D-18801	3.50
		115(4-1/2)	1.2(3/64)	22.23(7/8)	WA60T	1	D-18817	3.50
		125(5)	1.6(1/16)	22.23(7/8)	WA46T	1	D-18823	5.30
		180(7)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18839	8.60
		230(9)	2.0(5/64)	22.23(7/8)	WA36R	1	D-18845	13.70

Cut-Off Wheel for Portable Cut-Off/ Metal



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	305(12)	2.8(1/8)	25.40(1)	A36P	5	A-01345	149.10
		355(14)	3.0(1/8)	25.40(1)	A36P	25	A-87585-25	476.40
		405(16)	3.0(1/8)	25.40(1)	A36P	5	A-01367	221.50
		405(16)	3.0(1/8)	25.40(1)	A36P	25	A-88478-25	767.10
		355(14)	3.0(1/8)	25.40(1)	A36P	5	D-62088-5	91.00
★★☆☆☆		355(14)	3.0(1/8)	25.40(1)	A36T	25	E-10540-25	400.00

Ultra Thin Cut-Off Wheel/ Stainless/ Flat



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	0.8(1/32)	16.00(5/8)	Z60V	1	E-22931	10.00
		125(5)	0.8(1/32)	22.23(7/8)	Z60V	1	E-22953	11.90

Cut-Off Wheel for Portable Cut-Off/ Metal/ Fast Cut



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	355(14)	3.0(1/8)	25.40(1)	A30P	25	B-64353-25	509.10

Ultra Thin Cut-Off Wheel/ Stainless/ Flat/ Ideal for Cordless Angle Grinder



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stainless, Metal	100(4)	0.8(1/32)	16.00(5/8)	Z60T	1	B-45711	7.10
		125(5)	0.8(1/32)	22.23(7/8)	Z60T	1	B-45733	12.20



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal stud	355(14)	2.5(3/32)	25.40(1)	A36P	25	B-64696-25	822.80

Thin Cut-Off Wheel for Portable Cut-Off/ Metal



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	355(14)	2.5(3/32)	25.40(1)	A36P	25	B-49448-25	636.40

Cut-Off Wheel for Power Cutter/ Metal/ Ideal for Cordless Power Cutter



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm(inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	355(14)	4.3(11/64)	25.40(1)	A24T	5	E-12790-5	443.10

Grinding Wheel for Bench Grinder



Range	Work material	Outer dia. mm(inch)	Thickness mm(inch)	Hole dia. mm (inch)	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	150(6)	16.0(5/8)	12.70(1/2)	WA60K(White)	1	A-47210	76.40
		205(8)	19.0(3/4)	15.88(5/8)	WA60K(White)	1	A-47260	126.40
	Non-Ferrous	150(6)	16.0(5/8)	12.70(1/2)	GC120H	1	B-51932	81.90
		205(8)	19.0(3/4)	15.88(5/8)	GC120H	1	B-51976	185.00
	Stainless Metal	150(6)	16.0(5/8)	12.70(1/2)	WA60K	1	B-51926	80.40
		205(8)	19.0(3/4)	15.88(5/8)	WA60K	1	B-51960	129.30

Dressing Stone



Range	Work material	Grit	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	A1200	150x70mm	1	794061-7	99.50
		A1200	180x70mm	1	794060-9	75.30

Tungsten Carbide Burrs/ mm Type



Range	Shank mm	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	SA	Diamond cut	10	20	10	B-52722-10	690.40
						1	B-52722	82.60
	6	SC	Diamond cut	10	20	10	B-52750-10	690.40
						1	B-52750	82.60
	6	SF	Diamond cut	10	20	10	B-52788-10	690.40
						1	B-52788	82.60
	6	SL	Diamond cut	10	25	10	B-52819-10	690.40
						1	B-52819	82.60

Wheel Point



Range	Shank mm (inch)	Shape	Grit	Bit dia. mm	Working length mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	3	Cylinder	A60P	5	13.0	10	794050-2	125.30
	3	Cylinder	A60P	6	13.0	10	794051-0	102.60
	3	Cylinder	A60P	8	13.0	10	794052-8	112.20
	3	Cylinder	A60P	10	13.0	10	794053-6	112.20
	3	Sphere	A60P	10	10.0	10	794059-4	193.50
	3	Cylinder	WA60P	5	13.0	10	794054-4	167.30
	3	Cylinder	WA60P	6	13.0	10	794055-2	167.30
	3	Cylinder	WA60P	8	13.0	10	794056-0	151.30
	3	Cylinder	WA60P	10	13.0	10	794057-8	151.30
	6	Cylinder	WA60N	19	19.0	1	741614-3	15.50
	(1/4)	Cylinder	WA60N	19	19.0	1	741617-7	15.50
	6	Cone	WA60N	19	28.0	1	741615-1	21.70
	(1/4)	Cone	WA60N	19	28.0	1	741616-9	21.70

ACCESSORIES

▣ Coated Abrasive



Metal,
mild steel



Stainless steel



Non-ferrous
metal



Wood



Plastic



Removing paint



Thread for
Cordless sander
polisher



Hand sanding



Grit A



Grit WA



Grit C



Grit Z



Always use
pad saver



Good dust
suction



Net sanding
type1



Net sanding
type 2



Net sanding
type3



Pad saver
type 1



Pad saver type3



Pad saver
type 5



Hook and
loop type



No wet use by
power tool

Flap Disc Aluminum Oxide/ Fiberglass Backing/ Angled



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal, Non-ferrous, PVC	100	16.00	A36	1	D-26973	18.20
			16.00	A40	1	D-26989	17.10
			16.00	A60	1	D-26995	16.40
			16.00	A80	1	D-27006	16.40
			16.00	A120	1	D-27012	16.40
		180	22.23	A36	1	D-27121	50.00
			22.23	A40	1	D-27137	47.70
			22.23	A60	1	D-27143	45.50
			22.23	A80	1	D-27159	45.50
			22.23	A120	1	D-27165	45.50

Flap Disc Aluminum Oxide/ Fiberglass Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Metal	100	16.00	A40	1	D-27187	13.90
			16.00	A60	1	D-27193	16.80
			16.00	A80	1	D-27202	11.90
			16.00	A120	1	D-27218	11.90
		180	22.23	A36	1	D-27327	35.10
			22.23	A40	1	D-27333	33.10
			22.23	A80	1	D-27355	32.00
			22.23	A120	1	D-27361	32.00

Flap Disc Zirconia Aluminum/ Fiberglass Backing/ Angled



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal, Non-ferrous	100	16.00	Z36	1	D-27377	23.70
			16.00	Z40	1	D-27383	22.20
			16.00	Z60	1	D-27399	20.00
			16.00	Z80	1	D-27408	20.00
			16.00	Z120	1	D-27414	20.00
		180	22.23	Z36	1	D-27523	64.60
			22.23	Z40	1	D-27539	61.70
			22.23	Z60	1	D-27545	54.60
			22.23	Z80	1	D-27551	54.60
			22.23	Z120	1	D-27567	54.60

Flap Disc Zirconia Aluminum/ Fiberglass Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Z36	1	D-27573	16.40
			16.00	Z40	1	D-27589	15.70
			16.00	Z60	1	D-27595	14.20
			16.00	Z80	1	D-27604	14.20

Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	180	16.00	Z120	1	D-27610	14.20
			22.23	Z36	1	D-27729	45.30
			22.23	Z60	1	D-27741	38.20
			22.23	Z120	1	D-27763	38.20

Flap Disc Zirconia Aluminum/ Nylon Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Z36	1	D-27779	22.20
			16.00	Z40	1	D-27785	21.00
			16.00	Z60	1	D-27791	19.30
			16.00	Z80	1	D-27800	19.30
			16.00	Z120	1	D-27816	19.30
		180	22.23	Z36	1	D-27925	65.30
			22.23	Z40	1	D-27931	63.30
			22.23	Z60	1	D-27947	58.80
			22.23	Z80	1	D-27953	58.80
			22.23	Z120	1	D-27969	58.80

Flap Disc Ceramic Aluminum Oxide/ Fiberglass Backing/ Angled



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Ce40	1	D-28254	32.60
			16.00	Ce60	1	D-28260	26.00
			16.00	Ce80	1	D-28276	26.00
			16.00	Ce120	1	D-28282	26.00
		180	22.23	Ce40	1	D-28379	90.20
			22.23	Ce60	1	D-28385	70.80
			22.23	Ce80	1	D-28391	70.80
			22.23	Ce120	1	D-28400	70.80

Flap Disc Ceramic Aluminum Oxide/ Fiberglass Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Stainless, Metal	100	16.00	Ce40	1	D-28416	32.60
			16.00	Ce60	1	D-28422	26.00
			16.00	Ce80	1	D-28438	26.00
			16.00	Ce120	1	D-28444	26.00
		180	22.23	Ce40	1	D-28531	90.20
			22.23	Ce60	1	D-28547	70.80
			22.23	Ce80	1	D-28553	70.80
			22.23	Ce120	1	D-28569	70.80

Flap Disc Silicon Carbide/ Aluminum Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100	16.00	C24	1	A-90130	53.50
		115	22.2	C24	1	A-90249	70.00

Flap Disc Silicon Carbide/ Fiberglass Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	100	16.00	C36	1	D-27975	24.00
			16.00	C40	1	D-27981	23.10
			16.00	C60	1	D-27997	21.00
			16.00	C80	1	D-28008	21.00
			16.00	C120	1	D-28014	21.00
		180	22.23	C36	1	D-28123	66.40
			22.23	C40	1	D-28139	62.80
			22.23	C60	1	D-28145	56.20
			22.23	C80	1	D-28151	56.20
			22.23	C120	1	D-28167	56.20

Flap Disc Silicon Carbide/ Nylon Backing/ Flat



Range	Work material	Outer dia. mm	Inner dia. mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Masonry	115	22.23	C80	1	D-28173	24.80
			22.23	C120	1	D-28189	24.80
			22.23	C180	1	D-28195	24.80
			22.23	C320	1	D-28204	24.80
		180	22.23	C80	1	D-28210	59.90
			22.23	C120	1	D-28226	59.90
			22.23	C180	1	D-28232	59.90
			22.23	C320	1	D-28248	59.90

Fiber Sanding Disc



Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	100	C30	-	10	794066-7	70.60
			C50	-	10	794067-5	65.90
			C80	-	10	794068-3	63.00
			C100	-	10	794227-9	60.40
			C120	-	10	794069-1	60.40
		115	C24	-	10	794104-5	71.30
			C30	-	10	794105-3	70.60
			C50	-	10	794106-1	66.40
			C80	-	10	794107-9	68.20
			C120	-	10	794108-7	61.90
		125	C24	-	10	794096-8	88.40
			C30	-	10	794097-6	94.20
			C50	-	10	794098-4	81.10

Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	125	C80	-	10	794099-2	77.90
			C120	-	10	794100-3	77.90
			C24	-	10	794070-6	111.50
		150	C30	-	10	794071-4	93.10
			C50	-	10	794072-2	90.20
			C80	-	10	794073-0	107.90
			C100	-	10	794219-8	91.30
			C120	-	10	794074-8	91.30
			C16	-	10	794091-8	134.40
		180	C20	-	10	794092-6	143.50
			C24	-	10	794093-4	137.70
			C30	-	10	794218-0	124.80
			C50	-	10	794094-2	115.50
			C50	-	25	B-66771-25	257.90
			C80	-	10	794095-0	97.00
			C80	-	25	B-66787-25	252.60
			C100	-	10	794220-3	108.20
			C120	-	10	794221-1	93.50
	Metal	125	A50	GV5010	5	794319-4	44.60
			A80	GV5010	5	794320-9	37.50
			A120	GV5010	5	794321-7	32.60
		150	C50	GV6010	10	794086-1	97.00
			C80	GV6010	10	794088-7	87.90
			C120	GV6010	10	794090-0	72.40
		150	A80	-	25	B-66765-25	230.60

Fiber Sanding Disc for Wet



Range	Work material	Size mm	Grit	Model No.	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble, Granite	125	C24	PK5001C, PK5011C	10	B-14526	50.40
		125	C50	PK5001C, PK5011C	10	B-14532	59.90
		125	C80	PK5001C, PK5011C	10	B-14548	35.90
		125	C120	PK5001C, PK5011C	10	B-14554	43.70

Fiber Sanding Disc for DPV300



Aluminium Oxide



Zirconia Alumina

Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal, Stainless	50	A60	Use with adapter (Part No. 743126-2) and pad (Part No. 743124-6)	25	E-07412	276.80
		50	A80		25	E-07428	276.80
		50	A120		25	E-07434	276.80
		50	Z60		25	E-07440	276.80
		50	Z80		25	E-07456	276.80

Surface Conditioning Disc for DPV300




Hard



Soft

Range	Work material	Outer dia. mm	Grit type	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint	50	Hard	Coarse (A80)	Use with adapter (Part No. 743126-2) and pad (Part No. 743124-6)	25	E-07462	505.10
		50	Hard	Medium (A120)		25	E-07478	505.10
		50	Hard	Fine (A240)		25	E-07484	505.10
		50	Soft	Medium (A120)		25	E-07490	441.50
		50	Soft	Fine (A180)		25	E-07509	441.50
		50	Soft	Very fine (A320)		25	E-07515	441.50

Net Sanding Disc/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	125 (5)	A120	Hook & Loop	10	D-78667	66.00

Pad Saver/ for Net Sanding Disc



Range	Outer dia. mm	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	125 (5)	Hook & Loop	2	D-78704	29.10

Abrasive Disc/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	125	WA60	8	Hook & Loop	10	794542-1	80.00
			WA80	8		10	794543-9	75.30
			WA120	8		10	794544-7	70.00
			WA180	8		10	794545-5	70.00
			WA240	8		10	794546-3	70.00
			WA400	9		10	794607-9	72.40
		150	WA60	9		10	794608-7	108.60
			WA80	9		10	794609-5	101.90
			WA120	9		10	794610-0	99.90
			WA180	9		10	794611-8	99.90
			WA240	9		10	794612-6	99.90
			WA400	9		10	794613-4	99.90

Abrasive Disc/ Paint



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint, Wood, PVC	125	A80	8	Hook & Loop	10	D-65838	18.00
		125	A100	8		10	D-65844	18.00
		125	A120	8		10	D-65850	18.00
		125	A150	8		10	D-65866	18.00
		125	A180	8		10	D-65872	18.00
		125	A240	8		10	D-65888	18.00
		125	A320	8		10	D-65894	18.00
		125	A400	8		10	D-65903	18.00

Abrasive Disc/ Drywall



Range	Work material	Outer dia. mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Drywall	225	A40	9	Hook & Loop	25	B-68389	307.30
			A80	9		25	B-68395	291.70
			A120	9		25	B-68404	252.20
			A180	9		25	B-68410	252.20
			A320	9		25	B-68426	252.20

Abrasive Belt/ Wood/ Metal



Range	Work material	Size mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal, Paint	6 x 533	A40	10	A-34512	117.10
			A60	10	A-34528	108.60
			A80	10	A-34534	105.90
			A100	10	A-34540	103.10
			A120	10	A-34556	103.10
		9 x 533	A40	10	A-34447	122.60
			A60	10	A-34453	116.20
			A80	10	A-34469	112.80
			A100	10	A-34475	110.00
			A120	10	A-34481	110.00
		13 x 533	A40	10	A-34562	128.60
			A60	10	A-34578	122.80
			A80	10	A-34584	120.00
			A100	10	A-34590	114.60
			A120	10	A-34609	114.60
		30 x 533	A40	10	A-23852	163.50
			A80	10	A-23874	139.90
		76 x 533	WA180	10	794225-3	163.70
			WA40	5	794133-8	153.70
		100 x 610	WA60	5	794134-6	138.00
			WA80	5	794135-4	132.20
			WA100	5	794136-2	126.80
			WA120	5	794137-0	126.80
			WA150	5	794138-8	126.80
			WA180	5	794222-9	126.80
			WA240	5	794139-6	126.80

Abrasive Belt/ Stone/ Plastic



Range	Work material	Size mm	Grit	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stone, Plastics	100 x 610	C80	5	794142-7	186.80
★★★☆☆	Wood, Paint, Metal	76 x 457	A80	3	D-59209	18.00

Net Sanding Sheet/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	80 x 130 (3-1/8 x 5-1/8)	A120	Hook & Loop	10	D-78782	47.10

Pad Saver/ for Net Sanding Sheet



Range	Size mm (inch)	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80 x 130 (3-1/8 x 5-1/8)	Hook & Loop	2	D-78829	26.80

Abrasive Paper/ Wood/ Metal



Range	Work material	Size mm	Grit	Holes	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	93 x 228	WA60	-	Clamp	10	794156-6	16.40
			WA60	8		10	A-31245	30.00
			WA80	-		10	794471-8	16.20
			WA80	8		10	A-31251	29.10
			WA100	-		10	794157-4	15.50
			WA120	8		10	A-31267	25.30
			WA150	-		10	794158-2	15.30
			WA180	8		10	A-31273	27.30
			WA240	8		10	A-31289	27.30
		114 x 140	WA60	-		10	794216-460	12.80
			WA80	-		10	794469-5	12.80
			WA100	-		10	794215-660	12.20
			WA150	-		10	794214-8	12.20
		114 x 280	WA60	-		10	794210-6	19.70
			WA80	-		10	794470-0	20.20
			WA100	-		10	794209-1	18.80
			WA120	-		10	794212-2	19.30
		115 x 280	WA150	-		10	794213-0	19.70
			WA180	-		10	794211-4	18.80
			WA60	10		10	A-14065	39.10
			WA80	10		10	A-14071	34.40
			WA100	10		10	A-14087	33.70
			WA120	10		10	A-14093	33.70
		115 x 232	WA150	10	Hook & Loop	10	A-14102	32.40
			WA180	10		10	A-14118	32.40
			WA240	10		10	A-14124	32.40
			WA60	10		5	A-14130	74.80
			WA80	10		5	A-14146	75.90
			WA100	10		5	A-14152	71.00
			WA120	10		5	A-14168	62.20
			WA150	10		5	A-14174	62.20
			WA180	10		5	A-14180	62.20
			WA240	10		5	A-14196	62.20

Abrasive Paper 230 mm x 280 mm (9" x 11")

How to use



Abrasive Paper Sheet/ Multipurpose



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Multipurpose	230 x 280	220	Clamp	100	D-60741	259.30

Abrasive Paper Sheet/ Wood



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood	230 x 280	A40	Clamp	50	D-52358	57.30
			A60	Clamp	50	D-52364	53.10
			A80	Clamp	50	D-52370	49.00
			A100	Clamp	50	D-52386	45.00
			A120	Clamp	50	D-52392	45.00
			A150	Clamp	50	D-52401	42.60
			A180	Clamp	50	D-52417	42.60
			A240	Clamp	50	D-52423	42.60
			A320	Clamp	50	D-56895	42.60
			A400	Clamp	50	D-56904	42.60

Abrasive Paper Sheet/ Metal



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Metal	230 x 280	A36	Clamp	50	D-56677	147.70
			A40	Clamp	50	D-56683	115.00
			A60	Clamp	50	D-56699	111.30
			A80	Clamp	50	D-56708	109.00
			A100	Clamp	50	D-56714	104.00
			A120	Clamp	50	D-56720	104.00
			A150	Clamp	50	D-56736	100.80
			A180	Clamp	50	D-56742	100.80
			A240	Clamp	50	D-56758	100.80

Abrasive Paper Sheet/ Mortar




Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Mortar	230 x 280	A60	Clamp	50	D-56530	65.30
			A80	Clamp	50	D-56546	59.00
			A100	Clamp	50	D-56552	46.00
			A120	Clamp	50	D-56568	46.00
			A150	Clamp	50	D-56574	51.90
			A180	Clamp	50	D-56580	51.90
			A240	Clamp	50	D-56596	51.90

Abrasive Paper Sheet/ Paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	Paint, Wood, PVC	230 x 280	A80	Clamp	100	D-60698	349.90
			A100	Clamp	10	D-66092	33.50
			A100	Clamp	100	D-60707	349.90
			A120	Clamp	10	D-66101	33.50
			A120	Clamp	100	D-60713	349.90
★★☆☆☆	Paint, Wood, PVC	230 x 280	A150	Clamp	10	D-66117	33.50
			A150	Clamp	100	D-60729	349.90
			A180	Clamp	10	D-66123	29.50
			A180	Clamp	100	D-60735	306.40
			A220	Clamp	10	D-66139	30.40
			A240	Clamp	100	D-60757	306.40
			A320	Clamp	100	D-60779	306.40
			A400	Clamp	100	D-60791	306.40

Abrasive Paper Sheet/ Carbody/ Waterproof



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Carbody	230 x 280	C60	Clamp	50	D-58936	123.50
			C80	Clamp	50	D-58942	123.50
			C100	Clamp	50	D-58958	123.50
			C150	Clamp	50	D-58970	121.70
			C220	Clamp	50	D-58992	121.70
			C400	Clamp	50	D-59025	121.70
	Paint, Metal, Stainless, PVC		C1200	Clamp	50	D-56867	121.70
			C120	Clamp	50	D-58964	123.50
			C180	Clamp	50	D-58986	121.70
			C280	Clamp	50	D-59003	121.70
			C320	Clamp	50	D-59019	121.70
			C600	Clamp	50	D-59031	121.70
			C800	Clamp	50	D-59047	121.70
			C1000	Clamp	50	D-59053	121.70
			C1500	Clamp	50	D-59069	121.70
			C2000	Clamp	50	D-59075	121.70

Net Sanding Detail/ Wood/ Metal



Range	Work material	Outer dia. mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Paint, Metal	100 x 150 (3-15/16 x 5-7/8)	A120	Hook & Loop	10	D-78900	62.40

Pad Saver/ for Net Sanding Detail



Range	Size mm (inch)	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	100 x 150 (3-15/16 x 5-7/8)	Hook & Loop	2	D-78944	31.50

Abrasive Delta Paper/ Wood



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21624	24.40
			A80		10	B-21630	24.40
			A100		10	B-22947	23.70
			A120		10	B-21646	23.50
			A150		10	B-22953	23.50
			A180		10	B-21652	23.50
			A240		10	B-21668	23.50
		93	A60, A80, A120, A180, A240		10	B-21618	24.40

Abrasive Delta Paper/ Wood/ Long-Life



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	Wood, Paint, Metal	93	A60	Hook & Loop	10	B-21565	27.70
			A80		10	B-21571	26.40
			A100		10	B-21587	20.00
			A120		10	B-21593	26.20
			A180		10	B-21602	26.20
			A240		10	B-22931	26.20
			A60, A80, A100, A120, A180		10	B-21559	27.70

Abrasive Delta Paper/ Paint



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Paint, Wood, Metal	93	A60	Hook & Loop	10	B-21680	26.40
			A80		10	B-21696	26.20
			A100		10	B-21705	25.90
			A120		10	B-22969	19.70
			A240		10	B-21711	25.90
			A320		10	B-21727	25.90
			A60, A80, A100, A240, A320		10	B-21674	26.20

Abrasive Paper for JR102D/ JR105D

for sanding adapter (A-40967)



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal	22 x 95	A60	Hook & Loop	10	B-04977	19.30
			A120	Hook & Loop	10	B-04983	22.20

Abrasive Delta Paper/ Stone



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	93	C120	Hook & Loop	10	B-21749	26.40
			C240		10	B-21755	26.20
			C400		10	B-21761	25.90
			C600		10	B-21777	25.90
			C1200		10	B-21783	25.90
			C120, C240, C400, C600, C1200		10	B-21733	26.20

Abrasive Delta Paper/ Polishing Fleece



Range	Work material	Size mm	Grit	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Wood, Metal, PVC, Paint	93	-	Hook & Loop	1	B-21814	15.90
			A100		1	B-21808	15.30

Abrasive Delta Paper/ Polishing Felt



Range	Work material	Size mm	Fastening	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	PeRSP (RM) ex, Non-ferrous metal, Glass	93	Hook & Loop	1	B-21820	16.20

ACCESSORIES

Multi Tool



Metal, mild steel



Stainless steel



Aluminum



Wood



Wood with nails



Plywood



Tile



Limestone



Concrete block



Fiberglass



Sheet metal



Plaster board



Plastic



Epoxy



Insulation



Carpet



Silicon



Hook and loop type



Precise



Blade thickness 2.0 mm



Blade thickness 3.0 mm

Type	Compatible Model
STARLOCK	TM001G, DTM52, DTM51, DTM50, TM30D, TM3010C, TM3000C, M9800B
STARLOCK PLUS	TM001G, DTM52
STARLOCK MAX	TM001G, DTM52

Type	Compatible Model
	DTM51, DTM50, TM30D, TM3010C, TM3000C, M9800B

Segment Saw Blade Starlock Shank Wood and Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA045	85	18TPI	BiM	Wood and Metal	1	B-64799	148.20
	TMA046	100	15TPI	BiM	Wood and Metal	1	B-64808	175.30

Plunge Cut Saw Blade Starlock Shank Wood and Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA047	32 x 50	20TPI	BiM	Bow shape	Wood and Metal	1	B-64814	99.10
							5	B-64814-5	448.20
	TMA048	65 x 40	20TPI	BiM	Bow shape	Wood and Metal	1	B-64820	127.30
	TMA057	10 x 30	20TPI	BiM	-	Wood and Metal	1	B-64917	59.90
	TMA058	20 x 30	20TPI	BiM	-	Wood and Metal	1	B-64923	75.70

Segment Saw Blade Starlock Shank Wood

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA049	85	18TPI	HCS	Wood	1	B-64836	105.50

Plunge Cut Saw Blade Starlock Shank Wood

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA050	24 x 50	18TPI	HCS	-	Wood	1	B-64842	66.80
	TMA051	32 x 50	18TPI	HCS	Bow shape	Wood	1	B-64858	72.80
							5	B-64858-5	324.00
	TMA053	32 x 50	14TPI	BiM	Bow shape, Japanese teeth, Recommended Hard wood	Hard wood	1	B-64870	109.10
							20	B-64870-20	1679.90
	TMA055	65 x 40	14TPI	BiM		Hard wood	1	B-64892	122.20

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Plunge Cut Saw Blade Starlock Shank Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA059	32 x 50	20TPI	BiM	Metal	1	B-64939	87.10
						5	B-64939-5	414.40

TC Bar Plunge Cut Saw Blade Starlock Shank Metal

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA060	20 x 40	23TPI	TC/HM	Metal	1	B-64945	141.00
	TMA061	32 x 40	23TPI	TC/HM	Metal	1	B-64951	167.10
	TMA079	45 x 49	23TPI	TC/HM	Metal	1	B-69755	206.20

Segment Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA064	85	18TPI	BiM-TiN	Multi Material	1	B-64973	174.00

Plunge and Segment Cut Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA081	53 x 40	14TPI	BiM	Multi Material	1	B-69777	100.80

TC Bar Plunge Cut Saw Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA080	32 x 40	20TPI	TC/HM	Bow shape	Multi Material	1	B-69761	161.70

Joint Cutter Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA067	28 x 40	HCS	Multi Material	1	B-65006	114.00
	TMA082	12 x 29	Stainless	Multi Material	1	B-69783	134.60

Scraper Blade Starlock Shank Multi Material

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA065	52 x 26	HCS	Rigid	Multi Material	1	B-64989	60.00
	TMA066	52 x 40	HCS	Flexible	Multi Material	1	B-64995	60.00

TC Segment Blade Starlock Shank Grout Abrasive


STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA069	85	TC/HM #30	Blade thickness 2.5mm	Grout and mortar remover	1	B-65028	198.60
	TMA071	70	TC/HM #50	Blade thickness 1.6mm		1	B-65040	164.60

Diamond Segment Blade Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA070	85	Diamond #40	Blade thickness 2mm	Grout and mortar remover	1	B-65034	325.90

TC Plunge Blade Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA075	32 x 30	TC/HM #50	Blade thickness 2mm	Grout and mortar remover	1	B-65084	165.90

TC Remover Starlock Shank Grout Abrasive

STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA074	70	TC/HM #40	Blade thickness 3mm	Grout and mortar remover	1	B-65078	278.20

TC Sanding Plate Starlock Shank Grout Abrasive Delta Shape


STARLOCK



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA073	78	TC/HM #20	-	Grout and mortar remover	1	B-65062	156.80
	TMA083	90	TC/HM #20	-	Grout and mortar remover	1	B-69799	138.20
	TMA084	90	TC/HM #40	-	Grout and mortar remover	1	B-69808	138.20
	TMA085	90	TC/HM #60	Use only wood	Wood	1	B-69814	138.20
	TMA086	90	TC/HM #100	Use only wood	Wood	1	B-69820	138.20

Sanding Pad for Abrasive Paper Delta Starlock Shank

STARLOCK



Range	Makita No.	Blade width mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA078	93	1	B-65115	83.10

Multi Tool Blade Starlock Shank Assortment

STARLOCK



Range	Makita No.	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA045, TMA047, TMA053, 2xTMA078	Carpentry set	Wood and Metal, Hard Wood	5	B-67511	383.10
	TMA045, TMA047, TMA053, TMA058	Plunge set	Wood and Metal, Hard Wood, Metal	4	B-67480	381.30
	TMA045, TMA048, TMA051, TMA066	Floor set	Wood and Metal, Wood, Multi Material	4	B-67505	367.70
	TMA058, TMA065, TMA069, TMA073	Tile set	Metal, Multi Material, Grout and mortar remover	4	B-67496	457.70

Plunge Cut Saw Blade Starlock Plus Shank Wood and Metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP001	32 x 60	20TPI	BIM	Bow shape	Wood and metal	1	B-66329	96.20
	MAP002	65 x 50	20TPI	BIM	Bow shape	Wood and metal	1	B-66335	120.00

Plunge Cut Saw Blade Starlock Plus Shank Wood

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP003	32 x 60	18TPI	HCS	Bow shape	Wood	1	B-66341	74.00

TC Bar Plunge Cut Saw Blade Starlock Plus Shank Metal

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP004	32 x 50	23TPI	TC/HM	Metal	1	B-66357	166.40
	MAP005	45 x 50	23TPI	TC/HM	Metal	1	B-66363	177.70

TC Bar Plunge Cut Saw Blade Starlock Plus Shank Multi Material

STARLOCK PLUS



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP006	32 x 50	20TPI	TC/HM	Bow shape	Multi Material	1	B-66379	177.70
	MAP007	52 x 50	20TPI	TC/HM	Bow shape	Multi Material	1	B-66385	185.30

TC Plunge and Segment Blade Starlock Plus Shank Grout Abrasive

STARLOCK PLUS



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAP008	53 x 40	TC/HM #40	Porous concrete	1	B-66391	133.50

Segment Saw Blade Starlock Max Shank Wood and Metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM003	100 x 50	15TPI	BIM	Wood and metal	1	B-66422	174.00

Plunge Cut Saw Blade Starlock Max Shank Wood and Metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM001	32 x 80	20TPI	BIM	Bow shape	Wood and metal	1	B-66400	100.40
	MAM002	52 x 70	18TPI	BIM	Bow shape	Wood and metal	1	B-66416	108.60

Plunge Cut Saw Blade Starlock Max Shank Wood

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM004	32 x 80	18TPI	HCS	Bow shape	Wood	1	B-66438	77.70

TC Bar Plunge Cut Saw Blade Starlock Max Shank Metal

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM005	32 x 70	23TPI	TC/HM	Metal	1	B-66444	174.00

TC Bar Plunge Cut Saw Blade Starlock Max Shank Multi Material

STARLOCK MAX



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM006	32 x 70	20TPI	TC/HM	Bow shape	Multi Material	1	B-66450	185.90

Joint Cutter Blade Starlock Max Shank Multi Material

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM007	32 x 70	HCS	Multi Material	1	B-66466	101.70
	MAM008	32 x 55	HCS	Multi Material	1	B-66472	49.10

TC Segment Blade Starlock Max Shank Grout Abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM009	68 x 10	TC/HM #50	Blade thickness 1.5 mm	Grout and mortar remover	1	B-66494	212.20
	MAM010	68 x 30	TC/HM #30	Blade thickness 2.2 mm	Grout and mortar remover	1	B-66503	212.20
	MAM013	68 x 30	TC/HM #40	Blade thickness 2.1 mm	Grout and mortar remover	1	B-66531	169.50
	MAM014	100 x 50	TC/HM #40	Blade thickness 1.9 mm	Grout and mortar remover	1	B-66547	203.50

Diamond Segment Blade Starlock Max Shank Grout Abrasive

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM011	68 x 30	Diamond #40	Blade thickness 2.2mm	Grout and mortar remover	1	B-66519	287.70
	MAM012	68 x 10	Diamond #40	Blade thickness 1.5mm	Grout and mortar remover	1	B-66525	287.70

TC Sanding Plate Starlock Max Shank Grout Abrasive Delta Shape

STARLOCK MAX



Range	Makita No.	Blade width mm	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	MAM015	116	TC/HM #20	-	Grout and mortar remover	1	B-66553	154.60
	MAM016	116	TC/HM #40	-	Grout and mortar remover	1	B-66569	154.60
	MAM017	116	TC/HM #60	Use only wood	Wood	1	B-66575	154.60
	MAM018	116	TC/HM #100	Use only wood	Wood	1	B-66581	154.60

Segment Saw Blade OIS Shank Wood and Metal



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA005	100	15TPI	BiM	Wood and Metal	1	B-21319	169.30

Plunge Cut Saw Blade OIS Shank Wood and Metal



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA009	28	18TPI	BiM	-	Wood and Metal	5	B-45478	420.60
							20	B-34665	1770.40
	TMA034	32	14TPI	BiM	Bow shape	Wood and Metal	1	B-39257	107.70
							5	B-45543	464.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Segment Saw Blade OIS Shank Wood



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA007	85	18TPI	HCS	Wood	1	B-21331	99.10

Plunge Cut Saw Blade OIS Shank Wood



Range	Makita No.	Blade width mm	TPI	Item material	Note	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA010	32	14TPI	BiM	-	Hard wood	1	B-21369	99.10
							5	B-45484	420.60
							20	B-34659	1725.50
	TMA012	32	18TPI	HCS	-	Wood	1	B-21381	82.20
							5	B-45490	303.90
	TMA014	10	18TPI	HCS	-	Wood	1	B-21406	52.60
	TMA032	32	18TPI	HCS	Bow shape	Wood, Furniture components	1	B-39235	88.60
							5	B-45521	368.00
	TMA033	32	14TPI	BiM	Bow shape	Hard wood, Laminated panels	1	B-39241	107.70
							5	B-45537	464.00
	TMA035	65	14TPI	BiM	-	Hard wood, Chipboard, Laminate, Plastic-laminated panels	1	B-40397	124.40
	TMA038	32	14TPI	HCS	Bow shape	Wood	1	B-46822	90.00
	TMA039	32	14TPI	HCS	Bow shape	Wood	1	B-46838	86.60
	TMA040	65	14TPI	HCS	-	Wood	1	B-46844	98.00
	TMA041	65	14TPI	HCS	-	Wood	1	B-46850	100.40

Plunge Cut Saw Blade OIS Shank Metal



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA015	32	20TPI	BiM	Metal	1	B-21412	99.50
	TMA016	20	20TPI	BiM	Metal	5	B-45515	304.80
	TMA017	10	20TPI	BiM	Metal	1	B-21434	58.60

Round Saw Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	TPI	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
	TMA004	65	21TPI	BiM-TIN	Multi Material	1	B-21303	132.00

Segment Knife Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA029	100	BiM	Rubber mats, Carpet	1	B-34827	165.70

Serrated Segment Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA020	100	BiM	Insulation material	1	B-21462	192.00

Serrated Cutter Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA036	28	HCS	Insulation material, Soft joint material, Putty material	1	B-40406	95.90

Joint Cutter Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA043	32	HCS	Removal of coking	1	B-50706	120.00
	TMA044	32	HCS	Removal of coking	1	B-50712	148.80

Universal Purpose Knife OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA042	32	HCS	Insulation material, Soft joint material, Putty material	1	B-46866	101.50

Scraper Blade OIS Shank Multi Material



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA018	52	HCS	Mortar, Tile adhesive	1	B-21440	58.60
					20	B-34671	858.60

TC Segment Blade OIS Shank Grout Abrasive



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	TMA023	85	TC/HM	Routing joints on wall tile	1	B-21490	191.90

TC Remover OIS Shank Grout Abrasive



Range	Makita No.	Blade width mm	Item material	Work material	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	TMA022	70	TC/HM	Grout and mortar remover	1	B-21484	277.50

Sanding Pad for Abrasive Delta Paper OIS Shank



Range	Blade width mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	93	1	B-46202	67.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Diamond



Metal, mild steel



Brick



Epoxy



Low vibration



Do not drill with impact



Tile



Granite



Fiber cement board



Fast work



Wet



Roof tile



Limestone



Glass



Medium work



For SDS-PLUS hammers



Concrete



Marble



Asphalt



Fine work



Mortar



Plastic



Wood



Hook and loop type

Diamond Wheels



Segmented Type:

Most commonly used. Blade has slits and layers of diamond are sintered on edges. Cut faster than continuous rim type and attain average cutting surface.



Segmented Wave Type:

This wheel has slits like segmented wheel. Each segment has many notches (Wave). These notches assure;

- Fast cutting with less resistance.
- Smooth debris removal.
- Less loading on wheel.



Corrugated Type:

This wheel has notches around the Rim. Has a characteristic between Continuous Rim and Segmented Type. Has faster cutting like Segmented Type. At the same time, can attain cleaner surface like continuous rim without broken edges.



Continuous Rim Type:

Has layer of diamond with uniform thickness around the entire rim. Can attain clean surface even on crusty, brittle materials. Cut with accuracy but not as fast as segmented type wheel.

SPECIALIZED



Electrodeposited Type:

Diamonds are electrodeposited and has more exposure than bonded type. Cuts faster and more efficient.



Vacuum brazed Type:

Diamonds are vacuum brazed and has more exposure than bonded type. Able to cut harder material. It is longer life than electrodeposited type because diamonds are held tightly.



Crack Chaser:

Blade is thicker than regular blades. Designed for repair the wall easily.

Material

Material No. 1						
Hard concrete	Granite	Gneiss	Smoothable Engineering	Carbonaceous Shale	Sidewalk Slate	Engineering Block/ Engineering Block Class 2


Material No. 2				Material No. 3		
Concrete	Block	U-shaped Groove	Sidewalk Block	Hard concrete	Cemented Tile	Unglazed Tile

Material No. 4			Material No. 5	Material No. 6	Material No. 7
Brick	Aggregate Block	French Tile	Asphalt	Tile	Glass

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Ring

(10 pcs. /set)



Description	(H) Outer Dia. mm	(D) Hole Dia. mm	Part No.	RSP (RM)
Ring 16	20	16	A-86860	24.80
Ring 20	22.23	20	A-85248	45.00

Diamond Wheel for Angle Grinder with X-Lock Concrete Granite Marble Segmented

XLOCK



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Standard	Part No.	RSP (RM)
★★★★☆	Concrete, Granite, Marble	1 2 3 4	100	7	X-LOCK	Dry	EN13236	E-02054	203.70
		1 2 3 4	125	7	X-LOCK	Dry	EN13236	E-02076	235.30

Diamond Wheel Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)		
★★★★☆		-	180	7.5	22.23	-	Dry	-	-	1	A-02814	469.70		
		1 2 3 4	125	7	22.23	20	Dry	-	-	1	A-01236	521.00		
		1 2 3 4 5	105	10	20	16	Dry	-	-	1	B-39198	33.50		
		1 2 3 4 5	115	7	22.23	-	Dry	Laser welded	EN13236	1	D-44389	115.90		
		1 2 3 4 5	125	7.5	20	-	Dry	-	EN13236	1	792282-5	565.90		
		1 2 3 4 5	180	7	22.23	-	Dry	Laser welded	EN13236	1	D-44404	194.40		
		1 2 3 4 5	230	7	22.23	-	Dry	Laser welded	EN13236	1	D-44410	310.60		
		2 3 4	230	7.5	22.23	-	Dry	-	-	1	A-86826	395.70		
		2 3 4 5	105	7.5	20	16	Dry	-	-	1	A-88842	78.60		
		2 3 4 5	110	6.5	20	-	Dry	-	-	1	A-05022	169.10		
		2 3 4 5	150	7.5	22.23	-	Dry	-	EN13236	1	B-06432	120.40		
		2 3 4 5	230	7.5	22.23	-	Dry	-	-	1	A-02820	578.00		
★★★☆☆	Concrete	-	115	7.5	22.23	-	Dry	-	EN13236	1	D-41589	42.80		
		-	125	7.5	22.23	-	Dry	-	EN13236	1	D-41595	53.10		
		-	180	7.5	22.23	-	Dry	-	EN13236	1	D-41604	76.60		
		-	230	7.5	22.23	-	Dry	-	EN13236	1	D-41610	118.00		
		1 2 3 4	105	7	20	16	Dry	-	-	1	D-42531	18.20		
		1 2 3 4	115	7	22.23	-	Dry	-	-	1	D-44270	25.00		
		1 2 3 4	180	7	22.23	-	Dry	-	-	1	D-44286	58.60		
		1 2 3 4	230	7	22.23	-	Dry	-	-	1	D-44292	89.00		
		2 3 4	115	7.5	22.23	-	Dry	Long life	-	1	D-37552	41.70		
		2 3 4	125	7.5	22.23	-	Dry	Long life	-	1	D-37568	51.90		
		2 3 4	180	7.5	22.23	-	Dry	Long life	-	1	D-37574	75.70		
		2 3 4	230	7.5	22.23	-	Dry	Long life	-	1	D-37580	87.70		
		2 3 4 5	105	7	20	16	Dry	-	-	1	D-05197	32.80		
		2 3 4 5	115	7.75	22.23	-	Dry	-	EN13236	1	A-84109	58.00		
		2 3 4 5	125	7.25	22.23	20	Dry	-	EN13236	1	A-84115	75.30		
		2 3 4 5	180	7.5	25.4	22.23	Dry	-	EN13236	1	A-84121	131.70		
		2 3 4 5	230	7.5	22.23	-	Dry	-	EN13236	1	A-84137	173.10		
		★☆☆☆☆		2	105	9	20	16	Dry & Wet	-	-	1	D-71009	14.40

Corrugated One-star range



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Concrete	2 3 4 5	105	7.5	20	16	Dry	1	A-83820	119.90

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel Concrete Marble Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Marble	115	-	22.23	-	Dry	-	1	A-88892	130.20
		180	-	25.4	22.23	Dry	-	1	A-87909	177.50
115		7	22.23	-	Dry	EN13236	1	D-52750	31.70	
125		7	22.23	-	Dry	EN13236	1	D-52766	36.40	
180		7	22.23	-	Dry	EN13236	1	D-52772	76.40	
230		7	22.23	-	Dry	EN13236	1	D-52788	83.50	
★☆☆☆☆										

Diamond Wheel Concrete Granite Marble Segmented Ideal for Cordless Angle Grinder



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite, Marble	1 2 3 4	115	7	22.23	Dry	EN13236	1	B-53780	189.00
		1 2 3 4	125	7	22.23	Dry	EN13236	1	B-53796	209.90

Diamond Wheel Concrete Granite Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Concrete, Granite	1 2 3 4	105	10	20	16	Dry	1	D-42612	16.20

Diamond Wheel Concrete Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆☆	Concrete	1 2 3 4 5	110	10	20	16	Dry	-	-	1	B-39207	49.10
		1 2 3 4 5 6	110	5	20	-	Wet	-	-	1	B-02836	117.00
		1 2 3 4 5 6	110	5	20	-	Wet	-	EN13236	1	B-22034	117.00
-		115	7.5	22.23	-	Dry	-	EN13236	1	D-41626	42.80	
-		125	7.5	22.23	-	Dry	-	EN13236	1	D-41632	53.10	
-		180	7.5	22.23	-	Dry	-	EN13236	1	D-41648	87.10	
-		230	7.5	22.23	-	Dry	-	EN13236	1	D-41654	118.00	
2 3 4		105	8	20	16	Dry	-	-	1	D-05206	34.60	
2 3 4		115	7.5	22.23	-	Dry	Long life	-	1	D-37596	41.70	
2 3 4		125	7.5	22.23	-	Dry	Long life	-	1	D-37605	51.90	
2 3 4		180	7.5	22.23	-	Dry	Long life	-	1	D-37611	86.20	
2 3 4		230	7.5	22.23	-	Dry	Long life	-	1	D-37627	116.80	
2 3 4 5		105	7.25	20	16	Dry	-	EN13236	1	A-84193	59.10	
2 3 4 5		115	7.25	22.23	-	Dry	-	EN13236	1	A-84143	62.20	
2 3 4 5		125	7.15	22.23	20	Dry	-	EN13236	1	A-84159	80.40	
2 3 4 5		230	7.5	22.23	-	Dry	-	EN13236	1	A-84171	196.20	
2 3 4		110	7	20	16	Dry	-	-	1	D-42606	24.40	
2 3 4		110	10	20	16	Dry	-	-	1	D-42640	28.20	

Diamond Wheel Concrete Tile Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Roof tile	-	180	7.95	22.23	-	Dry	-	1	A-02777	1306.20
		1 2 3 4 5	125	7.8	22.23	20	Dry	-	1	A-02761	585.50
		1 2 3 4 5	180	7.95	22.23	-	Dry	-	1	A-80709	535.50
		1 2 3 4 5	230	8.55	22.23	-	Dry	EN13236	1	A-80715	605.30

Diamond Wheel Concrete Granite Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Concrete, Granite	1 2 3 4	110	10	20	16	Dry	1	D-42628	26.20

Diamond Wheel Concrete Granite Segmented Wave



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3 4	105	7	20	16	Dry	1	D-42581	21.90
		1 2 3 4	180	7	22.23	-	Dry	1	D-44339	64.60
		1 2 3 4	230	7	22.23	-	Dry	1	D-44345	99.10

Diamond Wheel Concrete Marble Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Marble	2 3 4 6	110	5	20	Wet	1	D-05212	21.00

Diamond Wheel Concrete Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5 6	110	4	20	Wet	-	1	A-07185	99.10
		1 2 3 4 5 6	180	4	25	Wet	-	1	792191-8	554.60
		1 2 3 4 5 6	180	4	25	Wet	-	1	A-80117	417.30
		1 2 3 4 6	125	5.5	20	Wet	EN13236	1	B-21951	154.60
		1 2 3 6	110	4	20	Wet	-	1	A-85210	138.60

Diamond Wheel Concrete Segmented Wave



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	115	7.5	22.23	-	Dry	-	1	B-02048	348.80
		1 2 3 4 5	125	7.5	22.23	-	Dry	-	1	B-02054	363.70
		1 2 3 4 5	180	8	22.23	-	Dry	-	1	B-02060	545.30
		1 2 3 4 5	230	7.5	22.23	-	Dry	-	1	B-02004	609.00
		2 3 4	230	7.5	22.23	-	Dry	EN13236	1	A-80173	439.30
		2 3 4 5	105	7.5	20	16	Dry	-	1	B-03028	130.20
		2 3 4 5	125	7.5	22.23	-	Dry	EN13236	1	A-80438	192.00
		2 3 4 5	180	7.5	22.23	-	Dry	-	1	A-83842	458.00

Diamond Wheel Granite Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 5	105	7.5	20	16	Dry	1	A-84090	134.60
		1 2 3 4 5	125	7.5	22.23	20	Dry	1	A-84012	163.70
		1 2 3 4 5	180	6	25.4	22.23	Dry	1	A-84028	248.80
		1 2 3 4 5	230	7	22.23	-	Dry	1	A-84408	280.40
★☆☆☆☆		1 2 3 4	105	10	20	16	Wet	1	D-44351	17.30

Diamond Wheel Marble Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★☆☆☆☆	Marble	1 2 3 4	105	10	20	16	Wet	1	D-44367	17.30

Diamond Wheel Granite Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 5	105	7.25	20	16	Dry	EN13236	1	A-84040	69.90
		1 2 3 4 5	110	8	20	16	Dry	-	1	D-42662	48.20
		1 2 3 4 5	115	7.25	22.23	-	Dry	EN13236	1	A-84056	73.50
		1 2 3 4 5	125	7.15	22.23	20	Dry	EN13236	1	A-84062	87.10
		1 2 3 4 5	180	7.5	25.4	22.23	Dry	EN13236	1	A-84078	156.20

Diamond Wheel Granite Marble Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Granite, Marble	1 2 3 4	105	7	20	16	Dry	1	D-42553	21.90
		1 2 3 4	115	7	22.23	-	Dry	1	D-44301	30.00
		1 2 3 4	180	7	22.23	-	Dry	1	D-44317	78.00
		1 2 3 4	230	7	22.23	-	Dry	1	D-44323	119.00

Diamond Wheel Tile Corrugated Ideal for Cordless Angle Grinder



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Porcelain tile	2 3 4 6	105	10	22.23	16	Dry	EN13236	1	B-49030	229.00
		2 3 4 6	115	10	22.23	-	Dry	EN13236	1	B-46327	212.60
		2 3 4 6	125	10	22.23	-	Dry	EN13236	1	B-46333	229.00

Diamond Wheel Tile Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Ceramic Tile	2 3 4 6	110	5	20	16	Wet	1	D-44258	26.80
		2 3 4 6	180	5	25.4	-	Wet	1	D-44264	57.30
	Tile	-	105	5	20	16	Dry & Wet	1	D-78271	20.40
		-	180	5	25.4	22.23		1	D-78293	43.10

Diamond wheel Glass Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Bulletproof Glass	3 4 5 6 7	110	5.75	20	Wet	EN13236	1	B-22028	384.80

Diamond Wheel Marmoglass Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★★	Marmoglass	6	110	8.5	20	Wet	1	D-37770	113.10


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel Mortar Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Mortar	2 3 4 5	115	7.6	22.23	-	Dry	1	B-02967	259.30
		2 3 4 5	125	7.8	22.23	20	Dry	1	B-02973	276.80
		2 3 4 5	230	8.3	22.23	-	Dry	1	B-01806	500.00

Diamond Wheel Universal Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Brick, Limestone, Roof tile	105	12	20	16	Dry & Wet	EN 13236	1	D-74083	35.00

Diamond Wheel Tuck Point Mortar



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Mortar	125	8	22.23	Dry	1	A-02705	1105.90

Curved Diamond Wheel Marble Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	2 3 4	110	8	20	Dry	1	D-36968	96.40

Electroplated Diamond Wheel Marble



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Marble	3	110	5	20	Wet	1	D-45004	82.80

Vacuum Brazed Diamond Wheel Metal Segmented



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal	100	1.8	16	Dry	EN13236	1	B-53671	231.00
		115	1.8	22.23	Dry	EN13236	1	B-53687	250.80
		125	1.8	22.23	Dry	EN13236	1	B-53693	273.50
		180	1.8	22.23	Dry	EN13236	1	B-53702	430.00

Vacuum Brazed Diamond Wheel Multi Material Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal, Plastic, Reinforced concrete	-	115	5	22.23	-	Dry	-	-	1	D-58883	92.20
		-	180	5	22.23	-	Dry	-	-	1	D-58899	173.10
		1 2 3 4	110	5	20	16	Dry	-	-	1	D-44426	92.20
		1 2 3 4 5 6 7	230	5	22.23	-	Dry	-	-	1	A-89894	1,590.60
	Metal, Plastic, Wood, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	100	3	16	-	Dry	for Rescue	EN13236	1	B-66933	251.00
		1 2 3 4 5 6 7	115	3	22.23	-	Dry	for Rescue	EN13236	1	B-55304	255.00
		1 2 3 4 5 6 7	230	3	22.23	-	Dry	for Rescue	EN13236	1	B-55326	627.10

Diamond Wheel for 4103KB Concrete Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 6	80	3.5	20	Dry	-	4103KB	1	792192-6	297.50
		1 2 3 4 6	80	3.5	20	Dry	EN13236	4103KB	1	B-22012	289.50

Diamond Wheel for 4103KB Granite Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Granite	1 2 3 4 6	80	5	20	Dry	4103KB	1	A-01264	314.20

Diamond Wheel for Angle Cutter Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	2 3 4 5	305	7.5	30	20, 22.23, 25.4	Dry	1	A-02478	2105.30

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Diamond Wheel for Angle Cutter Asphalt Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Asphalt	5	305	7.5	30	20, 22.23, 25.4	Dry	1	A-02484	2150.80

Diamond wheel for Cordless Cutter Glass Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass	6 7	80	4	15	Wet	1	792296-4	153.90

Diamond Wheel for Cordless Cutter Glass Corrugated



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass	3 4 5 6 7	85	5	15	Dry	1	B-02995	206.40

Diamond Wheel for Cordless Cutter Glass Tile Continuous Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass, Tile	6 7	85	5.5	15	Wet	-	1	B-21082	118.60
		6 7	85	5	15	Wet	EN13236	1	B-21098	144.80

Diamond Wheel for Cordless Cutter General Purpose Corrugated




Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Stone, Masonry	2 3 4 5 6 7	85	5	15	Dry & Wet	ANSI B7.1	1	A-07353	207.90

Electroplated Diamond Wheel for Cordless Cutter Glass Tile



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Glass, Porcelain tile	3 6 7	85	1.2	15	Wet	-	1	A-07179	284.00
		3 6 7	85	1.2	15	Wet	ANSI B7.1	1	A-07163	285.50

Diamond Wheel for Power Cutter Concrete Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	-	300	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-56982	334.40
		-	350	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-56998	429.50
		-	400	7.5	25.4	20	Dry	Laser welded	EN13236	1	D-57009	501.00

Diamond Wheel for Power Cutter Concrete Segmented Ideal for Cordless Power Cutter



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	-	355	10	25.4	Dry & Wet	-	EN13236	1	E-12996	957.70
		1 2 3 4	230	13+2	22.23	Dry & Wet	Grit patterned	EN13236	1	E-02967	835.30

Vacuum Brazed Diamond Wheel for Power Cutter Multi Material Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Metal, Plastic, Wood, Glass, Brick, Fiber cement board, concrete	1 2 3 4 5 6 7	355	3	25.4	Dry	for Rescue	EN13236	1	B-55348	1175.30

Diamond Wheel Crack Chaser Concrete



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Ring mm	Dry/Wet	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	2 3 4 5	125	12.5	22.23	16	Dry	1	D-16477	413.90

Offset Diamond Wheel Single Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Rough work	EN13236	1	B-48533	588.00
		1 2 3 4 5	180	5	M14	Dry	Rough work	EN13236	1	B-48599	761.90

Offset Diamond Wheel Double Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Standard work	EN13236	1	B-48549	631.30
		1 2 3 4 5	180	5	M14	Dry	Standard work	EN13236	1	B-48608	805.50

Offset Diamond Wheel Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5.5	M14	Dry	Standard work	-	1	B-38560	606.00

Offset Diamond Wheel Fan Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5	M14	Dry	Standard work	EN13236	1	B-48555	642.20
		1 2 3 4 5	180	5	M14	Dry	Standard work	EN13236	1	B-48614	838.00

Offset Diamond Wheel Turbo Low Vibration



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Thread mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	180	5	M14	Dry	Fine work	EN13236	1	B-48620	979.50

Offset Diamond Wheel Single



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	105	4	22.23	Dry	Rough work	-	1	B-14629	133.10
		1 2 3 4 5	125	5.5	22.23	Dry	Rough work	EN13236	1	B-48561	479.00
		1 2 3 4 5	180	5	22.23	Dry	Rough work	EN13236	1	B-48636	653.10

Offset Diamond Wheel Double



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	4.5	22.23	Dry	Standard work	EN13236	1	B-12295	501.10
		1 2 3 4 5	125	5.5	22.23	Dry	Standard work	EN13236	1	B-48577	522.60
		1 2 3 4 5	180	5	22.23	Dry	Standard work	EN13236	1	B-48642	696.80
★☆☆☆☆		1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	D-66715	151.70

Offset Diamond Wheel Fan



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	180	5	22.23	Dry	Standard work	EN13236	1	B-48658	729.50

Offset Diamond Wheel Turbo



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	105	5	22.23	Dry	Fine work	-	1	B-44993	257.30
		1 2 3 4 5	125	4.5	22.23	Dry	Fine work	EN13236	1	B-50005	466.40
★☆☆☆☆		1 2 3 4 5	125	5	22.23	Dry	Fine work	EN13236	1	D-66721	171.30

Offset Diamond Wheel for PC1100 Segmented



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	For model	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	110	5	15	Dry	Standard work	EN13236	PC1100	1	A-86321	757.50

Offset Diamond Wheel for Concrete Planer Double



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	5	22.23	Dry	Standard work	EN13236	1	D-41458	261.00
		1 2 3 4 5	125	5	22.23	Dry	Standard work	-	1	A-95009	509.00

Offset Diamond Wheel for Concrete Planer Rim



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Standard	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete	1 2 3 4 5	125	4	22.23	Dry	Fine work	EN13236	1	D-41464	295.50

PCD Offset Diamond Wheel



Range	Work Material	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Standard	Sales pkg qty	Part No.	RSP (RM)
Specialized	Polyurethane, Adhesive, Paint, Epoxy, Acrylic coatings	125	2.6	22.23	Dry	EN13236	1	B-53160	870.80

Vacuum Brazed Offset Diamond Wheel



Range	Work Material	Material No.	Outer dia. mm	Tip height mm	Hole dia. mm	Dry/Wet	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	Concrete, Granite	1 2 3	115	0.7	22.23	Dry	Standard work	1	A-87834	593.10
		1 2 3	115	0.7	22.23	Dry	Standard work	1	A-87884	593.10

Diamond Core Bit for SDS-PLUS Hammers



Range	Outer dia. mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	38	Dry	A-87535	1312.00
	54	Dry	A-87541	1386.20
	65	Dry	A-87557	1404.40

Diamond Core Bit for Diamond Core Hammer Drill



Range	Outer dia. mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	105	Dry	A-80488	1413.50

Diamond Core Bit for Diamond Core Hammer Drill Center Bit



Range	Part No.	RSP (RM)
★★★★☆	A-80503	115.30

Diamond Core Bit for Diamond Core Hammer Drill Adapter



Range	Shank mm	Part No.	RSP (RM)
★★★★☆	13mm Hex	A-80519	169.30

Vacuum Brazed Diamond Core for Angle Grinder



Range	Outer dia. mm	Thread mm	Dry/Wet	Part No.	RSP (RM)
Specialized	5	M10	Dry	D-63264	78.60
	6	M10	Dry	D-63270	83.70
	8	M10	Dry	D-63286	95.00
	10	M10	Dry	D-63292	94.60
	12	M10	Dry	D-63301	116.20
	14	M10	Dry	D-63317	130.20
	14	M14	Dry	D-44432	161.70
	16	M10	Dry	D-63323	129.30
	16	M14	Dry	D-44448	168.20
	20	M10	Dry	D-63339	152.60
	25	M10	Dry	D-63345	166.60
	32	M10	Dry	D-63351	184.20
	37	M10	Dry	D-63367	201.10
	40	M10	Dry	D-63373	195.30
	50	M10	Dry	D-63389	239.70

Vacuum Brazed Diamond Pin Drill Bit



Range	Outer dia. mm	Shank mm	Dry/Wet	Part No.	RSP (RM)
★★★★☆	6	12.5	Dry	B-51823	232.80
	8	12.5	Dry	B-51839	253.10
	10	12.5	Dry	B-51845	253.10

Diamond Polishing Pad for Stone Polisher



Range	Outer dia. mm	Dry/Wet	Note	Part No.	RSP (RM)
★★★★☆	100	Wet	Grit 50	D-15584	73.90
	100	Wet	Grit 100	D-15590	73.90
	100	Wet	Grit 200	D-15609	73.90
	100	Wet	Grit 400	D-15615	73.90
	100	Wet	Grit 800	D-15621	73.90
	100	Wet	Grit 1500	D-15637	73.90
	100	Wet	Grit 3000	D-15643	73.90
	100	Wet	Buff (Finishing)	D-15659	127.30

ACCESSORIES

▣ Planing / Routering



Wood



Aluminum



6mm cylindrical shank



1/4inch cylindrical shank



1/2inch cylindrical shank



High speed steel



Tungsten carbide tip

Planer Blade/ HSS



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	80	2	A-07397	78.60
	82	2	A-07406	70.00
	155	2	793014-3	158.80
★★★☆☆	80 (3-1/8")	2	D-65501	83.10
	82	2	D-16346	36.00
	110	2	D-71211	75.50
	136	2	D-71227	125.50
	155 (6-1/8")	2	D-70910	100.60
★☆☆☆☆	82	2	D-67228	32.60
★★★★☆	306	2	199911-5	703.90

Planer Blade/ TC



Range	Size mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	155	2	793015-1	1107.70
★★★☆☆	82	2	D-07967	91.00
	110	2	D-08822	134.40

Mini Planer Blade/ HSS



Range	Size mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	306(12)	2	793346-8	227.30

Mini Planer Blade/ TC



Range	Size mm	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	82	-	2	A-82921	73.70
★★★☆☆	82	-	2	D-07945	54.40
	82	With plates	2	D-07951	66.40

Straight Bit 1 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(15/64)	(2-1/32)	(23/32)	1	D-09173	69.90
★★★★☆	(1/4)	(15/64)	(2-3/64)	(53/64)	1	191Y82-4	60.80
★★★☆☆	(1/4)	(1/8)	(2)	(1/2)	1	D-49002	53.70
	(1/4)	(5/32)	(2)	(1/2)	1	D-49018	41.00
	(1/4)	(3/16)	(1-7/8)	(1/2)	1	D-49024	37.30
	(1/4)	(1/4)	(2)	(3/4)	1	D-49030	52.20

Straight Bit 2 Flute



Range	Shank dia. mm(inch)	Overall dia. mm(inch)	Length mm(inch)	Carbide height mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	12	12	61	30	1	D-07892	91.30
	(1/4)	(5/16)	(2-1/64)	(3/4)	1	D-15388	78.60
	(1/2)	(25/64)	(2-47/64)	(1)	1	D-15512	82.80
	(1/2)	(15/32)	(2-13/32)	(1-3/16)	1	D-07901	91.30
★★★☆☆	(1/4)	(1/4)	(1-7/8)	(5/8)	1	D-49096	56.20
	(1/4)	(1/4)	(2)	(3/4)	1	D-49105	58.00
	(1/4)	(1/4)	(2)	(3/4)	1	D-59558	34.60
	(1/4)	(1/4)	(2)	(3/4)	1	D-68971	34.40
	(1/4)	(1/4)	(2-1/4)	(1)	1	D-49052	58.60
	(1/4)	(1/4)	(2-1/4)	(1)	1	D-59564	47.10
	(1/4)	(5/16)	(2)	(3/4)	1	D-49111	44.00
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-49068	59.50
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-59601	34.60
	(1/4)	(5/16)	(2-1/4)	(1)	1	D-68937	37.10
	(1/4)	(3/8)	(2)	(3/4)	1	D-49127	45.30
	(1/4)	(3/8)	(2)	(3/4)	1	D-68993	39.10
	(1/4)	(3/8)	(2-1/4)	(1)	1	D-49074	55.00
	(1/4)	(1/2)	(2)	(3/4)	1	D-49133	43.70
	(1/4)	(1/2)	(2)	(3/4)	1	D-69004	37.70
	(1/4)	(1/2)	(2-1/2)	(1-1/4)	1	D-49080	76.40
	(1/4)	(1/2)	(2-1/2)	(1-1/4)	1	D-68959	51.00
	(1/4)	(9/16)	(2)	(3/4)	1	D-49149	50.80
	(1/4)	(5/8)	(2)	(3/4)	1	D-49155	76.80
	(1/4)	(23/32)	(2)	(3/4)	1	D-49161	62.80
	(1/4)	(3/4)	(2)	(3/4)	1	D-49177	88.60
	(1/2)	(5/16)	(2-3/4)	(1)	1	D-49183	69.90
	(1/2)	(5/16)	(2-3/4)	(1)	1	D-59623	34.60
	(1/2)	(3/8)	(2-7/8)	(1)	1	D-49199	49.50
	(1/2)	(1/2)	(2-5/8)	(1)	1	D-69082	51.90
	(1/2)	(1/2)	(2-7/8)	(1-1/4)	1	D-49208	75.30
	(1/2)	(1/2)	(2-7/8)	(1-1/4)	1	D-69098	52.80
	(1/2)	(1/2)	(3)	(1-1/2)	1	D-69107	73.50
	(1/2)	(9/16)	(2-7/8)	(1-1/4)	1	D-49214	61.90
	(1/2)	(5/8)	(2-7/8)	(1-1/4)	1	D-49220	66.80
	(1/2)	(3/4)	(2-7/8)	(1-1/4)	1	D-49236	79.10
	(1/2)	(7/8)	(2-7/8)	(1-1/4)	1	D-49242	88.20
	(1/2)	(1)	(2-7/8)	(1-1/4)	1	D-49258	92.80

Straight Bit 2 Flute with Top Bearing



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★☆☆	(1/4)	(1/2)	(2-5/8)	(1)	1	D-58506	93.50
	(1/2)	(5/16)	(2-3/4)	(1)	1	D-59710	49.30

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Flush Trim Bit 2 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(3/8)	(2-39/64)	(1)	1	D-04313	114.40
★★☆☆☆	(1/4)	(1/4)	(2-1/8)	(1/2)	1	D-69266	42.80
	(1/4)	(3/8)	(2-5/8)	(1)	1	D-49264	64.60
	(1/4)	(1/2)	(2-3/16)	(1/2)	1	D-49270	49.50
	(1/4)	(1/2)	(2-11/16)	(1)	1	D-49286	51.30
	(1/2)	(1/2)	(4-1/64)	(2)	1	D-69303	120.00

Flush Trim Bit 3 Flute



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(1/2)	(2-11/16)	(1)	1	D-49292	72.60
	(1/2)	(1/2)	(3-19/32)	(1-1/2)	1	D-49301	86.80
	(1/2)	(1/2)	(3-19/32)	(1-1/2)	1	D-59449	78.60

Panel Pilot Bit



Range	Shank dia. (mm/inch)	Overall dia. (mm/inch)	Length (mm/inch)	Carbide height (mm/inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(1/4)	(2-9/16)	(3/4)	1	D-49317	40.40
	(1/2)	(3/8)	(3)	(1)	1	D-49323	52.80

Sash Router Bit




Range	Shank dia. mm/inch	Overall dia. mm/inch	Length mm/inch	Carbide height mm/inch	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	6	65	18	1	D-16988	79.90
	(1/4)	(15/64)	(2-9/16)	(45/64)	1	D-16972	79.90

Round Nose Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1/4)	(1-3/4)	(1/2)	(1/8)	1	D-49345	53.50
★★☆☆☆	(1/4)	(3/8)	(1-3/4)	(1/2)	(3/16)	1	D-49351	43.50
	(1/4)	(1/2)	(2)	(3/4)	(1/4)	1	D-49339	63.10
★★☆☆☆	(1/2)	(3/4)	(2-5/8)	(1)	(3/8)	1	D-69440	121.70

V Groove Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(45/64)	(1-7/8)	(5/8)	-	1	D-15453	122.20
★★☆☆☆	(1/4)	(1/2)	(1-3/4)	(1/2)	90	1	D-59455	35.30
	(1/4)	(1/2)	(1-3/4)	(1/2)	90	1	D-69478	40.00
	(1/4)	(3/4)	(1-7/8)	(5/8)	90	1	D-49373	56.20

Ovolo Bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	16	41	9	4	1	D-09357	148.60

Roundover Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(7/8)	(2-3/16)	(1/2)	(3/16)	1	D-15475	154.40
★★☆☆☆	(1/4)	(3/4)	(2-1/8)	(3/8)	(1/8)	1	D-59483	49.90
	(1/4)	(3/4)	(2-1/8)	(3/8)	(1/8)	1	D-69749	53.50
	(1/4)	(7/8)	(2-5/32)	(1/2)	(3/16)	1	D-69755	67.70
	(1/4)	(1)	(2-1/4)	(17/32)	(1/4)	1	D-69761	75.50

Beading Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★☆☆☆	(1/4)	(3/4)	(2-1/32)	(3/8)	(1/8)	1	D-69820	53.50

Chamfer Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1-1/8)	(2-7/64)	(7/16)	-	1	D-15506	220.40
★★☆☆☆	(1/4)	(7/8)	(2-3/16)	(1/2)	25	1	D-69951	61.30
	(1/4)	(1-5/8)	(2-5/16)	(13/16)	45	1	D-50033	145.00
	(1/2)	(1-3/4)	(2-11/16)	(29/32)	45	1	D-50049	143.50
	(1/2)	(2)	(2-13/16)	(1-1/16)	45	1	D-50055	184.40
	(1/2)	(2)	(2-13/16)	(1-1/16)	45	1	D-50055	184.40

Roman Ogee Bit



Range	Shank dia. mm	Overall dia. mm	Length mm	Carbide height mm	R1 mm	R2 mm	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	24	42	10	2.5	4.5	1	D-09575	192.20
	6	28	44	12	3	6	1	D-09581	203.50

Tongue and Groove Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-39/64)	(2-51/64)	(3/4)	1	D-50239	206.40

Classic Panel Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	R1 (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1)	(2-1/8)	(5/8)	(7/32)	1	D-49694	86.80
	(1/2)	(1-1/4)	(2-1/4)	(3/4)	(11/32)	1	D-49703	135.50

Slotting Cutter



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Note	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/4)	(1-7/8)	(2-5/16)	(1/8)	Slotting cutter with arbor	1	D-50267	104.40
	(1/4)	(1-7/8)	(2-5/16)	(5/32)		1	D-50273	99.50
	(1/4)	(1-7/8)	(2-5/16)	(3/16)		1	D-50289	99.50

French Provincial Classical Bit




Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-3/4)	(3-1/8)	(1-1/8)	1	D-50164	221.70

Reversible Rail and Stile Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-5/8)	(3-3/32)	(29/32)	1	D-50192	262.80
	(1/2)	(1-5/8)	(3-3/32)	(29/32)	1	D-50201	262.80

Dovetail Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Angle(°)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(3/4)	(2-1/2)	(7/8)	7	1	D-49563	63.70

Router Vit Assortment



Range	Shank dia. mm(inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	6	12	A-87921	939.90
	(1/4)	12	A-91051	939.90

Reversible glue Joint Bit



Range	Shank dia. (inch)	Overall dia. (inch)	Length (inch)	Carbide height (inch)	Sales pkg qty	Part No.	RSP (RM)
★★★★☆	(1/2)	(1-5/8)	(3)	(1)	1	D-50223	186.40

Outdoor Power Equipment



Blade Nut, Cup, Clamp Washer, Grass Guard and Receive Washer



*** Receive Washer with Grass Guard

Model No.	Spindle Size		1 Receive Washer				2 Blade Clamp Washer			3 Blade Cup			4 Blade Nut	
			Arbor size (mm)	Size (mm)	Parts No.	RSP (RM)	Size (mm)	Parts No.	RSP (RM)	Size (mm)	Parts No.	RSP (RM)	Parts No.	RSP (RM)
DUR190L, DUR190U, DUR191L, DUR191U	M10 x 1.25LH	Rounded rectangle	25.4	---	*** 140T23-7	26.70	50	347668-4	5.90	68	168526-9	7.00	264025-0	6.20
UR007G	M10 x 1.25LH	Spline 10T	25.4	---	*** 140L84-9	25.40	50	346084-7	4.40	68	168526-9	7.00	264025-0	6.20
DUR368A, DUR368L, UR003G	M10 x 1.25LH	Spline 10T	25.4	---	*** 140L84-9	25.40	50	346084-7	4.40	68	168526-9	7.00	264025-0	6.20
DUR369A, DUR369L, UR101C, UR201C	M10 x 1.25LH	Spline 10T	25.4	64.5	144312-2	47.20	43	347104-0	17.40	68	457274-8	13.80	252236-9	11.20
UR017G	M10 x 1.25LH	Spline 10T	25.4	50.0	140A87-7	17.00	43	347766-4	14.00	68	413201-5	10.70	252236-9	11.20
UR012G	M10 x 1.25LH	Spline 10T	25.4	70.5	140J59-6	17.10	54.5	162567-7	15.00	Integrated with Blade Clamp Washer			252236-9	11.20
Multi-tool attachments														
EM400MP, EM402MP	M10 x 1.25LH	Spline 10T	25.4	60	326821-5	34.70	50	346084-7	4.40	68	168526-9	7.00	264025-0	6.20
EM403MP, EM404MP	M10 x 1.25LH	Spline 10T	25.4	64.5	144312-2	47.20	43	347104-0	17.40	68	457274-8	13.80	252236-9	11.20
EM408MP	M10 x 1.25LH	Spline 10T	25.4	64.5	140N88-3	16.40	43	347766-4	14.00	68	413201-5	10.70	252236-9	11.20
EM409MP	M10 x 1.25LH	Spline 10T	-	64.5	140N88-3	16.40	-	-	-	-	-	-	252236-9	11.20
Edger														
EE400MP	M10 x 1.25LH	Spline 10T	25.4	54	326734-0	30.30	47	326381-7	14.70	-	-	-	264025-0	6.20

Cordless String Trimmer

Model No.	Spindle Size		Receive Washer			Grass wuard for receive washer	RSP (RM)
			Size (mm)	Parts No.	RSP (RM)		
DUR184L	M8 x 1.25RH	Spline 6T	36.5	326683-1 144512-4	14.70 15.10	346857-8	5.20
DUR187L, DUR187U, DUR188L, DUR188U	M8 x 1.25LH	Rounded rectangle	36.5	144512-4	15.10	346857-8	5.20
DUR189	M8 x 1.25RH	Rounded rectangle	36.5	144512-4	15.10	346857-8	5.20
DUR364L	M8 x 1.25RH	Rounded rectangle	44	319245-2	51.40	346857-8	5.20
DUR192L	M10 x 1.25LH	-	71	140W47-1			17.90
UR202C	M10 x 1.25LH	Spline 10T	65	140N88-3			16.40

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Blade Selection Guide

Blade type/ image		Short and soft grass			Tall and hard grass			Bush including tree beginning to grow		
	Nylon cord	←→								
	Plastic blade	←→								
Metal blade		←→								
		←→								
				←→						
Brushcutter blade				←→						
Shredder blade					←→					
Saw blade						←→				
Chisel blade						←→				
T.C.T saw blade		←→								

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Brush Cutter Blade

Hole Dia: 25.4 mm

Blade	Blade dia. / No. of teeth	Thickness	Model No.	Part No.	RSP (RM)
2-tooth blade 	305 mm / 2	2.0 mm	UR012G	195624-6	63.10
4-tooth blade 	230 mm / 4	1.8 mm	DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP	195150-5	53.70
	255 mm / 4	2.0 mm	DUR369A, DUR369L, UR007G, UR017G, UR101C, UR201C	196895-8	53.50
8-tooth blade 	200 mm / 8	1.4 mm	DUR194	191Y44-2	52.80
3-tooth blade 	230 mm / 3	3.0 mm	DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, EM400MP, EM401MP, EM402MP, EM403MP, EM404MP	195298-3	92.60
TCT Brush cutter blade 	230 mm / 36	1.25 mm	DUR369A, DUR369L, UR101C, UR201C	D-65981	96.40
	255 mm / 40	1.25 mm	DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C	D-65997	115.00

Edger Blade



Blade dia. / No. of teeth	Thickness	Model No.	Part No.	RSP (RM)
203 mm / 2	2.5 mm	EE400MP	196745-7	50.70

Special Blade & Protection Guard Chisel Blade

For brush and thin tree trunks and new growth. Not available in some countries due to local regulation


Model No.	Blade						Protection guard			
	Blade dia.	Item	Arbor size	Thickness	Part No.	RSP (RM)	Item	Pipe size	Part No.	RSP (RM)
UR012G	225 mm		25.4	1.8 mm	199872-9	169.50		28 mm	199873-7	149.10

Shredder Blade

Model No.	Blade						Protection guard			
	Blade dia.	Item	Arbor size	Thickness	Part No.	RSP (RM)	Item	Pipe size	Part No.	RSP (RM)
UR012G	270 mm		25.4 mm	3.9 mm	199874-5	195.90		28 mm	199875-3	114.60

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Rotary Scissors

Model No.	Blade				Protection Guard				
	Blade dia.	Item	Part No.	RSP (RM)	Item	Description	Pipe size	Part No.	RSP (RM)
EM407MP	230 mm		A : SY00146013	151.50		Without protector clamp	24 mm	412999-1	49.20
			B : SY00146014	137.90					

Plastic Blade Set



Model No.	Plastic blade set				Replacement Plastic blade		
	Arbore size	Cutting width	Part No.	RSP (RM)	Per pkg	Part No.	RSP (RM)
UR100D	M8 x 1.25RH	230 mm	198848-3	105.10	5	198850-6	30.80
DUR194	M10 x 1.25LH	230 mm	191Y45-0	105.00	12	198851-4	32.20
						198426-9	75.00
DUR187L, DUR187U, DUR188L, DUR190L, DUR190U, DUR191L, DUR191U, DUR188U, DUR189, DUR364L, DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR008G, UR101C, UR201C, UR202C, EM403MP, EM404MP, EM405MP, EM406MP	M8 x 1.25RH M8 x 1.25LH M10 x 1.25LH	255 mm	198383-1	130.20	12	198426-9	75.00
DUR369A, DUR369L, UR101C, UR201C, UR202C, UR012G	M10 x 1.25LH	305 mm	199868-0	TBA	12	199870-3	TBA

String Trimmer Head

Eyelet 2 pcs/ set for Bump & Feed 4L/ 4R/ Z5L, Ultra Auto 4R/ 4L6L Part No. A-15992

Description	Ref.	Size	Thread size	Model No.	Cord/ Line	Part No.	RSP (RM)
	96-M8R	4"	M8 x 1.25RH	DUR189	2.0 mm x 4 m	191D92-5	108.60
	96-M8L	4"	M8 x 1.25LH	DUR187L	2.0 mm x 4 m	191D91-7	108.60
	96-M10L	4"	M10 x 1.25LH	DUR190L, DUR190U, DUR191L, DUR191U, DUR192L, DUR368A, DUR368L, DUR369A, DUR369L, UR202C, EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP, EM409MP	2.0 mm x 4 m	191D89-4	108.60
					2.4 mm x 3 m	191D90-9	108.60
	121-M10L	5"	M10 x 1.25LH	UR012G	2.4 mm x 4m	191D93-3	156.00
	UN-74L	4.4"	M10 x 1.25LH	DUR190L, DUR368A, DUR368L, DUR369A, DUR369L, UR002G, UR003G, UR101C, UR201C, UR202C, EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP	2.4 mm x 3.6 m	196324-1	104.30
	UN-74L	4.4"	M10 x 1.25LH	BBC231U, BBC300L, BC231UD, BC300LD, EM400MP, EM401MP, BUX361, EBH252U, EBH253U, EM2650UH/LH, EM2651UH/LH, EM2652LH, EM2511LH, EM2510LH, EM2653LH, EM2654LH	2.4 mm x 2 m	195149-0	145.00
	76-M8R	3"	M8 x 1.25RH	UR100D	1.65 mm x 8 m	198853-0	112.80
	95-M8L	4"	M8 x 1.25LH	DUR187U/L, DUR188U/L, EM2500U/L, EM2600U/L	2.0 mm x 3 m	198386-5	69.10
	Bump & Feed ECO 4R	4" Low Profile	M8 x 1.25RH	DUR189	2.0 mm x 3 m	197297-1	84.60
	Bump & Feed ECO 4L	4" Low Profile	M8 x 1.25LH	DUR187L	2.0 mm x 3 m	196589-5	75.90
	Bump & Feed ECO 4L	4" Low Profile	M10 x 1.25LH	DUR192L, DUR368A, DUR368L, DUR369A, DUR369L, UR003G, UR007G, UR101C, UR201C, UR202C, EM408MP, EM409MP	2.0 mm x 3 m	197296-3	131.30
	Bump & Feed Z5L/ 105-M10L	5"	M10 x 1.25LH	EM400MP, EM401MP, EM403MP, EM404MP, EM405MP, EM406MP	2.4 mm x 3 m	B-05131	159.30
				UR012G	2.7 mm x 3 m	199884-2	166.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Spool Assembly



Model No.	Part No.	RSP (RM)
UR3000	DA00000001	30.00
DUR181	195858-1	25.60
DUR193	191Y39-5	27.60

Shoulder Strap Assembly

Type	Model No.	Part No.	RSP (RM)
Single 	DUA300, DUA301, DUN500W, DUR181, DUR184L, DUR187L, DUR188L, DUR189, DUR190L, DUR191L, DUR192L, DUR194L, DUR368A, DUR368L, DUR369A, DUR369L, UA003G, UA004G, UR100D, DUX60	125516-5	13.80
	DUR192L, DUR194, UR003G, UR007G, DUR193, DUR194, DUX18	127508-0	16.30
Comfort 	DUR369A, UR007G	122906-3	85.10

Four-Leaf Spiral Nylon Cord

Type	Model No.	Dia. (mm)	Length (m)	Part No.	RSP (RM)
	Single	1.65	15	E-01731	24.00
				198859-8	61.70
	Single	2.0	15	E-01769	25.90
				197472-9	68.00
	Single	2.4	15	198501-1	86.00
	Single	2.7	15	198505-3 (while stock last)	89.10

Other Nylon Cord (Round, Natural)



Size	Part No.	RSP (RM)
1.65 mm x 15 m	DA00000003	24.00
1.65 mm x 15 m	196148-5	25.00
2.4 mm x 5 m	B-01971	16.20


Multi Tool Attachements

Model	Item	Recommended power unit models	Part No.	RSP (RM)
EM403MP 	Brushcutter Cutting width: 450 mm (String trimmer head) 230mm (Brush cutter blade size) Spindle size: M10 x 1.25LH Arbor size: 25.4 mm Gear ratio EM403MP: 0.74 (14:19) High speed type	DUX60, UX01G	198760-7	707.10
EM407MP 	Rotary scissors attach Set Cutting width: 230 mm Stone & grass antiscattering brushcutter attachment.	DUX18, DUX60, UX01G	191M57-1	4130.00
EM408MP 	Brushcutter Cutting width: 300 mm (String trimmer head) 230mm (Brush cutter blade size) Spindle size: M10 x 1.25LH Arbor size: 25.4mm Gear ratio: 0.74 (14:19)	DUX18, DUX60, UX01G	191N34-9	704.40
EM409MP 	Brushcutter (Narrow guard for String trimmer head) Cutting width: 300 mm Spindle size: M10 x 1.25LH Gear ratio: 0.74 (14:19)	DUX18, DUX60, UX01G	191N46-2	618.60
ER400MP 	String trimmer attachment Cutting width: 410 mm Spindle size: M8 x 1.25RH	DUX18, DUX60, UX01G	196073-0	397.50
EN424MP 	Ground trimmer Effective cutting length: 330 mm	DUX18, DUX60, UX01G	1913D1-6	1317.30
WA400MP 	Standard equipment: Weeding blade 220 set, blade cover assembly, cap, hex wrench	UX01G, DUX60, DUX18	1913T9-2	1,948.60
Weeding blade 220 set *Optional accessories for WA400MP 	Weeding operation in large areas Working width: 220 mm Working depth: 35 mm	UX01G, DUX60, DUX18	1913L5-4	161.10
Weeding blade 80 set *Optional accessories for WA400MP 	Weeding operation in tight areas Working width: 80 mm Working depth: 50 mm	UX01G, DUX60, DUX18	1913L6-2	157.00
Cultivator blade 170 set *Optional accessories for WA400MP *with Blade cover assembly 	Weeding operation while deeply digging into the soil Working width: 170 mm Working depth: 50 mm	UX01G, DUX60, DUX18	1913L7-0	175.90
UB400MP 	Blower Max. Air volume: 16.6 m³/min (UX01G)	DUX18, DUX60, UX01G	191F68-4	1198.20
UB401MP 	Blower Max. Air volume: 16.4 m³/min (UX01G)	DUX18, DUX60, UX01G	191P75-7	1190.00
UB402MP 	Blower Max. Air volume: 6.2 m³/min (UX01G)	DUX18, DUX60, UX01G	1912R9-2	449.50
EY403MP 	Pole saw Guide bar length: 30 cm (12') Saw chain: 90PX-46links or 91PX-46links Motor Mount: A41	DUX18, DUX60, UX01G	191T41-8	1117.00
EN401MP 	Pole hedge trimmer angle adjustment Effective cutting length: 490 mm	DUX18, DUX60, UX01G	196341-1	1949.10
EN402MP 	Pole hedge trimmer Effective cutting length: 500 mm	DUX18, DUX60, UX01G	1912U0-1	1,224.60

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Model	Item	Recommended power unit models	Part No.	RSP (RM)
EN410MP 	Pole hedge trimmer straight Effective cutting length: 490 mm	DUX18, DUX60, UX01G	197742-6	1042.60
EN420MP 	Ground trimmer Effective cutting length: 250 mm	DUX18, DUX60, UX01G	198061-3	1904.40
KR400MP 	Cultivator Cultivating width: 160 mm	DUX18, DUX60, UX01G	195716-1	1840.80
			195707-2	1840.80
KR401MP 	Cultivator Cultivating width: 220 mm * Rotor LR set: Part No: 199204-0	DUX18, DUX60, UX01G	199185-8	1708.20
BR400MP 	Power brush Working width: 600 mm * Brush wheel (1pc) Part No: XNR0000548	DUX18, DUX60, UX01G	199323-2	2833.50
SW400MP 	Power sweep Working width: 590 mm * Sweeper wheel (1pc) Part No: XNR0000549	DUX18, DUX60, UX01G	199344-4	2826.40
EJ400MP 	Coffee harvester	DUX18, DUX60, UX01G	197163-2	3000.40
EE400MP 	Edger attachment Blade size diameter: 203 mm Hole diameter: 25.4 mm	DUX18, DUX60, UX01G	196752-0	1003.70
PF400MP 	Pump Attachment Hose size (Inner diameter) : 25 mm / 1" DUX18 : Max. lift height: 11 m Max, flow rate: 120 l/min DUX60 : Max. lift height: 14 m Max, flow rate: 145 l/min UX01G : Max. lift height: 15 m Max, flow rate: 150 l/min	DUX18, DUX60, UX01G	PF400MP	1511.30
LE400MP 	Shaft extension attachment 1.08 m (42-1/2") For Pole saw, Pole hedge trimmer and Coffee harvester	DUX18, DUX60, UX01G	191E23-0	601.90

Saw Chain and Guide Bar




A Guide Bar Length

Guide bar's length is represented by cutting length, which is different from its total length.



B Drive Link

The length of saw chain is determined by counting the number of drive links in the saw chain.




C Chain Pitch

Chain pitch is the size of the chain and it is defined by the distance between any three consecutive rivets divided by two. Pitch is important because the drive sprocket must be the same pitch as the chain.



D Gauge

Chain Gauge is thickness of drive link which will fit into the guide bar groove. Chain gauge must be the same as guide bar gauge.



E Depth Gauge

Depth gauge determines how deep the cutting teeth gets into the wood. Cutting depth can be checked by the gap between top of cutter and depth gauge.



General Saw Chain Character

D Gauge	C Chain Pitch	Cutting speed			
		Fast	Slow		
		0.043" (1.1mm)	0.050" (1.3mm)	0.058" (1.5mm)	0.063" (1.6mm)
Surface condition	1/4"	25AP 25F			
	.325"LP	80			
	3/8"LP	90PX	91PX 91F 91VXL		
	.325"		20BPX 95VPX	21BPX 21LPX	22BPX 22LPX
	3/8"		72LPX 72V	73DPX 73LGX 73LPX	75LPX 75LPX
	.404"				27X 59AC

Guide Bar Type

Sprocket Nose Bars

Sprocket nose bars have a rotating sprocket mounted at the tip of the bar. As the chain moves along the bar, the sprocket teeth carry the chain around the tip smoothly with less friction.



Hard Nose Bars(Solid Bar)

High wear resistant stellite has been welded onto the tip. Hard nose bars are made for special applications, such as fire-damaged forests, deserts, or sandy environments.



Carving Bars

Carving bars are made of high-quality steel and high wear resistant stellite has been welded onto the tip. Bar tip is designed to have small radius for precision cutting. The carving bars are made for especially pruning and carving.



Guide Bar Maintenance

Chain Tension

Check the chain tension before use. The saw chain may become loose after many hours of use.



File Bar Edge

File bar edge with a flat file to keep it 90° once a week.




Clean Guide Bar

Clean out chips and sawdust every time when you sharpen or replace saw chain.



Bar Nose Grease


Lubricate a whole sprocket regularly so that the saw chain can rotate with less friction.



Sharpening Saw Chain

Round File and File holder



The file can be guided more easily if a file holder is employed. The file holder has markings for the correct sharpening angle of 30° (align the markings parallel to the saw chain) and limits the depth of penetration (to 4/5 of the file diameter).



Depth gauge jointer

After sharpening the chain, check the height of the depth gauge using the chain gauge tool.

Flat file



Chain Saws

Guide Bar/ Saw Chain/ Guide Bar Cover/ Drive Sprocket

*Cutter type: CC Chamfer chisel, SC: Semi chisel, MC ; Micro chisel, FC: Full chisel



Guide Bar						Saw Chain								Bar Cover		Drive Sprocket		
Bar length	Motor Mount	Type	Drive tooth	Part No.	RSP (RM)	No. of drive links	Gauge	Pitch	Type	Cutter type	Part No. (Carton)	RSP (RM)	Low kickback saw chain (ANSI / CSA)	Part No.	RSP (RM)	Type	Part No.	RSP (RM)
Pole Saws Model No: DUA200																		
20 cm/ 8"	A041	Sprocket nose bar	-	1914S3-3	95.50	38	1.1 mm/.043"	.325" LP	80TXL	MC	1914S1-7	115.30	-	413G28-5	15.30	Sprocket 0.325" LP	1911W5-9	TBA
Pole Saws Model No: *EY402MP, *EY403MP (Pole saw attachment) DUA300, DUA301, UA003G, UA004G																		
30 cm/ 12"	A041	Sprocket nose bar	7	191G15-1	97.70	46	1.1 mm/.043"	3/8" LP	90PX	CC	191H01-8	106.20	YES	419288-5	26.80	Sprocket 3/8"LP	226992-7	10.20
30 cm/ 12"			7	191G23-2	96.80	46	1.3 mm/.050"	3/8" LP	91PX		191H10-7	100.40						
Cordless Chain Saws Model No: DUC101, UC100D																		
10 cm/ 4"	-	without sprocket	-	1910W0-3	111.00	26	1.1 mm/.043"	.325" LP	80TXL	MC	1910V6-4	80.20	-	413M40-1	TBA	.325"LP	227947-5	4.70
Cordless Chain Saws Model No: DUC254																		
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8	95.30	46	1.1 mm/.043"	.325" LP	80TXL	MC	191T89-0	135.50	-	452093-7	14.40	.325"LP	1911W5-9	TBA
25 cm/ 10"			-	161846-0	TBA	40		90PX	191H00-0	94.60	-	452093-7	14.40	Sprocket 3/8"LP	221464-7	TBA		
30 cm/ 12"			7	191G15-1	97.70	46	3/8" LP			CC	191H01-8	106.20	-	419288-5	26.80	Sprocket 3/8"LP	199063-2	TBA
30 cm/ 12"			-	191G23-2	96.80	46	1.3 mm/.050"	91PX	191H10-7		100.40	-	413G23-5					
Cordless Chain Saws Model No: UC022G																		
35 cm/ 14"	A041	Sprocket nose bar	-	191T87-4	109.50	59	1.1 mm/.043"	.325" LP	80TXL	MC	191T91-3	228.00	-	419288-5	26.80	Sprocket .325"LP"	191V91-5	45.80
40 cm/ 16"			-	191T88-2	122.60	56					191T92-1	246.40	-	413G23-5	21.70			
30 cm/ 12"			-	191G15-1	97.70	46					191H01-8	106.20	-	419288-5	26.80			
35 cm/ 14"			-	191G16-9	119.10	52						191H02-6	75.90	-	413G23-5			
40 cm/ 16"			-	165246-6	TBA	52	3/8" LP	CC	419288-5	26.80	Sprocket 3/8"LP		191V90-7	23.60				
30 cm/ 12"			-	191G17-7	130.40	56			419242-9	TBA								
35 cm/ 14"			-	191G23-2	96.80	46			419288-5	26.80								
40 cm/ 16"			-	191G24-0	103.50	52			413G23-5	21.70								
35 cm/ 14"			-	191G25-8	109.00	56	1.3 mm/.050"	91PX	191H11-5	109.90	-	419288-5	26.80					
40 cm/ 16"	-	191G25-8	109.00	56	1.3 mm/.050"	191H12-3	122.80		-	413G23-5	21.70							
Cordless Chain Saws Model No: UC004G																		
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8	95.30	46	1.1 mm/.043"	.325" LP	80TXL	MC	191T89-0	135.50	YES	452093-7	14.40	Sprocket .325"LP"	191V91-5	45.80
35 cm/ 14"			8	191T87-4	109.50	59					191T91-3	228.00						
30 cm/ 12"			7	191G15-1	97.70	46	1.3 mm/.050"	3/8" LP	90PX	CC	191H01-8	106.20		419288-5	26.80	Sprocket 3/8"LP	191V90-7	23.60
30 cm/ 12"			7	191G23-2	96.80	46					191H10-7	100.40						
Cordless Chain Saws Model No: DUC356, DUC406																		
25 cm/ 10"	A041	Sprocket nose bar	-	191T85-8	95.30	46	1.1mm/.043"	.325" LP	80TXL	MC	191T89-0	135.50	YES	452093-7	14.40	Sprocket .325"LP	191V91-5	45.80
35 cm/ 14"			8	191T87-4	109.50	59					191T91-3	228.00						
30 cm/ 12"			7	191G15-1	97.70	46	1.3mm/.050"	3/8" LP	90PX	CC	191H01-8	106.20		419288-5	26.80	Sprocket 3/8"LP	199063-2	TBA
30 cm/ 12"			7	191G23-2	96.80	46					191H10-7	100.40						

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Guide Bar						Saw Chain								Bar Cover			Drive Sprocket		
Bar length	Motor Mount	Type	Drive tooth	Part No.	RSP (RM)	No. of drive links	Gauge	Pitch	Type	Cutter type	Part No. (Carton)	RSP (RM)	Low kickback saw chain (ANSI / CSA)	Part No.	RSP (RM)	Type	Part No.	RSP (RM)	
Cordless Chain Saws Model No: DUC307																			
30 cm/ 12"	A041	Sprocket nose bar	-	191G15-1	97.70	46	1.1 mm/ .043"	3/8" LP	90PX	CC	191H01-8	106.20	-	419288-5	26.80	Sprocket 3/8"LP	199063-2	TBA	
35 cm/ 14"			-	191G16-9	119.10	52					191H02-6	75.90	-	413G23-5	21.70				
				165246-6	TBA								419288-5	26.80					
40 cm/ 16"			-	191G17-7	130.40	56	191H03-4	119.90	-	413G23-5	21.70								
									419242-9	TBA									
30 cm/ 12"			-	191G23-2	96.80	46	1.3 mm/ .050"	91PX	191H10-7	100.40	-	413G21-9	TBA						
35 cm/ 14"			-	191G24-0	103.50	52			191H11-5	109.90	-	419288-5	26.80						
											413G23-5	21.70							
40 cm/ 16"	-	191G25-8	109.00	56	191H12-3	122.80			-	419242-9	TBA								
									413G21-9	TBA									
Cordless Chain Saws Model No: DUC353, DUC355																			
35 cm/ 14"	A041	Sprocket nose bar	8	191T87-4	109.50	59	1.1 mm/ .043"	.325" LP	80TXL	MC	191T91-3	228.00	YES	419288-5	26.80	Sprocket .325"LP	1911W5-9	TBA	
40 cm/ 16"			8	191T88-2	122.60	64					191T92-1	246.40		419242-9	TBA		1911W5-9		
30 cm/ 12"			7	191G15-1	97.70	46	1.3 mm/ .050"	3/8" LP	90PX	CC	191H01-8	106.20		419288-5	26.80	Sprocket 3/8"LP	199063-2		
30 cm/ 12"			7	191G23-2	96.80	46					191H10-7	100.40							
40 cm/ 16"			7	191G25-8	109.00	56					191H12-3	122.80							
				165202-6	75.50														
Cordless Chain Saws Model No: UC016G																			
35 cm/ 14"	A041	Sprocket nose bar	8	191T87-4	109.50	59	1.1mm/ .043"	.325" LP	80TXL	MC	191T91-3	228.00	YES	419288-5	26.80	Sprocket .325"LP	191V91-5	45.80	
40 cm/ 16"			8	191T88-2	122.60	64					191T92-1	246.40		419242-9	TBA		191V91-5		
30 cm/ 12"			7	191G15-1	97.70	46	1.3mm/ .050"	3/8" LP	90PX	CC	191H01-8	106.20		419288-5	26.80	Sprocket 3/8"LP	191V90-7		
30 cm/ 12"			7	191G23-2	96.80	46					191H10-7	100.40							
40 cm/ 16"			7	191G25-8	109.00	56					191H12-3	122.80							
				165202-6	75.50														
Electric Chain Saws Model No: DUC121, DUC122																			
11.5 cm/ 4-1/2"	-	without sprocket	-	158476-6	TBA	42	1.3mm/ .050"	1/4"	25AP	MC	191G95-7	TBA	-	416311-7	18.20	Sprocket 1/4"	221527-9	TBA	
Electric Chain Saws Model No: UC3041A, UC3541A, UC4041A																			
30 cm/ 12"	A041	Sprocket nose bar	7	191G15-1	97.70	46	1.1 mm/ .043"	3/8" LP	90PX	CC	191H01-8	106.20	YES	419288-5	26.80	Sprocket 3/8"LP	221526-1	7.20	
30 cm/ 12"			7	191G23-2	96.80	46	1.3 mm/ .050"	3/8" LP	91PX		191H10-7	100.40							
Electric Chain Saws Model No: UC3050A, UC3550A, UC4050A, UC4550A, UC3051A, UC3551A, UC4051A, UC4551A																			
30 cm/ 12"	A041	Sprocket nose bar	7	191G23-2	96.80	46	1.3 mm/ .050"	3/8" LP	91PX	CC	191H10-7	100.40	YES	419288-5	26.80	Sprocket 3/8"LP	221521-1	TBA	
Electric Chain Saws Model No: 5016B																			
40 cm/ 16"	-	-	-	341650-5	306.40	59	1.3 mm/ .050"	3/8" LP	91PX	SC	196521-9	TBA	-	-	-	-	-	-	

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Round File, File Holder

For Model: Chain saw *with handle



Saw chain type	Round file				File and File handle and File holder	
	Size	Part No.	Qty	RSP (RM)	Part No.	RSP (RM)
25F, 25AP, 91P, 91PX, 91PXL, 91VXL, M91VXL	4.0 mm	*744003-1	1	16.20	-	-
		-	-	-	D-70948	55.90
90PX, 90SG	4.5 mm	-	-	-	198457-8	74.20
					D-70954	55.90
95VPX, 95TXL, 20BPX, 21BPX, 22BPX, 20LPX, 21LPX, 22LPX, 082, 086, 686, 484	4.8 mm	-	-	-	D-70960	55.90
72DPX, 73DPX, 75DPX, 72LPX, 73LPX, 75LPX	5.2 mm	-	-	-	D-70976	55.90
72V, 73V, 75V, 72APX, 72DPX, 73DPX, 75DPX, 72EXL, 73EXL, 75EXL, 72EXJ, 73EXJ, 75EXJ, 72LGX, 73LGX, 75LGX, 72JGX, 73JGX, 75JGX, 72JPX, 73JPX, 75JPX, 72LPX, 73LPX, 75LPX, 72RD, 73RD, 75RD, 496, 093, 099	5.5 mm	-	-	-	D-70982	55.90

Flat File, Depth Gauge

For all saw chain

Depth gauge: .025" / 0.64 mm

Flat file and File handle and Depth gauge	
Part No.	RSP (RM)
D-70998	45.30



Conversion from Hedge Trimmer to Grass Shear



Model No.	Cutting Width	Item	Part No.	RSP (RM)
UH201D	160 mm	Blade Assembly	195267-4	363.50
	110 mm		191N23-4	120.40

Chain Oil

Item	Size	Part No.	RSP (RM)
With Makita chain oil, chain oiling is formulated to adhere to the bar and chain and to reduce wear. Adhesion additive helps keep sap and pitch from clinging to the bar and chain. (Not available in Austria)	100 ml	182229-1	16.20
		199897-3	20.80
	1 L	195093-1	59.00



Conversion from Grass Shear to Hedge Trimmer



Model No.	1. Blade Assembly			2. Blade Cover		3. Chip Receiver	
	Surface Treat	Part No.	RSP(RM)	Part No.	RSP(RM)	Part No.	RSP(RM)
DUM111 DUM604 UM600D	NICKEL PLATING	198408-1	138.00	458342-0	21.90	198401-5	35.50

Angled Attachment Set for Pole Saw



Model No.	Part No.	RSP (RM)
UA003G, UA004G, DUA300, DUA301	1910J6-0	323.10

Long Attachment Handle

Extension Handle kit
*with grass shear blade



Model No.	Part No.	RSP (RM)
DUM604, UM110D, DUM111, UM600D, *UH201D	198486-1	322.00
	195187-2	381.70

Hook Holder for Extension Cord



Type	Description	Part No.	RSP (RM)
A	Arm band complete set	194679-8	30.40
B	Cord holder complete set	194677-2	11.30
C	Hook complete	158024-1	7.70

Weeding Nozzle with Cover



Model No.	Part No.	RSP (RM)
DUS054, US053D	AB45127080	158.40

Shear Blade & Blade Cover for Grass Shear




Model No.	Cutting width	1. Blade Assembly		2. Blade Cover		3. Grass Receiver	
		Part No.	RSP (RM)	Part No.	RSP (RM)	Part No.	RSP (RM)
DUM168 DUM604 UM600D	160 mm	195267-4	363.50	452055-5	15.50	457426-1	20.40

Shear Blade & Blade Cover

Blade type

A: Curving blade


Optimum blade shape for smooth cutting



B: High grade blade

Upper/ Lower blade teeth with 3

sharpened edges for clean cut.



C: Stain-free blade

Non-electrolyzed nickel plating

Evenly and strongly adhered surface coating that features high anti-abrasion surface for long lasting coating.



Sap on the blade

(after 10 hour trimming of Boxwood)



Model No.	Blade size	Blade type	Blade Assembly		Blade Cover	
			Part No.	RSP (RM)	Part No.	RSP (RM)
Cordless hedge trimmer						
DUH502	500 mm	B	199598-3	418.00	459120-1	TBA
DUH506	500 mm	C	1910H8-2	455.30	413L91-8	TBA
DUH507	500 mm	C	1911J1-6	425.90	413L91-8	TBA
DUH523	520 mm	C	195769-0	410.40	452685-2	23.50
DUH601	600 mm	A	191R53-9	714.40	412911-1	52.80
			199099-1	692.80	459121-9	35.90
DUH651	650 mm	C	196688-3	555.90	450490-1	23.10
DUH754S	750 mm	A	191Y05-2	769.10	459122-7	TBA
UH020G	500 mm	-	1914G4-7	312.40	-	-
UH004G	600 mm	A	191R53-9	714.40	412911-1	52.80
UH006G	600 mm	B	191R55-5	764.40	412911-1	52.80
UH014G	750 mm	A	191Y05-2	769.10	413B99-2	TBA
UH201D	200 mm	C	198408-1	138.00	458342-0	21.90

Model No.	Blade size	Blade Assembly	
		Part No.	RSP (RM)
Pole Hedge trimmer (Cordless, Petrol, Multi tool attachments) *Attached to Blade assembly			
DUN461W, UN460WD	460 mm	191P00-8	289.90
DUN500W	500 mm	191C14-9	393.40
DUN600L	600 mm	191C13-1	449.80
UN001G	600 mm	1914E7-7	499.70

Grease Vessel Set


Description	Size	Part No.	RSP (RM)
For Pole hedge trimmer and Multi tool attachment (Cultivator, Power brush and Power sweep) GREASE NO.0	80 ml	197439-7	56.60
For string trimmer, Brushcutter and Hedge trimmer (GREASE NO.2)	80 ml	199450-5	60.00

Pruning Shear Blade

Shear blade (U)

Shear blade (L)

Do not re-use Stop Ring E-4 when reassembling, Stop Ring E-4



*With Stop Ring E-4 (P/N:961011-9)

**Hex socket button head screw M3x6 P/N:266183 & Shoulder bolt M8 P/N:251573-8 are also necessary

Model No.	Type	*Shear blade (U)		Shear blade (L)	
		Part No.	RSP (RM)	Part No.	RSP (RM)
DUP361 DUP362	Standard	199748-4	TBA	197749-2	369.90
		197366-8	358.00	197367-6	328.20
	For hard branch	199168-8	537.90	199169-6	682.20
	For thin branch	199314-3**	565.70	199171-9**	670.00
UP100D	Standard	1911W2-5	72.40	1911W1-7	67.80

Diamond File for Shear Blade




Model No.	Item	Part No.	RSP (RM)
DUP361, DUP362		794530-8	88.60

Battery Powered Pruning Shear others Accessory



Model No.	Item	Part No.	RSP (RM)
DUP361 DUP362	Standard Harness	161377-9	102.20
	Arm Band	166062-9	54.70
	Cord Holder	154511-8	4.60
	Connection Cord	661445-3	381.80

Wheelbarrow Attachment

Model No.	Item		Part No.	RSP (RM)
DCU180		Carrier set (Pipe deck)	199116-7	1262.20
		Bucket set	198494-2	975.50
		Auxiliary wheel attachment set	191A01-6	776.00
DCU603 DCU604 DCU605		Dump bucket 200 set	191B69-8	3493.30
		Dump unit set	191B63-0	4455.10
		Carrier set	191B67-2	2218.00
		Flat bucket set	1911B3-6	4726.00

Rotary Lawn Mower Blade

*High flow blade for better grass catching

**Mutching blade used without grass catcher



Cordless Lawn Mower Model No.	Size	Part No.	RSP (RM)
DLM382	380	191D41-2	111.90
LM004G	430	1913H4-8	130.40
		**1913H6-4	111.90
DLM432	430	191D43-8	70.40
DLM460	460	199367-2	76.20
DLM462	460	191D51-9	115.10
DLM480	480	**191Y64-6	191.30
		191V97-3	120.80
DLM532, DLM533, LM001C	530	191D52-7	179.00
DLM539, LM002G, LM002J, LM004J	530	191V96-5	123.80
DLM532, DLM533, DLM539, LM001C, LM002G, LM002J, LM004J	530	*191W87-2	256.40
DLM532, DLM533, DLM539, LM001C, LM002G, LM002J, LM004J	530	**191Y65-4	202.60

Blade for DLM160



A-70334



A-48957

Part No.	RSP (RM)
A-70334	120.00
A-48957	113.10

Earth Auger Bit Adapter

*Use with 191P11-3

Model No.	Item	Part No.	RSP (RM)
DDG460 DG001G *DA001G DDA460		327684-2	181.50
		327687-6	170.40

Optional Tire & Wheel Set for Wheelbarrow



Model No.	Item	Color	Part No.	RSP (RM)
DCU603 DCU604 DCU605	Tire 330 (single) set for pavement or concrete floor (Tire (13x5.00-6), Tube & Divided type rim set)	Black	1911K4-7	575.10
	Gray Tire 330 (single) set for painted floor (Tire (13x5.00-6), Tube & Divided type rim set)	Gray	1911K5-5	592.60
	Gray Tire 210 (single) set for painted floor (Tire (2.00-4), Tube & Divided type rim with hub bearingset)	Gray Gray tire leaves less tire mark on painted floor compared with black one.	1911K6-3	405.30


Scarifier Drum

Model No.	Item		Part No.	RSP (RM)
UV001G		Vertical cutter set	1913J5-0	462.80
		Thatching blade set	1913J7-6	444.00

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

ACCESSORIES

▣ Miscellaneous



Tape Measure

Feature:

1. Special Coating
 - * "DURA COAT" makes 5 times more durable
 - * "SILICA COAT" makes easier note



2. High durability of Hook
 - * Installed damper absorbs the shock on the hook
 - * Hook protector reduces the shock on the hook
 - * Tightly fixed hook with "4 rivets + protector"



3. Convenience
 - * 2-sided print
 - * Hook with magnet
 - * "Matte finish" makes easier to read scales
 - * Standout



Makita tape measure is highly durable and convenient. When the scales are blurred or hook is lost, that would be the end of its life. This measure is for professional which has a special coated tape, hook protector and damper which absorbs shocks leads to great durability.



Tape Measure



Size	Length	Width	Part No.	RSP (RM)
cm/ inch	2 m/ 6ft	13 mm/ 1/2"	E-10590	29.90



Size	Length	Width	Part No.	RSP (RM)
cm	3.5 m	16 mm	B-57130	48.00



Size	Length	Width	Part No.	RSP (RM)
cm/ inch	5.5 m/ 18 ft	25 mm/ 1"	B-57211	105.30
	7.5 m/ 25 ft	25 mm/ 1"	B-57227	128.00



Size	Length	Width	Part No.	RSP (RM)
cm	10 m	25 m	B-57168	150.00

Tape Measure with Holder & Safety Cord




Size	Length	Width	Part No.	RSP (RM)
cm	7.5 m	25 mm	B-57174	260.20


*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Shock Driver

Makita shock driver is very useful tool which as a regular handy driver and a shock driver when you work on the stripped screw.




This handy driver can remove both crushed and stripped screws which could not be loosened by the electric tools. Applying the impact on the handle generates a torque in the rotation direction, so both crushed and stripped screws can be removed.



How to Remove


1. While applying force in the fastening direction, hold the grip securely.

2. Apply strong impact with the hammer.



The impact on the handle generates 12 degrees torque in the loosening direction and even the stripped screw will be loosened.

12 Degrees



Size	Length	Part No.	RSP (RM)
PH2	125	B-42438	102.40
	150	B-42444	115.30
PZ2	125	B-42450	102.40
	150	B-42466	115.30

Snap-off Knife

Part No.	RSP (RM)
D-65713	32.00



LED Pen Light (without Battery)

Battery type: AA

Part No.	RSP (RM)
D-58752	38.80



Work Glove

Size	Part No.	RSP (RM)
L	A-68672	183.30
M	A-68666	183.30



Strap Belt System



System as a STRAP

Totally New on the market - unique STRAP Belt System with quick release buckles at the ends makes the belt multipurpose. Strap with comfortable soft cushioned shoulder pad makes the lifting more comfortable. Fits to all Makita Tool Bags and Cases.



System as a BELT

Strap BELT can be easily detached from any Tool Bag or Tool Case and worn on the waist as a light-duty tool belt. Strap can be adjusted, which is flexible and convenient to fit your need. Can be worn with any Makita Tool Pouch and Holder.



Tool Holders 3rd generation Technical Solutions




Strap Belt System with quick release buckles at the ends can be easily detached from the Tool Bags and worn on the waist as a light-duty tool belt. Fits all Tool Pouches and Holders as well as Tool Organizers.



3 LAYERS

3L Technology is a unique 3-layer combination of polyesters and foam that provides extra cushioning. Designed to be tough and weatherproof, these amazingly light polypropylene panels are made up of three composite layers joined securely in a desirable configuration. The innovative feature of these structured core panels means that they can be formed into any shape.



WATERPROOF BOTTOM

Waterproof Bottom is a high quality solution for tool bags – rigid, wear-resistant and waterproof it keeps tools dry and protected from damp and wet surfaces. The reinforced plastic base also helps you to keep your tool bag clean.



Real Leather is smooth on the outside with brushed suede on the inside. Strong and tough for a long life but soft and supple enough for lasting comfort, whilst providing excellent strength with added abrasion resistance. Heavy gauge leather has been selected for use in products requiring a thicker covering - 1.8 to 2.0 mm - ensuring a top quality product.



Durable Riveting gives truly unbreakable strength. Strong one piece self-punching rivets with washers used in all high stress areas. Washers for greater strength in strategical places are used on one or both sides, up and down.



ANTI SLIP

Anti-Slip Solution minimises or even avoids workplace slip and fall accidents. The high quality polypropylene tape has a rubbery surface which helps to keep you tools in place and provides additional protection to help prolong the life of your products.



Elastic Loops secures the contents and keeps your tools in place while carrying. It provides great flexibility for organizing your tools and accessories. Elastic Loops have been applied to a wide variety of our products to ensure that you get maximum usage from your kit. The loops are able to adapt to perfectly suit all tools and accessories.



Side-Gate Solution lets you easily put the tool in without looking at the holder. An additional swing feature ensures your tool is kept at a comfortable angle. Made of stainless steel for product longevity and fixed by four rivets for extra strength.



Pouches & Holders

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Drill Holster Universal L/R Handed	290	170	85	✓	✓		✓	✓	✓	✓			E-15154	171.70
Pencil Driver Holster Universal L/R Handed	320	85	60	✓					✓	✓			E-15160	75.70
Impact Driver Holster Universal L/R Handed	235	155	75	✓	✓		✓	✓	✓	✓			E-15176	118.80
Universal Pouch & Drill Holster L/R Handed	270	260	145	✓	✓		✓	✓	✓	✓			E-15182	331.00
Ultimate 2 - Pocket Fixing Pouch	270	260	145	✓	✓		✓	✓	✓	✓			E-15198	229.70
Ultimate 3 - Pocket Fixing Pouch	270	320	145	✓	✓		✓	✓	✓	✓			E-15207	302.60
Roofer & General Purpose Pouch	270	290	145	✓	✓		✓	✓	✓	✓	✓		E-15213	333.30
3 Pouch Tool Belt Set	270	640	145		✓		✓	✓	✓	✓	✓		E-15229	683.00
Ultimate Heavyweight Tool Belt Set	310	880	145	✓	✓		✓	✓	✓	✓			E-15235	845.90
Ultimate Electricians Pouch	310	250	125	✓	✓		✓	✓	✓	✓			E-15241	240.60
Fixing Pouch & Hammer Holder	185	180	105	✓	✓		✓	✓	✓	✓			E-15257	153.70
Zip Top Pouch - Dual Battery or Fixings	185	175	105	✓	✓			✓		✓			E-15263	150.40
Ultimate 4 - Way Electricians Holder	205	185	55	✓			✓	✓		✓			E-15279	156.00
Ultimate 3 - Way Hammer & Tool Holder	205	185	85	✓			✓	✓		✓			E-15285	149.90
Side Gate Hammer & Tool Holder	165	110	70	✓	✓			✓		✓	✓		E-15291	91.50

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Looped Hammer & Axe Holder	165	110	65	✓	✓			✓		✓			E-15300	86.00
Universal Clip Holder	165	110	15	✓	✓			✓		✓			E-15316	61.50

Pouches & Holders

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Knife / Secateur Holder	200	100	50	✓	✓				✓	✓	✓		E-15322	79.70
Tape Measure Holder	165	110	80	✓	✓				✓	✓	✓		E-15338	74.60
Ultimate Chisel & Tool Holder	270	100	60	✓					✓	✓	✓		E-15344	102.40

Belts & Braces

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE RIVETING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Quick Release Belt & Shoulder Strap	38	1300	-	✓									E-15350	83.90
Belt Loop - 3pcs.	129	41	-	✓									E-05309	47.00
Belt Loop - 6 pcs.													E-05315	80.40
Ultimate Padded Belt with Belt Loop	100	880	30				✓	✓					E-15366	280.40
Quick Release Belt & Belt Loop	50	1550	-										E-05337	120.40
Ultimate Leather Belt with Belt Loop	48	1380	-				✓						E-15693	173.00
Ultimate Padded Braces & Phone Holder	410	520	23						✓				E-15372	294.80

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVETTING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Leather Belt Black M	38	1130					✓						E-05359	177.00
Leather Belt Black L	38	1330					✓						E-05365	177.00
Leather Belt Brown M	38	1130					✓						E-05371	177.00
Leather Belt Brown L	38	1330					✓						E-05387	177.00
Ultimate Braces with Clips	-	50	-										E-05402	142.60

Bags & Cases

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVETTING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Ultimate Adjustable Tool Case	310	510	300	✓		✓		✓		✓			E-15388	819.10
Reinforced Adjustable Tool Case	265	505	295	✓				✓		✓			E-15394	790.20
Ultimate Open Tool Tote	355	490	310	✓		✓		✓		✓			E-15403	487.00
Ultimate Covered Tool Tote	360	490	310	✓		✓		✓		✓			E-15419	669.90
Ultimate Gate Mouth Tool Bag	280	510	295	✓		✓				✓			E-15425	517.10
Ultimate Wide Mouth Tool Bag	250	440	240	✓						✓			E-15431	442.80
Ultimate 3-Way Universal Tool Tote	225	350	175	✓	✓				✓	✓			E-15447	378.60
Ultimate 4-Sided Tool Tote	410	260	220	✓				✓	✓	✓			E-15453	389.50
Semi-Rigid Tool Bag	270	520	250	✓	✓				✓	✓			E-15469	617.90

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.


Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE REVEALING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Technician Tool & Laptop Bag	350	425	170	✓	✓			✓		✓			E-15475	1089.30
Backpack Tool Organiser	490	390	230			✓				✓			E-15481	910.60
Bucket Tote Tool Organiser	320	470	-							✓			E-15497	179.50
Tool Organiser Wrap	195	350	45						✓	✓			E-15506	208.20
Ultimate Chainsaw Bag	260	900	270	✓		✓				✓			E-15512	536.40
Roll-Top All Weather Backpack	400	330	200						✓				E-15528	489.90
Roll-Top All Weather Tube Bag	600	320	320	✓					✓				E-15534	459.90
Roll-Top All Weather Duffle Bag	250	610	300	✓					✓				E-15540	603.70
Ultimate Heavyweight Tool Bag	260	650	330	✓									E-11782	783.70
Ultimate Heavyweight Tool Bag with Trolley	330	680	330	✓				✓					E-12712	1091.50

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.

Gear & Equipment

Descriptions	Outer Size mm			Features								Pictures	Part No.	RSP (RM)
	H	L	W	STRAP/BELT SYSTEM	3 LAYERS	WATERPROOF BOTTOM	REAL LEATHER	DURABLE KNOTTING	ANTI SLIP	ELASTIC LOOPS	SIDE-GATE SOLUTION			
Ultimate Smartphone Holder	185	100	40	✓	✓					✓			E-15556	116.00
Ultimate Smartphone Holder XL	200	115	40	✓	✓					✓			E-12980	127.30
Thermal Mug & Holder	200	90	85	✓	✓				✓	✓			E-15562	211.00
Thermal Mug & Holder	175	125	100	✓	✓				✓	✓			E-15578	107.00
Lunch Bag	210	330	180		✓								E-15584	226.40
Ultimate Lunch Bag & Belt	230	330	200	✓	✓	✓			✓				E-15590	369.90
Work Vest - Adjustable Pockets	640	510	-							✓			E-15609	528.40
Knee Pad Set	240	170	30										E-15615	236.80
Ultimate Knee Pad Set	240	170	95										E-05658	347.70
1.4M / 1.5M Guide Rail Protective Holder	220	1565	45	✓	✓								E-05664	314.80
1M Guide Rail Protective Holder	220	1070	45	✓	✓								E-05670	282.00
1.9M Guide Rail Protective Holder	220	1950	45	✓	✓								E-10920	505.50
3M Guide Rail Protective Holder	220	3050	45	✓	✓								E-10936	603.50

*All recommended selling price (RSP) shown are for reference only (exclude SST). Kindly refer to the latest price list.



PRINTED IN MALAYSIA 2025.04/A3

Makita Power Tools (Malaysia) Sdn. Bhd. Co. Registration No.: 201301001778 (1031615-M)

HQ & Service Centre

Lot 824, Jalan Subang 5, Subang Industrial Area,
47500 Subang Jaya, Selangor.
Tel: 03-8023 0824 (General) | Fax: 03-8022 1448
03-8022 1443 (Service)

Johor (Johor Bahru) Service Centre

No.12 & 14, Jalan Rosmerah 2/9,
Taman Johor Jaya,
81100 Johor Bahru, Johor.
Tel: 07-364 9406 | Fax: 07-364 9407

Sarawak (Kuching) Service Centre

Lot 1227, Lorong Demak Indah 2A,
Demak Laut Industrial Area, Phase 2A,
93050 Kuching, Sarawak.
Tel: 082-496 800 | Fax: 082-496 900

Sabah (Kota Kinabalu) Service Centre

Lot 19, Jalan Buah Duku,
Kolombong Light Industrial Estate, Off Jalan Kolombong,
Kolombong Zone 1, 88450 Inanam, Kota Kinabalu, Sabah.
Tel: 088-388 278 | Fax: 088-388 279



www.makita.my
✉ makita@makita.my