



LXT POWER SOLUTIONS PROMOTION

Valid until 31st March 2027



LXT PWP

Limited to one unit for each item for every purchase of
LXT POWER SOLUTIONS PROMOTION.



3.0Ah Battery (BL1830B)

38% OFF

~~RSP: RM420~~

ONLY RM258



5.0Ah Battery (BL1850B)

43% OFF

~~RSP: RM600~~

ONLY RM338



Hammer Driver Drill
DHP490Z Tool only

42% OFF

~~RSP: RM414~~

ONLY RM238

LXT MEGA COMBO



1 Hammer Driver Drill
DHP486Z

Tool only



2 Impact Driver
DTD201Z

Tool only



3 Angle Grinder
DGA404Z

Tool only



4 Rotary Hammer
DHR242Z

Tool only



- 5** 1x 5.0Ah Battery (BL1850B)
1x 3.0Ah Battery (BL1830B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)

57% OFF

RSP: ~~RM6,118~~

ONLY RM2,588

LXT AUTO POWER COMBO



1 Impact Wrench
DTW700ZX1

Tool only



2 Impact Wrench
DTW700ZX1

Tool only



3 2x 5.0Ah Battery (BL1850B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)



61% OFF ~~RSP: RM4,947~~

ONLY RM 1,888

LXT INSTALL PRO COMBO



1 Angle Grinder
DGA405Z
Tool only

2 Hammer Driver Drill
DHP486Z
Tool only



3 1x 5.0Ah Battery (BL1850B)
1x 3.0Ah Battery (BL1830B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)



56% OFF ~~RSP: RM3,892~~

ONLY RM 1,688

LXT SERVICE PRO COMBO



1 Impact Wrench
DTW300Z
Tool only



2 Angle Impact Wrench
DTL300Z
Tool only



3 2x 3.0Ah Battery (BL1830B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)

56% OFF

RSP: ~~RM3,908~~

**ONLY
RM 1,688**

LXT WHEEL SERVICE COMBO



1 Impact Wrench
DTW1002ZX2
Tool only



2 Impact Wrench
DTW700ZX1
Tool only



3 Impact Wrench
DTW300Z
Tool only



- 4** 1x 5.0Ah Battery (BL1850B)
1x 3.0Ah Battery (BL1830B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)

55% OFF

RSP: RM6,665

ONLY RM2,988

LXT HEAVY TORQUE COMBO



1 Impact Wrench
DTW1001ZX2

Tool only

2 Impact Wrench
DTW700ZX1

Tool only

3 2x 5.0Ah Battery (BL1850B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)



55% OFF

RSP: RM5,423

ONLY RM 2,388

LXT MAINTENANCE PRO COMBO



1 Impact Wrench
DTW700ZX1

Tool only



2 Angle Grinder
DGA404Z

Tool only



3 2x 5.0Ah Battery (BL1850B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)

57% OFF

RSP: ~~RM4,252~~

ONLY RM 1,788

LXT MAINTENANCE PRO COMBO



1 Impact Wrench
DTW700ZX1
Tool only

2 Angle Grinder
DGA405Z
Tool only

3 2x 5.0Ah Battery (BL1850B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)

58% OFF RSP: ~~RM4,283~~

ONLY
RM 1,788

LXT CONCRETE PRO COMBO



2 Rotary Hammer
DHR242Z
Tool only



1 Angle Grinder
DGA404Z
Tool only



3 2x 5.0Ah Battery (BL1850B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)



57% OFF ~~RSP: RM4,010~~

ONLY RM 1,688

LXT WORKPRO COMBO



1 Driver Drill
DDF486Z

Tool only



2 Impact Driver
DTD201Z

Tool only



3 2x 3.0Ah Battery (BL1830B)
1x Rapid Charger (DC18RC)
1x Makita Tool Bag (831271-6)



55% OFF

RSP: ~~RM3,594~~

ONLY RM 1,588

DHP486 13 mm (1/2")**18V**

Capacity	Steel: 13 mm (1/2") Masonry: 16 mm (5/8") Siding Board: 170 mm (6-11/16") Wood (Auger-Bit): 50 mm (2") Wood (Hole Saw): 152 mm (6")
Impacts Per Minute (IPM)	High: 0 - 31,500 Low: 0 - 8,250
No Load Speed (RPM)	High: 0 - 2,100 Low: 0 - 550
Max Fastening Torque	Hard: 130 N-m (1,150 in lbs) Soft: 65 N-m (580 in lbs)
Max Torque	141 N-m (1,250 in lbs)
Dimensions (L x W x H)	178 x 81 x 265 mm (7 x 3-3/16 x 10-3/8")
Net Weight	2.3 - 2.7 kg (5.1 - 6.0 lbs)
Work Amount (approx.)	710 holes with BL1850B Wood bit Ø 21 mm (30 mm thick melapi) High Speed

DTW700 12.7 mm (1/2")**18V**

Fastening Capacities	Standard Bolt: M10 - M24 (3/8 - 1") High Strength Bolt (Grade 10.9): M10 - M16 (3/8 - 5/8") High Strength Bolt (Grade F10T): M12, M16 (7/16, 5/8")
Square Drive	12.7mm (1/2")
No Load Speed (RPM)	Max: 0 - 2,200 Hard: 1,900 Medium: 1,200 Soft: 500
Impacts Per Minute (IPM)	Max: 0 - 2,700 Hard: 2,400 Medium: 1,700 Soft: 1,000
Max Fastening Torque	700 N-m (520 ft lbs)
Nut-Busting Torque	1,000 N-m (740 ft lbs)
Dimensions (L x W x H)	170 x 81 x 276 mm (6-11/16 x 3-3/16 x 10-7/8")
Net Weight	2.3 - 2.7 kg (5.1 - 6.0 lbs)

DDF486 13 mm (1/2")**18V**

Capacity	Steel: 13 mm (1/2") Wood (Auger-Bit): 50 mm (2") Wood (Hole Saw): 152 mm (6") Siding Board: 170 mm (6-11/16")
No Load Speed (RPM)	High: 0 - 2,100 Low: 0 - 550
Max Fastening Torque	Hard: 130 N-m (1,150 in.lbs.) Soft: 65 N-m (580 in.lbs.)
Max Torque	141 N-m (1,250 in.lbs.)
Dimensions (L x W x H)	178 x 81 x 265 mm (7 x 3-3/16 x 10-3/8")
Net Weight	2.3 - 2.6 kg (5.1 - 5.7 lbs)
Work Amount (approx.)	710 holes with BL1850B Wood bit Ø 21 mm (30 mm thick melapi) High Speed

DTW300 12.7 mm (1/2")**18V**

Fastening Capacities	High Strength Bolt: M10 - M16 (3/8 - 5/8") Standard Bolt: M10 - M20 (3/8 - 3/4")
Square Drive	12.7 mm (1/2")
No Load Speed (RPM)	Max: 0 - 3,200 Hard: 2,600 Medium: 1,800 Soft: 1,000
Impacts Per Minute (IPM)	Max: 0 - 4,000 Hard: 3,400 Medium: 2,600 Soft: 1,800
Max Fastening Torque	330 N-m (240 ft lbs)
Nut-Busting Torque	580 N-m (430 ft lbs)
Dimensions (L x W x H)	144 x 81 x 246 mm (5-5/8 x 3-3/16 x 9-11/16")
Net Weight	1.5 - 1.8 kg (3.4 - 4.1 lbs)

DHP490 13 mm (1/2")**18V**

Capacity	Masonry: 13 mm (1/2") Steel: 13 mm (1/2") Wood: 38 mm (1-1/2")
Chuck Capacity	13 mm (1/2")
Impacts Per Minute (IPM)	High: 0 - 28,500 Low: 0 - 7,500
No Load Speed (RPM)	High: 0 - 1,900 Low: 0 - 500
Max Fastening Torque	Hard: 50 N-m (440 in.lbs.) Soft: 27 N-m (240 in.lbs.)
Max Torque	65 N-m (580 in.lbs)
Max Output	460 W
Dimensions (L x W x H)	172 x 81 x 237 mm (6-3/4 x 3-3/16 x 9-3/8")
Net Weight	1.4 - 1.7 kg (3.1 - 3.7 lbs)

DTL300 12.7 mm (1/2")**18V**

Fastening Capacities	Standard Bolt: M10 - M20 (3/8 -3/4") High Strength Bolt: M10 - M16 (3/8 -5/8")
Square Drive	12.7 mm (1/2")
No Load Speed (RPM)	Hard: 0 - 3,200 Medium: 0 - 1,500 Soft: 0 - 1,000
Impacts Per Minute (IPM)	Hard: 0 - 4,000 Medium: 0 - 2,800 Soft: 0 - 1,800
Max Fastening Torque	310 - 340 N-m (230 - 250 ft lbs)
Nut-Busting Torque	500 - 530 N-m (370 - 390 ft lbs)
Dimensions (L x W x H)	396 - 414 x 80 x 86 - 92 mm (15-5/8 - 16-1/4 x 3-1/8 x 3-3/8 - 3-5/8")
Net Weight	1.8 - 2.1 kg (4.0 - 4.6 lbs)

DTD201**18V**

Capacity	Steel: 22 mm (7/8") Wood (Auger bit): 24 mm (15/16")
Hex Shank	6.35 mm (1/4")
No Load Speed (RPM)	Max: 0 - 3,700 Hard: 0 - 3,200 Med: 0 - 2,100 Soft: 0 - 1,100
Impacts Per Minute (IPM)	Max: 0 - 4,400 Hard: 0 - 4,200 Med: 0 - 3,600 Soft: 0 - 2,000
Max Fastening Torque	210 N-m (1,860 in lbs)
Dimensions (L x W x H)	121 x 81 x 246 mm (4-3/4 x 3-3/16 x 9-11/16")
Net Weight (with battery)	1.3 - 2.3 kg (2.9 - 5.1 lbs)
Work Amount (approx.)	140 pcs with BL1860B Coach screw 90 mm & 9.0 mm diameter into melapi

DHR242 24 mm (15/16")**18V**

Impact Energy	2 J
Capacity	Concrete: 24 mm (15/16") Steel: 13 mm (1/2") Wood: 27 mm (1-1/16")
Impacts Per Minute (IPM)	0 - 4,700
No Load Speed (RPM)	0 - 950
Dimensions (L x W x H)	328 x 85 x 213 mm (12-7/8 x 3-3/8 x 8-3/8")
Net Weight	3.1 - 3.8 kg (6.7 - 8.4 lbs)
Work Amount (approx.)	95 holes with BL1850B Mansory Drill Ø 10.5 mm Concrete Depth 60 mm

DTW1001 19 mm (3/4")**18V**

Fastening Capacities	Standard Bolt: M12 - M30 (1/2" - 1-1/4") High Tensile Bolt: M10 - M24 (3/8" - 1")
Square Drive	19 mm (3/4")
No Load Speed (RPM)	Hard: 0 - 1,800 Medium: 0 - 1,000 Soft: 0 - 900
Impacts Per Minute (IPM)	Hard: 0 - 2,200 Medium: 0 - 2,000 Soft: 0 - 1,800
Max Fastening Torque	1,250 N-m (920 ft lbs)
Nut-Busting Torque	1,700 N-m (1,250 ft lbs)
Dimensions (L x W x H)	229 x 91 x 289 mm (9 x 3-5/8 x 11-3/8")
Net Weight	3.4 - 3.7 kg (7.5 - 8.2 lbs)
Work Amount (approx.)	185 pcs with BL1850B Bolts M20

DGA404 100 mm (4")**18V**

Wheel Diameter	100 mm (4")
No Load Speed (RPM)	8,500
Dimensions (L x W x H)	362 x 117 x 140 mm (14-1/4 x 4-5/8 x 5-1/2")
Net Weight	2.10 - 2.71 kg (4.63 - 5.98 lbs)
Work Amount (approx.)	12 m with BL1850B Cutting concrete depth 10 mm

DTW1002 12.7 mm (1/2")**18V**

Fastening Capacities	Standard Bolt: M12 - M30 (1/2" - 1-1/4") High Tensile Bolt: M10 - M24 (3/8" - 1")
Square Drive	12.7 mm (1/2")
No Load Speed (RPM)	Hard: 0 - 1,800 Medium: 0 - 1,000 Soft: 0 - 900
Impacts Per Minute (IPM)	Hard: 0 - 2,200 Medium: 0 - 2,000 Soft: 0 - 1,800
Max Fastening Torque	1,200 N-m (890 ft lbs)
Nut-Busting Torque	1,600 N-m (1,180 ft lbs)
Dimensions (L x W x H)	229 x 91 x 289 mm (9 x 3-5/8 x 11-3/8")
Net Weight	3.3 - 3.6 kg (7.3 - 8.0 lbs)
Work Amount (approx.)	185 pcs with BL1850B Bolts M20

DGA405 100 mm (4")**18V**

Wheel Diameter	100 mm (4")
No Load Speed (RPM)	8,500
Dimensions (L x W x H)	362 x 117 x 140 mm (14-1/4 x 4-5/8 x 5-1/2")
Net Weight	2.08 - 2.69 kg (4.59 - 5.94 lbs)
Work Amount (approx.)	12 m with BL1850B Cutting concrete depth 10mm