



# Cordless Pruning Shears UP100D



UP100D

PRODUCT DETAILS  
Models and specs may vary by country



**Work amount** on a full battery charge  
When cutting  $\varnothing 15\text{mm}$  branches of Japanese cypress  
BL1021B about **2,200 pcs**

**Max cutting capacity**  
 **$\varnothing 25\text{mm}$**



**Lightweight**  
**0.89 kg**  
with BL1016



### LED indicator

mounted on the front of the body, allowing the status of the machine to be checked at a glance.



- Power on
- Blinking: Battery capacity warning (when the capacity is 20% or less)
- Solid on: Error indication (No battery capacity/ Thermal protection/ Overload)

### External oil port

Lubrication oil can be injected without disassembling the blade.





Blade can be interlocked with the trigger, providing smooth blade movement similar to that of hand pruner.

### Slim and Lightweight design

The use of BL Coreless motor\*<sup>1</sup> allows for reduction in the grip diameter and weight to reduce user's fatigue from pruning.

\*<sup>1</sup> BL motor without iron core on which copper coil wire is wound



### Two control buttons on the tool body

Main power button and Blade opening angle adjustment button are located side by side on the rear of the grip for easier blade control.



Main power button

Blade opening angle adjustment button

### Adjustment of blade opening angle

The opening angle of the shear blades can be set in two levels.

fully open

Ø25mm



half-open

Ø18mm



### Adjustment of blade overlap when closed



(by pressing and holding Blade opening angle adjustment button for 3 seconds or more when fully closed)

### Accessories (optional)

#### Shear blade U set

Part No. 1911W2-5

Replacement upper blade for Pruning shears



#### Shear blade L set

Part No. 1911W1-7

Replacement lower blade for Pruning shears



#### Dresser stone set

Part No. 1912E4-1

Dresser stone for Shear blade sharpening



#### Holster

Part No. 162C23-5



## UP100DZ

### Cordless Pruning Shears

• Shear blade control is interlocked with Trigger for easier control of the blade.



12Vmax

VIDEO CLIP

Models and specs may vary by country



UP100D



Standard Equipment:  
Oil supply, Wrench set,  
Dresser Stone Set (1912E4-1), Holster

• DZ: Without Charger & Battery



Capacity	Max cutting: 25 mm (1")
Dimensions (L x W x H)	259 x 53 x 98 mm (10-1/4 x 2-1/16 x 3-7/8")
Net Weight	0.89 - 1.1 kg (2.0 - 2.4 lbs)
Work Amount (approx.)	2,200 cuts with BL1021B Cutting Ø 15 mm branches of Japanese Cypress

Like us on Facebook  
**MAKITA MALAYSIA**

• Continuous Usage Time/ Work Amount: Actual performance may vary based on application. Items of standard equipment and specifications may vary by country or area. The weight and dimensions may differ depending on the attachment(s), including the battery cartridge. All pictures shown are for illustration purposes only.

Makita Power Tools (Malaysia) Sdn. Bhd. Co. Registration No.: 201301001778 (1031615-M)

#### HQ & Service Centre

Lot 824, Jalan Subang 5, Subang Industrial Area,  
47500 Subang Jaya, Selangor.  
Tel: 03-8023 0824 (General) | Fax: 03-8022 1448  
03-8022 1443 (Service)

#### Johor (Johor Bahru) Service Centre

No. 12 & 14, Jalan Rosmerah 2/9,  
Taman Johor Jaya,  
81100 Johor Bahru, Johor.  
Tel: 07-364 9406 | Fax: 07-364 9407

#### Sarawak (Kuching) Service Centre

Lot 1227, Lorong Demak Indah 2A,  
Demak Laut Industrial Area, Phase 2A,  
93050 Kuching Sarawak.  
Tel: 082-496 800 | Fax: 082-496 900

#### Sabah (Kota Kinabalu) Service Centre

Lot 19, Jalan Buah Duku,  
Kolombong Light Industrial Estate, Off Jalan Kolombong,  
Kolombong Zone 1, 88450 Inanam, Kota Kinabalu, Sabah.  
Tel: 088-388 278 | Fax: 088-388 279



www.makita.my  
makita@makita.my